

Rotaliana

Price list 2024




Index

Antares	3	Luxy Glam	41
Aries	<i>New</i> 3	MultiPot+	43
Belvedere	4	Pomi	44
Ciminiere d'Italia	5	Prince	46
CM2	7	QB	46
Collide	<i>New</i> 8	Sol	47
Dina	14	Souvlaki	51
Dina+	15	Squiggle	62
Dresscode	16	String / String mini	68
Drink	17	String XL	76
Dry	18	Sunset	77
Eden Collection	21	Tick	78
Febo	22	Tide	79
Flow Glass	23	Tobu	80
Frame	28	Totem & Tabù	82
Furin	30	Venere	85
Goccia	31		
InOut	32	ACCESSORIES	86
Ipe	34	R1 / R2 / R3	87
Lightwire	36	Certifications	94
Luxy	37	General terms of sale	95

Finiture / Finishing


Satin Collection




Grafito / Graphite
cod. 20



Oro regale / Royal gold
cod. 33




Argento / Silver
cod. 43




Bronzo scuro / Dark bronze
cod. 48



Nero opaco / Matt black
cod. 62



Bronzo / Bronze
cod. 64




Champagne / Champagne
cod. 65

Metallic Collection



Ottone anticato / Antique brass
cod. 14



Peltro delabrè / Pelter delabrè
cod. 19




Rame delabrè / Copper delabrè
cod. 22




Oro delabrè / Gold delabrè
cod. 23


Kerakoll Collection




Sabbia / Sand
cod. W2



Corda / Rope color
cod. W4




Tortora / Dove-gray
cod. W6




Caffè / Coffee
cod. W8

Souvlaki Collection




Bronzo opaco /
Bronze matt
cod. 26




Rame opaco /
Copper matt
cod. 27




Canna di fucile opaco /
Powder gun matt
cod. 32



Oro opaco /
Gold matt
cod. 34



Nichel opaco /
Nickel matt
cod. 35



Bianco opaco /
White matt
cod. 63

ANTARES W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Push, Dali IP20 4.000 lumen - luminaire flux Indoor use Box measurements: L.13 D.32 P.35 Gross weight: KG.1,90	POWER LED 2.700K, 3.000K, 4.000K CRI 90 1.150mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 43W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	On/off	8013210227909	1ANW2 000 13 ZL0	345,00
Bianco / White / Weiß	Push	8013210227947	1ANW2 000 13 HL0	375,00
Bianco / White / Weiß	Dali	8013210227978	1ANW2 000 13 PL0	375,00
3.000 Kelvin				
Bianco / White / Weiß	On/off	8013210228005	1ANW2 000 13 ZL1	345,00
Bianco / White / Weiß	Push	8013210227954	1ANW2 000 13 HL1	375,00
Bianco / White / Weiß	Dali	8013210227985	1ANW2 000 13 PL1	375,00
4.000 Kelvin				
Bianco / White / Weiß	On/off	8013210228012	1ANW2 000 13 ZL2	345,00
Bianco / White / Weiß	Push	8013210227961	1ANW2 000 13 HL2	375,00
Bianco / White / Weiß	Dali	8013210227992	1ANW2 000 13 PL2	375,00

CUSTOM COLOURS ON DEMAND

Satin Collection

20 33 43 48 62 64 65

Grafito Graphite Graphit
Oro regale Royal gold Luxus-Gold
Argento Silver Silber
Bronzo scuro Dark bronze Bronze Dunkel Schwarz matt
Nero opaco Matt black Schwarz matt
Bronzo Bronze
Champagne Champagne Champagner

3 weeks | + 10% extra

Kerakoll Warm Collection

W2 W4 W6 W8

Sabbia Sand Sand
Corda Rope color Schnur-Beige
Tortora Dove-gray Taubengrau
Caffè Coffee Kaffee-Braun

3 weeks | + 10% extra

ARIES W1 NEW

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 4.900 lumen - luminaire flux Indoor use Box measurements: L.13 D.22 P.37 Gross weight: KG.1,76	MID POWER LED 2.700K, 3.000K CRI 90 900mA Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 37W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	On/off	8013210227916	1ARW1 000 13 ZL0	345,00
Bianco / White / Weiß	Phase	8013210228029	1ARW1 000 13 FL0	375,00
Bianco / White / Weiß	Push	8013210228036	1ARW1 000 13 HL0	375,00
Bianco / White / Weiß	Dali	8013210228043	1ARW1 000 13 PL0	375,00
3.000 Kelvin				
Bianco / White / Weiß	On/off	8013210228050	1ARW1 000 13 ZL1	345,00
Bianco / White / Weiß	Phase	8013210228067	1ARW1 000 13 FL1	375,00
Bianco / White / Weiß	Push	8013210228074	1ARW1 000 13 HL1	375,00
Bianco / White / Weiß	Dali	8013210228081	1ARW1 000 13 PL1	375,00

CUSTOM COLOURS ON DEMAND

Satin Collection

20 33 43 48 62 64 65

Grafito Graphite Graphit
Oro regale Royal gold Luxus-Gold
Argento Silver Silber
Bronzo scuro Dark bronze Bronze Dunkel Schwarz matt
Nero opaco Matt black Schwarz matt
Bronzo Bronze
Champagne Champagne Champagner

3 weeks | + 10% extra

Kerakoll Warm Collection

W2 W4 W6 W8

Sabbia Sand Sand
Corda Rope color Schnur-Beige
Tortora Dove-gray Taubengrau
Caffè Coffee Kaffee-Braun

3 weeks | + 10% extra

BELVEDERE W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off IP20 1.400 lumen - luminaire flux Indoor use Box measurements: L.37 D.21 P.9 Gross weight: KG.0,91	MID POWER LED 2.700K, 3.000K CRI 90 350mA Mono Bin LED Life L70 B50 > 72.000 h Energy Class: F	220-240 V 50 Hz 14W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric Discover Belvedere
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210172728	1BEW1 000 63 ZL0	241,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210176009	1BEW1 000 63 ZL1	241,00

CUSTOM COLOURS ON DEMAND

Satin Collection

Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze	Champagne Champagne Champagner

3 weeks | € 265,10

Kerakoll Warm Collection

Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

3 weeks | € 265,10

BELVEDERE W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase, Dali IP20 3.200 lumen - luminaire flux Indoor use Box measurements: L.37 D.21 P.9 Gross weight: KG.1,25	MID POWER LED 2.700K, 3.000K, DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric Discover Belvedere
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210185360	1BEW2 000 63 ZL1	311,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210185377	1BEW2 000 63 FL1	343,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210185391	1BEW2 000 63 PL1	359,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210179802	1BEW2 000 63 ZL0	311,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210180709	1BEW2 000 63 FL0	343,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210180723	1BEW2 000 63 PL0	359,00
DTW 2.200 - 3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229095	1BEW2 W00 63 FL0	377,00

CUSTOM COLOURS ON DEMAND

Satin Collection

Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze	Champagne Champagne Champagner

3 weeks | + 10% extra

Kerakoll Warm Collection

Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

3 weeks | + 10% extra

CIMINIERE D'ITALIA F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Foot dimmer IP20 4.000 lumen - luminaire flux Indoor use Box measurements: L.30 D.31 P.191 Gross weight: KG.12,10	COB LED 3.000K CRI 90 950mA Mono Bin LED Life L80 B50 > 50.000 h Energy Class: E	220-240 V 50 Hz 36W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric Discover Ciminiera d'Italia
STRUCTURE	BASE	EAN	CODE	EURO
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	Bianco / White / Weiß	8013210192887	1CMF1 L00 63 ELO	869,00
<input checked="" type="checkbox"/> Azzurro / LightBlue / Hellblau	Oro lucido / Glossy gold / Gold Glänzend	8013210192832	1CMF1 L05 60 ELO	1.261,00

CUSTOM COLOURS ON DEMAND

Satin Collection

Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze	Champagne Champagne Champagner

5 weeks | € 955,90

Kerakoll Warm Collection

Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

5 weeks | € 955,90

CIMINIERE D'ITALIA F2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Foot dimmer IP20 4.000 lumen - luminaire flux Indoor use Box measurements: L.30 D.31 P.191 Gross weight: KG.12,10	COB LED 3.000K CRI 90 950mA Mono Bin LED Life L80 B50 > 50.000 h Energy Class: E	220-240 V 50 Hz 36W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric Discover Ciminiera d'Italia
STRUCTURE	BASE	EAN	CODE	EURO
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	Bianco / White / Weiß	8013210192870	1CMF2 L00 63 ELO	869,00
<input checked="" type="checkbox"/> Bianca a scacchi neri / White black checkered / Weiß-Schwarz kariert	Oro lucido / Glossy gold / Gold Glänzend	8013210192856	1CMF2 L05 59 ELO	1.261,00

CUSTOM COLOURS ON DEMAND

Satin Collection

Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze	Champagne Champagne Champagner

5 weeks | € 955,90

Kerakoll Warm Collection

Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

5 weeks | € 955,90

CIMINIERE D'ITALIA F3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Foot dimmer IP20 4.000 lumen - luminaire flux Indoor use Box measurements: L.30 D.31 P.191 Gross weight: KG.12,10	COB LED 3.000K CRI 90 950mA Mono Bin LED Life L80 B50 > 50.000 h Energy Class: E	220-240 V 50 Hz 36W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric Discover Ciminiere d'Italia
STRUCTURE	BASE	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	Bianco / White / Weiß	8013210192917	1CMF3 L00 63 ELO	869,00
Bianca a scacchi neri / White black checkered / Weiß-Schwarz kariert	Oro lucido / Glossy gold / Gold Glänzend	8013210192894	1CMF3 L05 58 ELO	1.261,00

CUSTOM COLOURS ON DEMAND

Satin Collection						Kerakoll Warm Collection					
20	33	43	48	62	64	65	W2	W4	W6	W8	
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze	Champagne Champagne Champagner	Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun	
5 weeks € 955,90						5 weeks € 955,90					

CM2 W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Phase IP20 1.500 lumen - luminaire flux Indoor use Box measurements: L.37 D.21 P.9 Gross weight: KG.1,33	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover CM2
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229255	1C2W1 D00 63 ZL1	241,00
Nero opaco / Matt black / Schwarz matt	Phase	8013210229262	1C2W1 D00 62 ZL1	241,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229279	1C2W1 D00 63 ZLO	241,00
Nero opaco / Matt black / Schwarz matt	Phase	8013210229286	1C2W1 D00 62 ZLO	241,00

CUSTOM COLOURS ON DEMAND

Satin Collection					
20	33	43	48	64	65
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Bronzo Bronze	Champagne Champagne Champagner
3 weeks € 265,10					

CM2 W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements: L.37 D.21 P.9 Gross weight: KG.2,20	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover CM2
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210211380	1C2W2 D00 63 ZL1	374,00
Nero opaco / Matt black / Schwarz matt	Phase	8013210229248	1C2W2 D00 62 ZL1	374,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210209516	1C2W2 D00 63 ZLO	374,00
Nero opaco / Matt black / Schwarz matt	Phase	8013210229293	1C2W2 D00 62 ZLO	374,00

CUSTOM COLOURS ON DEMAND

Satin Collection					
20	33	43	48	64	65
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Bronzo Bronze	Champagne Champagne Champagner
3 weeks € 411,40					

COLLIDE H0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Phase IP20 1.500 lumen - luminaire flux Indoor use Box measurements: L.13 D.26 P.28 Gross weight: KG.1,60	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210227923	1CDH0 D00 13 ZL1	264,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210227930	1CDH0 D00 13 ZL0	264,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063				37,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks € 290,40</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks € 290,40</p>	<p>Metallic Collection</p> <p>6 weeks € 330,00</p>
--	--	---

COLLIDE H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements: L.14 D.43 P.51 Gross weight: KG.2,70	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210228098	1CDH1 D00 13 ZL1	378,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210228104	1CDH1 D00 13 ZL0	378,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063				37,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks € 415,80</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks € 415,80</p>	<p>Metallic Collection</p> <p>6 weeks € 472,50</p>
--	--	---

COLLIDE H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements: L.17 D.39 P.45 Gross weight: KG.3,00	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210228111	1CDH2 D00 13 ZL1	378,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210228128	1CDH2 D00 13 ZL0	378,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063				37,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks € 415,80</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks € 415,80</p>	<p>Metallic Collection</p> <p>6 weeks € 472,50</p>
--	--	---

COLLIDE H3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Phase IP20 4.500 lumen - luminaire flux Indoor use Box measurements: L.23 D.57 P.57 Gross weight: KG.5,20	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 48W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210228135	1CDH3 D00 13 ZL1	583,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210228142	1CDH3 D00 13 ZL0	583,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063				37,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks € 641,30</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks € 641,30</p>	<p>Metallic Collection</p> <p>6 weeks € 728,75</p>
--	--	---

COLLIDE H3 REGOLABILE NEW

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Phase IP20 4.500 lumen - luminaire flux Indoor use	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 48W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover Collide
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210230664	1CDH3 DR0 13 ZL1	650,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210230671	1CDH3 DR0 13 ZL0	650,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks € 715,00</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks € 715,00</p>	<p>Metallic Collection</p> <p>6 weeks € 812,50</p>
--	--	---

COLLIDE H3 DOUBLE NEW

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Phase IP20 up 4.500 + down 1.300 lumen luminaire flux Indoor use	ACRICHE HV LED + COB LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 60W Class 1 Driver included	Lighting type: Indirect up + direct down Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210230688	1CDH3 D20 13 ZL1	850,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210230695	1CDH3 D20 13 ZL0	850,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks € 935,00</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks € 935,00</p>	<p>Metallic Collection</p> <p>6 weeks € 1.062,50</p>
--	--	---

COLLIDE H4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Phase IP20 6.000 lumen - luminaire flux Indoor use Box measurements: L.20 D.74 P.74 Gross weight: KG.9,05	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 64W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover Collide
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210228159	1CDH4 D00 13 ZL1	850,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210228166	1CDH4 D00 13 ZL0	850,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks € 935,00</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks € 935,00</p>	<p>Metallic Collection</p> <p>6 weeks € 1.062,50</p>
--	--	---

COLLIDE H4 DOUBLE NEW

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Phase IP20 up 6.000 + down 1.300 lumen luminaire flux Indoor use	ACRICHE HV LED + COB LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 80W Class 1 Driver included	Lighting type: Indirect up + direct down Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210228241	1CDH4 D20 13 ZL1	1.050,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210228234	1CDH4 D20 13 ZL0	1.050,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks € 1.155,00</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks € 1.155,00</p>	<p>Metallic Collection</p> <p>6 weeks € 1.312,50</p>
--	--	---

COLLIDE H5

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Phase IP20 7.500 lumen - luminaire flux Indoor use Box measurements: L.20 D.89 P.89 Gross weight: KG.12,75	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 80W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210228173	1CDH5 D00 13 ZL1	1.050,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210228180	1CDH5 D00 13 ZL0	1.050,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>20 33 43 48 62 64 65</p> <p>Grafite Graphite Graphit Oro regale Royal gold Luxus-Gold Argento Silver Silber Bronzo scuro Dark bronze Bronze Dunkel Nero opaco Matt black Schwarz matt Bronzo Bronze Champagne Champagne Champagner</p> <p>3 weeks € 1.155,00</p>	<p>Kerakoll Warm Collection</p> <p>W2 W4 W6 W8</p> <p>Sabbia Sand Sand Corda Rope color Schnur-Beige Tortora Dove-gray Taubengrau Caffè Coffee Kaffee-Braun</p> <p>3 weeks € 1.155,00</p>	<p>Metallic Collection</p> <p>14 19 22 23</p> <p>Ottone anti. Antique brass Messing antik Peltro del. Peltter del. Zinn del. Rame del. Copper del. Kupfer del. Oro dela. Gold dela. Gold dela.</p> <p>6 weeks € 1.312,50</p>
--	---	--

COLLIDE H6

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended Phase IP20 up 6.000 + down 1.300 lumen luminaire flux Indoor use Box measurements: L.20D.74 P.74 Gross weight: KG.8,5	ACRICHE HV LED + COB LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 80W Class 1 Driver included	Lighting type: Indirect up + direct down Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210228197	1CDH6 D00 13 ZL1	1.050,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210228203	1CDH6 D00 13 ZL0	1.050,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>20 33 43 48 62 64 65</p> <p>Grafite Graphite Graphit Oro regale Royal gold Luxus-Gold Argento Silver Silber Bronzo scuro Dark bronze Bronze Dunkel Nero opaco Matt black Schwarz matt Bronzo Bronze Champagne Champagne Champagner</p> <p>3 weeks € 1.155,00</p>	<p>Kerakoll Warm Collection</p> <p>W2 W4 W6 W8</p> <p>Sabbia Sand Sand Corda Rope color Schnur-Beige Tortora Dove-gray Taubengrau Caffè Coffee Kaffee-Braun</p> <p>3 weeks € 1.155,00</p>	<p>Metallic Collection</p> <p>14 19 22 23</p> <p>Ottone anti. Antique brass Messing antik Peltro del. Peltter del. Zinn del. Rame del. Copper del. Kupfer del. Oro dela. Gold dela. Gold dela.</p> <p>6 weeks € 1.312,50</p>
--	---	--

COLLIDE H7 NEW

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended Phase IP20 up 6.000 + down 1.300 lumen luminaire flux Indoor use Box measurements: L.20D.74 P.74 Gross weight: KG.8,5	ACRICHE HV LED + COB LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 80W Class 1 Driver included	Lighting type: Indirect up + direct down Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	Phase	8013210228210	1CDH7 D00 13 ZL1	1.100,00
3.000 Kelvin				
Bianco / White / Weiß	Phase	8013210228227	1CDH7 D00 13 ZL0	1.100,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>20 33 43 48 62 64 65</p> <p>Grafite Graphite Graphit Oro regale Royal gold Luxus-Gold Argento Silver Silber Bronzo scuro Dark bronze Bronze Dunkel Nero opaco Matt black Schwarz matt Bronzo Bronze Champagne Champagne Champagner</p> <p>3 weeks € 1.210,00</p>	<p>Kerakoll Warm Collection</p> <p>W2 W4 W6 W8</p> <p>Sabbia Sand Sand Corda Rope color Schnur-Beige Tortora Dove-gray Taubengrau Caffè Coffee Kaffee-Braun</p> <p>3 weeks € 1.210,00</p>	<p>Metallic Collection</p> <p>14 19 22 23</p> <p>Ottone anti. Antique brass Messing antik Peltro del. Peltter del. Zinn del. Rame del. Copper del. Kupfer del. Oro dela. Gold dela. Gold dela.</p> <p>6 weeks € 1.375,00</p>
--	---	--

Canopy: same colour as diffuser
Transparent or black cable

Connection Kit Collide H3-H4-H5

	CODE	EURO
Kit connessione Collide H3-H4-H5 / Connection Kit Collide H3-H4-H5 / Verbindung-Kit Collide H3-H4-H5	SCDH4KIT000	25,00

Dimmer input PUSH/DALI output PHASE-CUT

	EAN	CODE	EURO
Dimmer ingresso PUSH/DALI uscita TAGLIO DI FASE / Dimmer input PUSH/DALI output PHASE-CUT / Dimmer PUSH/DALI steuerbar, AUSGANG PHASE	8013210230640	20120713	116,00

DINA H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off IP20 460 lumen - luminaire flux Indoor use Box measurements: L.22 D.22 P.34 Gross weight: KG.0,90	MID POWER LED 2.700K CRI 90 350mA Mono Bin LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 7W Class 1 Driver included	Lighting type: Diffused Light distribution: Symmetric

DIFFUSER	EAN	CODE	EURO
Trasparente / Transparent / Transparent	8013210176511	1DNH1 001 02 ZL0	238,00
Bianco / White / Weiß	8013210176504	1DNH1 002 02 ZL0	238,00
Cromo / Chrome / Chrom	* In esaurimento / Phase out / Auslaufartikel	8013210182406	238,00
Nero / Black / Schwarz	* In esaurimento / Phase out / Auslaufartikel	8013210182413	238,00
Blu / Blue / Blau	* In esaurimento / Phase out / Auslaufartikel	8013210176528	238,00

Canopy: matt white
Transparent or black cable

Diffusers available on demand



* In esaurimento / **Phase out** / Auslaufartikel

DINA +

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Table Standing IR Touch IP20 400 lumen - luminaire flux Indoor use Box measurements: L.25 D.25 P.42 Gross weight: KG.1,77	MID POWER LED 2.700K CRI 90 350mA Mono Bin LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 8W Class 2 Driver included 2 Diffuser included Europe plug USB charger Battery life: light 70% - 5h light 40% - 10h light 5% - 30h	Lighting type: Diffused Light distribution: Symmetric

STRUCTURE	DIFFUSER	EAN	CODE	EURO
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	Transparent + White diffuser	8013210187432	1DPT1 012 63 ELO	327,00

CUSTOM COLOURS ON DEMAND

* In esaurimento / **Phase out** / Auslaufartikel

Satin Collection							Dina Collection				Kerakoll Warm Collection				Diffusers available on demand		
20	33	43	48	62	64	65	18	21	68	69	W2	W4	W6	W8	* Cromo Glossy Chrom	* Nero Black Schwarz	* Blu Blue Blau
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze	Champagne Champagne Champagner	Verde Green Grün	Azzurro Light blue Hellblau	Rosso Red Rot	Giallo Yellow Gelb	Sabbia Sand Sand	Corde Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun			
4 weeks € 359,70							4 weeks € 359,70				4 weeks € 359,70						

DINA T1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Table Standing Dimmer push button IP20 600 lumen - luminaire flux Indoor use Box measurements: L.25 D.26 P.44 Gross weight: KG.1,50	MID POWER LED 2.700K CRI 90 350mA Mono Bin LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 8,2W Class 2 Driver included Europe plug	Lighting type: Diffused Light distribution: Symmetric

STRUCTURE	DIFFUSER	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	Trasparente / Transparent / Transparent	8013210192924	1DNT1 001 63 ELO	257,00
Bianco opaco / Matt white / Weiß matt	Bianco / White / Weiß	8013210194010	1DNT1 002 63 ELO	257,00

CUSTOM COLOURS ON DEMAND

Satin Collection							Kerakoll Warm Collection				Diffusers available on demand		
20	33	43	48	62	64	65	W2	W4	W6	W8	* Cromo Glossy Chrom	* Nero Black Schwarz	* Blu Blue Blau
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze	Champagne Champagne Champagner	Sabbia Sand Sand	Corde Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun			
4 weeks € 282,70							4 weeks € 282,70				* In esaurimento / Phase out / Auslaufartikel		

DRESSCODE W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Phase, Dali IP20 1.250 lumen - luminaire flux Indoor use Box measurements: L.16 D.18 P.40 Gross weight: KG.1,33	MID POWER LED 2.700K, 3.000K, DTW 2.200K - 3.000K CRI 90 350mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover Dresscode
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210194058	1DCW1 000 63 FLO	281,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210204771	1DCW1 000 63 PLO	319,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210192948	1DCW1 000 63 FL1	281,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210196069	1DCW1 000 63 PL1	319,00
DTW 2.200 - 3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229033	1DCW1 W00 63 FLO	309,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | + 10% extra

Kerakoll Warm Collection

3 weeks | + 10% extra

DRESSCODE W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 2.360 lumen - luminaire flux Indoor use Box measurements: L.16 D.18 P.40 Gross weight: KG.1,66	MID POWER LED 2.700K, 3.000K, DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover Dresscode
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210192986	1DCW2 000 63 ZLO	336,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210192955	1DCW2 000 63 FLO	369,00
Bianco opaco / Matt white / Weiß matt	Push	8013210204979	1DCW2 000 63 HLO	386,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205020	1DCW2 000 63 PLO	386,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210192979	1DCW2 000 63 ZL1	336,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210192962	1DCW2 000 63 FL1	369,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205082	1DCW2 000 63 HL1	386,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205112	1DCW2 000 63 PL1	386,00
DTW 2.200 - 3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229088	1DCW2 W00 63 FLO	406,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | + 10% extra

Kerakoll Warm Collection

3 weeks | + 10% extra

DRINK F1 LED

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Push button dimmer IP20 4.400 lumen - luminaire flux Indoor use Box measurements: L.30 D.31 P.191 Gross weight: KG.11,50	MID POWER LED 2.700K, 3.000K CRI 90 1.845mA Mono bin LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 27W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric Discover Drink
STRUCTURE	EAN	CODE	EURO	
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	8013210198667	1DRF1 LED 63 EL2	700,00	
Nero opaco / Matt black / Schwarz matt	8013210198650	1DRF1 LED 62 EL2	700,00	
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	8013210229040	1DRF1 LED 63 ELO	700,00	
Nero opaco / Matt black / Schwarz matt	8013210229057	1DRF1 LED 62 ELO	700,00	

CUSTOM COLOURS ON DEMAND

Satin Collection

4 weeks | € 770,00

DRINK H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off, Phase IP20 Indoor use Box measurements: L.22 D.22 P.34 Gross weight: KG.1,16	1x E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric Discover Drink
STRUCTURE	CABLE COLOR	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	Trasparente / Transparent / Transparent	8013210154328	1DRH1 000 63 ZB0	239,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210196717	1DRH1 N00 62 ZB0	239,00

CUSTOM COLOURS ON DEMAND

Satin Collection

4 weeks | € 262,90

Kerakoll Warm Collection

4 weeks | € 262,90

Canopy: same colour as diffuser
Transparent or black cable

DRY F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
	Floor Standing Push button dimmer IP20 4.800 lumen - luminaire flux Indoor use Box measurements: L.35 D.36 P.191 Gross weight: KG.15,49	MID POWER LED 2.700K, 3.000K CRI 90 1.940mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 45W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE			EAN	CODE	EURO
2.700 Kelvin					
Bianco opaco / Matt white / Weiß matt			8013210188521	1DYF1 000 63 EL1	851,00
Nero opaco / Matt black / Schwarz matt			8013210188552	1DYF1 000 62 EL1	851,00
3.000 Kelvin					
Bianco opaco / Matt white / Weiß matt			8013210229071	1DYF1 000 63 EL0	851,00
Nero opaco / Matt black / Schwarz matt			8013210229064	1DYF1 000 62 EL0	851,00
CUSTOM COLOURS ON DEMAND					
<p>Satin Collection</p> <p>20 Grafite Graphite Graphit 33 Oro regale Royal gold Luxus-Gold 43 Argento Silver Silber 48 Bronzo scuro Dark bronze Bronze Dunkel 64 Bronzo Bronze Bronze 65 Champagne Champagne Champagner</p> <p>4 weeks € 936,10</p>					

DRY H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
	Ceiling Suspended On-Off, Phase IP20 2.920 lumen - luminaire flux Indoor use Box measurements: L.52 D.31 P.25 Gross weight: KG.3,17	MID POWER LED 2.700K, 3.000K CRI 90 700mA Mono Bin LED Life L70 B50 > 72.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 	
STRUCTURE	DIMMING	CABLE *	EAN	CODE	EURO
2.700 Kelvin					
Bianco opaco / Matt white / Weiß matt	On/off	Trasp. / Transp. / Transp.	8013210188750	1DYH2 000 63 ZL0	678,00
Bianco opaco / Matt white / Weiß matt	Phase	Trasp. / Transp. / Transp.	8013210188743	1DYH2 000 63 FL0	731,00
Nero opaco / Matt black / Schwarz matt	On/off	Nero / Black / Schwarz	8013210197158	1DYH2 N00 62 ZL0	678,00
Nero opaco / Matt black / Schwarz matt	Phase	Nero / Black / Schwarz	8013210191347	1DYH2 N00 62 FL0	731,00
3.000 Kelvin					
Bianco opaco / Matt white / Weiß matt	On/off	Trasp. / Transp. / Transp.	8013210229361	1DYH2 000 63 ZL1	678,00
Bianco opaco / Matt white / Weiß matt	Phase	Trasp. / Transp. / Transp.	8013210229378	1DYH2 000 63 FL1	731,00
Nero opaco / Matt black / Schwarz matt	On/off	Nero / Black / Schwarz	8013210229385	1DYH2 N00 62 ZL1	678,00
Nero opaco / Matt black / Schwarz matt	Phase	Nero / Black / Schwarz	8013210229392	1DYH2 N00 62 FL1	731,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063 37,00					
CUSTOM COLOURS ON DEMAND					
<p>Satin Collection</p> <p>20 Grafite Graphite Graphit 33 Oro regale Royal gold Luxus-Gold 43 Argento Silver Silber 48 Bronzo scuro Dark bronze Bronze Dunkel 64 Bronzo Bronze Bronze 65 Champagne Champagne Champagner</p> <p>4 weeks + 10% extra</p>					
<p>Kerakoll Warm Collection</p> <p>W2 Sabbia Sand Sand W4 Corda Rope color Schnur-Beige W6 Tortora Dove-gray Taubengrau W8 Caffè Coffee Kaffee-Braun</p> <p>4 weeks + 10% extra</p>					

* Canopy: same colour as diffuser
Transparent or black cable

DRY H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
	Ceiling Suspended On-Off, Phase IP20 1.460 lumen - luminaire flux Indoor use Box measurements: L.52 D.31 P.25 Gross weight: KG.1,92	MID POWER LED 2.700K, 3.000K CRI 90 700mA Mono Bin LED Life L70 B50 > 72.000 h Energy Class: F	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 	
STRUCTURE	DIMMING	CABLE *	EAN	CODE	EURO
2.700 Kelvin					
Bianco opaco / Matt white / Weiß matt	On/off	Trasp. / Transp. / Transp.	8013210188729	1DYH1 000 63 ZL0	366,00
Bianco opaco / Matt white / Weiß matt	Phase	Trasp. / Transp. / Transp.	8013210188736	1DYH1 000 63 FL0	418,00
Nero opaco / Matt black / Schwarz matt	On/off	Nero / Black / Schwarz	8013210196434	1DYH1 N00 62 ZL0	366,00
Nero opaco / Matt black / Schwarz matt	Phase	Nero / Black / Schwarz	8013210197141	1DYH1 N00 62 FL0	418,00
3.000 Kelvin					
Bianco opaco / Matt white / Weiß matt	On/off	Trasp. / Transp. / Transp.	8013210229323	1DYH1 000 63 ZL1	366,00
Bianco opaco / Matt white / Weiß matt	Phase	Trasp. / Transp. / Transp.	8013210229330	1DYH1 000 63 FL1	418,00
Nero opaco / Matt black / Schwarz matt	On/off	Nero / Black / Schwarz	8013210229347	1DYH1 N00 62 ZL1	366,00
Nero opaco / Matt black / Schwarz matt	Phase	Nero / Black / Schwarz	8013210229354	1DYH1 N00 62 FL1	418,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063 37,00					
CUSTOM COLOURS ON DEMAND					
<p>Satin Collection</p> <p>20 Grafite Graphite Graphit 33 Oro regale Royal gold Luxus-Gold 43 Argento Silver Silber 48 Bronzo scuro Dark bronze Bronze Dunkel 64 Bronzo Bronze Bronze 65 Champagne Champagne Champagner</p> <p>4 weeks + 10% extra</p>					
<p>Kerakoll Warm Collection</p> <p>W2 Sabbia Sand Sand W4 Corda Rope color Schnur-Beige W6 Tortora Dove-gray Taubengrau W8 Caffè Coffee Kaffee-Braun</p> <p>4 weeks + 10% extra</p>					

* Canopy: same colour as diffuser
Transparent or black cable

DRY H3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
	Ceiling Suspended On-Off IP20 900 lumen - luminaire flux Indoor use Box measurements: L.52 D.31 P.25 Gross weight: KG.1,92	ACRICHÉ HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 	
STRUCTURE	DIMMING	CABLE *	EAN	CODE	EURO
2.700 Kelvin					
Bianco opaco / Matt white / Weiß matt	On/off	Trasp. / Transp. / Transp.	8013210192993	1DYH3 000 63 ZL0	313,00
Nero opaco / Matt black / Schwarz matt	On/off	Nero / Black / Schwarz	8013210197165	1DYH3 N00 62 ZL0	313,00
3.000 Kelvin					
Bianco opaco / Matt white / Weiß matt	On/off	Trasp. / Transp. / Transp.	8013210193006	1DYH3 000 63 ZL1	313,00
Nero opaco / Matt black / Schwarz matt	On/off	Nero / Black / Schwarz	8013210197172	1DYH3 N00 62 ZL1	313,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063 37,00					
CUSTOM COLOURS ON DEMAND					
<p>Satin Collection</p> <p>20 Grafite Graphite Graphit 33 Oro regale Royal gold Luxus-Gold 43 Argento Silver Silber 48 Bronzo scuro Dark bronze Bronze Dunkel 64 Bronzo Bronze Bronze 65 Champagne Champagne Champagner</p> <p>4 weeks € 344,30</p>					
<p>Kerakoll Warm Collection</p> <p>W2 Sabbia Sand Sand W4 Corda Rope color Schnur-Beige W6 Tortora Dove-gray Taubengrau W8 Caffè Coffee Kaffee-Braun</p> <p>4 weeks € 344,30</p>					

* Canopy: same colour as diffuser
Transparent or black cable

DRY H4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
	Ceiling Suspended On-Off IP20 1.800 lumen - luminaire flux Indoor use Box measurements: L.52 D.31 P.25 Gross weight: KG.3,17	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric Discover Dry	
STRUCTURE	DIMMING	CABLE *	EAN	CODE	EURO
2.700 Kelvin					
Bianco opaco / Matt white / Weiß matt	On/off	Trasp. / Transp. / Transp.	8013210193013	1DYH4 000 63 ZL0	560,00
Nero opaco / Matt black / Schwarz matt	On/off	Nero / Black / Schwarz	8013210197189	1DYH4 N00 62 ZL0	560,00
3.000 Kelvin					
Bianco opaco / Matt white / Weiß matt	On/off	Trasp. / Transp. / Transp.	8013210193020	1DYH4 000 63 ZL1	560,00
Nero opaco / Matt black / Schwarz matt	On/off	Nero / Black / Schwarz	8013210197196	1DYH4 N00 62 ZL1	560,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063					37,00
CUSTOM COLOURS ON DEMAND					
Satin Collection 		Kerakoll Warm Collection 		* Canopy: same colour as diffuser Transparent or black cable	
4 weeks € 616,00		4 weeks € 616,00			

EDEN F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Touch dimmer IP20 3.500 lumen - luminaire flux Indoor use Dimensions and Weight L.6 D.81 P.191 - KG.7,8 L.3 D.42 P.47 - KG.7,2 L.8 D.13 P.152 - KG.1,6	MID POWER LED 2.700K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 40W Class 1 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric Discover Eden
STRUCTURE	TEXTILE CODE	EAN	CODE	EURO
Verde germoglio / Sprout green / Grüner Sprösslingt	68002 Medley by Gabriel	8013210191590	1EDF1 001 20 ELO	996,00
Verde muschio / Moss green / Moosgrün	68005 Medley by Gabriel	8013210191606	1EDF1 002 20 ELO	996,00
Ruggine / Rust / Rost	63017 Medley by Gabriel	8013210191613	1EDF1 003 20 ELO	996,00
Giallo girasole / Sunflower yellow / Sonnenblume gelb	62002 Medley by Gabriel	8013210191880	1EDF1 004 20 ELO	996,00
Grigio fumo / Smokey grey / Rauchgrau	60004 Medley by Gabriel	8013210191620	1EDF1 005 20 ELO	996,00
LEAF ONLY	TEXTILE CODE	EAN	CODE	EURO
Verde germoglio / Sprout green / Grüner Sprösslingt	68002 Medley by Gabriel	8013210192191	1EDF1 001 20 000	664,00
Verde muschio / Moss green / Moosgrün	68005 Medley by Gabriel	8013210192061	1EDF1 002 20 000	664,00
Ruggine / Rust / Rost	63017 Medley by Gabriel	8013210194201	1EDF1 003 20 000	664,00
Giallo girasole / Sunflower yellow / Sonnenblume gelb	62002 Medley by Gabriel	8013210192511	1EDF1 004 20 000	664,00
Grigio fumo / Smokey grey / Rauchgrau	60004 Medley by Gabriel	8013210192412	1EDF1 005 20 000	664,00
LAMP ONLY	EAN	CODE	EURO	
Tubo LED Ø 2,8 L. 130 con sensore touch + driver a muro / LED Tube Lamp Ø 2,8 L. 130 touch sensor + wall driver		8013210194317	AEDFO 000 62 ELO	332,00
CUSTOM COLOURS ON DEMAND				
Il tuo tessuto preferito MEDLEY by Gabriel 32 Colori disponibili < 4 settimane per la consegna Minimo 5 pezzi per ogni colore Prezzo fisso netto € 864,00		Your favourite Textile MEDLEY by Gabriel 32 Colours available < 4 weeks delivery Minimum 5 pieces each colour Fixed charge € 864,00 net		Ihr Lieblingsgewebe MEDLEY by Gabriel Lieferbar in 32 Farben < 4 Wochen Lieferzeit Mindeste Bestellmenge 5 Stück pro Farbe Fester Zuschlag 864,00 € Netto

EDEN F2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Touch dimmer IP20 3.500 lumen - luminaire flux Indoor use Dimensions and Weight L.6 D.81 P.191 - KG.7,8 L.3 D.42 P.47 - KG.7,2 L.8 D.13 P.152 - KG.1,6	MID POWER LED 2.700K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 40W Class 1 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric Discover Eden
STRUCTURE	TEXTILE CODE	EAN	CODE	EURO
Verde germoglio / Sprout green / Grüner Sprösslingt	68002 Medley by Gabriel	8013210191705	1EDF2 001 20 ELO	996,00
Verde muschio / Moss green / Moosgrün	68005 Medley by Gabriel	8013210191712	1EDF2 002 20 ELO	996,00
Ruggine / Rust / Rost	63017 Medley by Gabriel	8013210191637	1EDF2 003 20 ELO	996,00
Giallo girasole / Sunflower yellow / Sonnenblume gelb	62002 Medley by Gabriel	8013210194218	1EDF2 004 20 ELO	996,00
Grigio fumo / Smokey grey / Rauchgrau	60004 Medley by Gabriel	8013210191729	1EDF2 005 20 ELO	996,00
LEAF ONLY	TEXTILE CODE	EAN	CODE	EURO
Verde germoglio / Sprout green / Grüner Sprösslingt	68002 Medley by Gabriel	8013210194232	1EDF2 001 20 000	664,00
Verde muschio / Moss green / Moosgrün	68005 Medley by Gabriel	8013210192078	1EDF2 002 20 000	664,00
Ruggine / Rust / Rost	63017 Medley by Gabriel	8013210194249	1EDF2 003 20 000	664,00
Giallo girasole / Sunflower yellow / Sonnenblume gelb	62002 Medley by Gabriel	8013210191644	1EDF2 004 20 000	664,00
Grigio fumo / Smokey grey / Rauchgrau	60004 Medley by Gabriel	8013210192528	1EDF2 005 20 000	664,00
LAMP ONLY	EAN	CODE	EURO	
Tubo LED Ø 2,8 L. 130 con sensore touch + driver a muro / LED Tube Lamp Ø 2,8 L. 130 touch sensor + wall driver		8013210194317	AEDFO 000 62 ELO	332,00
CUSTOM COLOURS ON DEMAND				
Il tuo tessuto preferito MEDLEY by Gabriel 32 Colori disponibili < 4 settimane per la consegna Minimo 5 pezzi per ogni colore Prezzo fisso netto € 864,00		Your favourite Textile MEDLEY by Gabriel 32 Colours available < 4 weeks delivery Minimum 5 pieces each colour Fixed charge € 864,00 net		Ihr Lieblingsgewebe MEDLEY by Gabriel Lieferbar in 32 Farben < 4 Wochen Lieferzeit Mindeste Bestellmenge 5 Stück pro Farbe Fester Zuschlag 864,00 € Netto

EDEN F3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Touch dimmer IP20 3.500 lumen - luminaire flux Indoor use Dimensions and Weight L.6 D.81 P.191 - KG.7,8 L.3 D.42 P.47 - KG.7,2 L.8 D.13 P.152 - KG.1,6	MID POWER LED 2.700K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 40W Class 1 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	TEXTILE CODE	EAN	CODE	EURO
	Verde germoglio / Sprout green / Grüner Sprösslingt	68002 Medley by Gabriel	8013210191651 1EDF3 001 20 ELO	996,00
	Verde muschio / Moss green / Moosgrün	68005 Medley by Gabriel	8013210191668 1EDF3 002 20 ELO	996,00
	Ruggine / Rust / Rost	63017 Medley by Gabriel	8013210191675 1EDF3 003 20 ELO	996,00
	Giallo girasole / Sunflower yellow / Sonnenblume gelb	62002 Medley by Gabriel	8013210191682 1EDF3 004 20 ELO	996,00
	Grigio fumo / Smokey grey / Rauchgrau	60004 Medley by Gabriel	8013210191699 1EDF3 005 20 ELO	996,00
LEAF ONLY	TEXTILE CODE	EAN	CODE	EURO
	Verde germoglio / Sprout green / Grüner Sprösslingt	68002 Medley by Gabriel	8013210192092 1EDF3 001 20 000	664,00
	Verde muschio / Moss green / Moosgrün	68005 Medley by Gabriel	8013210194256 1EDF3 002 20 000	664,00
	Ruggine / Rust / Rost	63017 Medley by Gabriel	8013210192535 1EDF3 003 20 000	664,00
	Giallo girasole / Sunflower yellow / Sonnenblume gelb	62002 Medley by Gabriel	8013210194263 1EDF3 004 20 000	664,00
	Grigio fumo / Smokey grey / Rauchgrau	60004 Medley by Gabriel	8013210194270 1EDF3 005 20 000	664,00
LAMP ONLY	EAN	CODE	EURO	
Tubo LED Ø 2,8 L 130 con sensore touch + driver a muro / LED Tube Lamp Ø 2,8 L 130 touch sensor + wall driver	8013210194317	AEDF0 000 62 ELO	332,00	
CUSTOM COLOURS ON DEMAND				
Il tuo tessuto preferito MEDLEY by Gabriel 32 Colori disponibili < 4 settimane per la consegna Minimo 5 pezzi per ogni colore Prezzo fisso netto € 864,00		Your favourite Textile MEDLEY by Gabriel 32 Colours available < 4 weeks delivery Minimum 5 pieces each colour Fixed charge € 864,00 net		Ihr Lieblingsgewebe MEDLEY by Gabriel Lieferbar in 32 Farben < 4 Wochen Lieferzeit Mindeste Bestellmenge 5 Stück pro Farbe Fester Zuschlag 864,00 € Netto

FLOW GLASS F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Foot dimmer IP20 Indoor use Box measurements: L.53 D.53 P.49 KG.5,40 Box measurements: L.44 D.44 P.164 Gross weight: KG.15,20	1 X E27 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Diffused Light distribution: Symmetric
STRUCTURE	EAN	CODE	EURO	
Bianco opaco / Matt white / Weiß matt	8013210193105	1FWF1 G01 63 EBO	805,00	

FEBO H1


TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
	Ceiling Suspended Phase IP20 3.120 lumen - luminaire flux Indoor use Box measurements: L.31 D.68 P.68 Gross weight: KG.9,00	MID POWER LED 2.700K CRI 90 1.400mA Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 48W Class 2 Driver included	Lighting type: Direct Light distribution: Symmetric 	
STRUCTURE	DIMMING	CABLE *	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	Phase	Trasp. / Transp. / Transp.	8013210195062	1FBH1 000 63 FLO	1.201,00
CUSTOM COLOURS ON DEMAND					
Satin Collection 5 weeks € 1.321,10		Kerakoll Warm Collection 5 weeks € 1.321,10			

* Canopy: same colour as diffuser
Transparent or black cable on demand

FLOW GLASS F2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Foot dimmer IP20 Indoor use Box measurements: L.43 D.43 P.39 KG.3,40 Box measurements: L.44 D.44 P.164 Gross weight: KG.13,20	1 X E27 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Diffused Light distribution: Symmetric
STRUCTURE	EAN	CODE	EURO	
Bianco opaco / Matt white / Weiß matt	8013210193112	1FWF2 G01 63 EBO	688,00	

FLOW GLASS H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended IP20 Indoor use Box measurements: L.49 D.53 P.53 Gross weight: KG.5,76	1 X E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Diffused Light distribution: Symmetric  Discover Flow Glass
STRUCTURE	EAN	CODE	EURO	
Bianco opaco / Matt white / Weiß matt	8013210193068	1FWH1 G01 63 ZB0	436,00	
Kit decentramento / Decentralization kit / Verstell-Kit		SETROS02	55,00	
Canopy: matt white				

FLOW GLASS H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended IP20 Indoor use Box measurements: L.39 D.43 P.43 Gross weight: KG.3,60	1 X E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Diffused Light distribution: Symmetric  Discover Flow Glass
STRUCTURE	EAN	CODE	EURO	
Bianco opaco / Matt white / Weiß matt	8013210193075	1FWH2 G01 63 ZB0	319,00	
Kit decentramento / Decentralization kit / Verstell-Kit		SETROS02	55,00	
Canopy: matt white				

FLOW GLASS H3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Surface IP20 Indoor use Box measurements: L.49 D.53 P.53 Gross weight: KG.5,76	1 X E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Diffused Light distribution: Symmetric  Discover Flow Glass
STRUCTURE	EAN	CODE	EURO	
Bianco opaco / Matt white / Weiß matt	8013210193082	1FWH3 G01 63 ZB0	436,00	


FLOW GLASS H4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Surface IP20 Indoor use Box measurements: L.39 D.43 P.43 Gross weight: KG.3,62	1 X E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Diffused Light distribution: Symmetric  Discover Flow Glass
STRUCTURE	EAN	CODE	EURO	
Bianco opaco / Matt white / Weiß matt	8013210193099	1FWH4 G01 63 ZB0	319,00	



FLOW GLASS T2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
	Table Standing Cord dimmer IP20 Indoor use Box measurements: L.44 D.44 P.39 KG.3,40 Box measurements: L.44 D.44 P.49 Gross weight: KG.8,00	1 X E27 LED dimm. not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Diffused Light distribution: Symmetric  <small>Discover Flow Glass</small>	
STRUCTURE			EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt			8013210193129	1FWT2 G01 63 EB0	573,00

FLOW GLASS T4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
	Table, Floor Standing Cord dimmer IP20 Indoor use Box measurements: L.39 D.43 P.43 Gross weight: KG.4,40	1 X E27 LED dimm. not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Diffused Light distribution: Symmetric  <small>Discover Flow Glass</small>	
STRUCTURE			EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt			8013210193143	1FWT4 G01 63 EB0	342,00

FLOW GLASS T3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
	Table, Floor Standing Cord dimmer IP20 Indoor use Box measurements: L.49 D.53 P.53 Gross weight: KG.6,54	1 X E27 LED dimm. not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Diffused Light distribution: Symmetric  <small>Discover Flow Glass</small>	
STRUCTURE			EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt			8013210193136	1FWT3 G01 63 EB0	458,00

FRAME W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase IP20 1.600 lumen - luminaire flux Indoor use Box measurements: L.37 D.21 P.9 Gross weight: KG.0,80	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 350mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210184448	1FRW1 000 63 ZL0	241,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210203927	1FRW1 000 63 FLO	274,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210184448	1FRW1 000 63 ZL1	241,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210204061	1FRW1 000 63 FL1	274,00
DTW 2.200 - 3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229101	1FRW1 W00 63 FLO	301,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks + 10% extra</p>	<p>Galvanic Collection</p> <p>6 weeks + 25% extra</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks + 10% extra</p>	<p>Metallic Collection</p> <p>6 weeks + 25% extra</p>
---	--	---	--

FRAME W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 3.200 lumen - luminaire flux Indoor use Box measurements: L.37 D.21 P.9 Gross weight: KG.1,36	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210187289	1FRW2 000 63 ZL0	311,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210184486	1FRW2 000 63 FLO	343,00
Bianco opaco / Matt white / Weiß matt	Push	8013210200384	1FRW2 000 63 HL0	359,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210187067	1FRW2 000 63 PL0	359,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210186985	1FRW2 000 63 ZL1	311,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210184479	1FRW2 000 63 FL1	343,00
Bianco opaco / Matt white / Weiß matt	Push	8013210201176	1FRW2 000 63 HL1	359,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210186503	1FRW2 000 63 PL1	359,00
DTW 2.200 - 3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229118	1FRW2 W00 63 FLO	377,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks + 10% extra</p>	<p>Galvanic Collection</p> <p>6 weeks + 25% extra</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks + 10% extra</p>	<p>Metallic Collection</p> <p>6 weeks + 25% extra</p>
---	--	---	--

FRAME W3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Push, Dali IP20 4.950 lumen - luminaire flux Indoor use Box measurements: L.16 D.16 P.66 Gross weight: KG.1,92	MID POWER LED 2.700K, 3.000K CRI 90 900mA Macadam Step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 45W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210187319	1FRW3 000 63 ZL0	423,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205150	1FRW3 000 63 HL0	471,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210187326	1FRW3 000 63 PL0	471,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210186770	1FRW3 000 63 ZL1	423,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205273	1FRW3 000 63 HL1	471,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210189559	1FRW3 000 63 PL1	471,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks + 10% extra</p>	<p>Galvanic Collection</p> <p>6 weeks + 25% extra</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks + 10% extra</p>	<p>Metallic Collection</p> <p>6 weeks + 25% extra</p>
---	--	---	--




FRAME W4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Push, Dali IP20 6.390 lumen - luminaire flux Indoor use Box measurements: L.16 D.16 P.96 Gross weight: KG.2,70	MID POWER LED 2.700K, 3.000K CRI 90 1200mA Macadam Step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 57W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210192597	1FRW4 000 63 ZL0	498,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205303	1FRW4 000 63 HL0	546,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210189535	1FRW4 000 63 PL0	546,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210192580	1FRW4 000 63 ZL1	498,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205310	1FRW4 000 63 HL1	546,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210189566	1FRW4 000 63 PL1	546,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>3 weeks + 10% extra</p>	<p>Galvanic Collection</p> <p>6 weeks + 25% extra</p>	<p>Kerakoll Warm Collection</p> <p>3 weeks + 10% extra</p>	<p>Metallic Collection</p> <p>6 weeks + 25% extra</p>
---	--	---	--

FURIN

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
<p>R1</p>  <p>Ø 7,8</p> <p>R5</p>  <p>78 / 156 / 234</p> <p>5 10</p> <p>13 13</p>	<p>Ceiling Suspended On-Off IP20 150 lumen - luminaire flux Indoor use</p>	<p>MID POWER LED 2.700K CRI 90 700mA Mono Bin LED Life L70 B50 > 36.000 h Energy Class: G</p>	<p>220-240 V 50 Hz 3,9W Class 1 Driver included</p>	<p>Lighting type: Direct Light distribution: Symmetric</p>  <p>Discover Furin</p>
STRUCTURE			CODE	EURO
R1 Rosone rotondo bianco / White round ceiling rose / Weißer runder Baldachin			1 Tubo / Tube / Rohre	AFUR1 000 02 104,00
R5 Estruso Bianco / White extruded bar / Weißer Baldachin	cm 78	6 Tubo / Tube / Rohre	AFUR5 078 02	413,00
R5 Estruso Bianco / White extruded bar / Weißer Baldachin	cm 156	12 Tubo / Tube / Rohre	AFUR5 156 02	744,00
R5 Estruso Bianco / White extruded bar / Weißer Baldachin	cm 234	18 Tubo / Tube / Rohre	AFUR5 234 02	1.086,00

Chiedi preventivo per estrusi con lunghezze diverse / **Ask quotation for customized extruded bar length** / Fragen Sie ein Angebot für Pressprofil maßgefertigt

TUBES	TEXTILE COLOR	H cm	EAN	CODE	EURO
	Bianco / White / Weiß	100	8013210175361	AFUH1 100 02 ZL0	122,00
	Bianco / White / Weiß	125	8013210175385	AFUH1 125 02 ZL0	138,00
	Bianco / White / Weiß	150	8013210175408	AFUH1 150 02 ZL0	154,00
	Bianco / White / Weiß	175	8013210175422	AFUH1 175 02 ZL0	171,00
	Bianco / White / Weiß	200	8013210175446	AFUH1 200 02 ZL0	187,00
	Bianco / White / Weiß	225	8013210175460	AFUH1 225 02 ZL0	204,00
	Bianco / White / Weiß	250	8013210175484	AFUH1 250 02 ZL0	220,00
	Bianco / White / Weiß	275	8013210175507	AFUH1 275 02 ZL0	237,00
	Bianco / White / Weiß	300	8013210175521	AFUH1 300 02 ZL0	254,00
	Rosso / Red / Rot	100	8013210175378	AFUH1 100 03 ZL0	122,00
	Rosso / Red / Rot	125	8013210175392	AFUH1 125 03 ZL0	138,00
	Rosso / Red / Rot	150	8013210175415	AFUH1 150 03 ZL0	154,00
	Rosso / Red / Rot	175	8013210175439	AFUH1 175 03 ZL0	171,00
	Rosso / Red / Rot	200	8013210175453	AFUH1 200 03 ZL0	187,00
	Rosso / Red / Rot	225	8013210175477	AFUH1 225 03 ZL0	204,00
	Rosso / Red / Rot	250	8013210175491	AFUH1 250 03 ZL0	220,00
	Rosso / Red / Rot	275	8013210175514	AFUH1 275 03 ZL0	237,00
	Rosso / Red / Rot	300	8013210175538	AFUH1 300 03 ZL0	254,00
Maggiorazione taglio tubo fuori standard / Unit tube cost for custom measurements / Aufpreis für Kundenmaß					12,00

CUSTOM COLOURS ON DEMAND

Satin Collection

						
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze	Champagne Champagne Champagner



4 weeks | + 10% extra

Kerakoll Warm Collection

			
Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun



4 weeks | + 10% extra

GOCCIA H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
 <p>Ø 9</p> <p>pag. 86</p> <p>max 200</p> <p>63</p> <p>Ø 23</p>	<p>Ceiling Suspended IP20 Indoor use Box measurements: L.32 D.32 P.67 Gross weight: KG.3,40</p>	<p>1 X E27 LED not included</p>	<p>220-240 V 50 Hz Class 1</p>	<p>Lighting type: Diffused Light distribution: Symmetric</p>  <p>Discover Goccia</p>	
STRUCTURE			EAN	CODE	EURO
Bianco acidato / Etched white / Weiß matt			8013210143193	1GOH1 001 00 ZB0	511,00

Canopy: etched white

GOCCIA H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
 <p>Ø 9</p> <p>pag. 86</p> <p>max 200</p> <p>45</p> <p>Ø 16,5</p>	<p>Ceiling Suspended IP20 Indoor use Box measurements: L.28 D.29 P.55 Gross weight: KG.2,02</p>	<p>1 X E27 LED not included</p>	<p>220-240 V 50 Hz Class 1</p>	<p>Lighting type: Diffused Light distribution: Symmetric</p>  <p>Discover Goccia</p>	
STRUCTURE			EAN	CODE	EURO
Bianco acidato / Etched white / Weiß matt			8013210143186	1GOH2 001 00 ZB0	401,00

Canopy: etched white

INOUT W1 - INDOOR

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
<p>IP65</p>	Wall Surface On-Off, Phase IP65 2.000 lumen - luminaire flux Indoor use Box measurements: L.13 D.22 P.37 Gross weight: KG.2,19	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W ¹ Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210188828	1IOW1 000 63 ZL0	311,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210189016	1IOW1 000 63 FL0	343,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210188835	1IOW1 000 63 ZL1	311,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210189023	1IOW1 000 63 FL1	343,00
DTW 2.200 - 3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229149	1IOW1 W00 63 FLO	377,00

¹ Alimentatore multipotenza con selezione della corrente in uscita (da 250 mA a 700 mA) / Multipower driver with switch to select the output (from 250 mA to 700 mA)

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | + 10% extra

Kerakoll Warm Collection

3 weeks | + 10% extra

INOUT W1 - OUTDOOR

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
<p>IP65</p>	Wall Surface On-Off IP65 2.000 lumen - luminaire flux Outdoor use Box measurements: L.13 D.22 P.37 Gross weight: KG.2,19	MID POWER LED 2.700K, 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W ¹ Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Argento gofrato / Embossed silver / Siber geprägt	On/off	8013210188781	1IOW1 000 44 ZL0	311,00
Bianco gofrato / Embossed white / Weiß geprägt	On/off	8013210188804	1IOW1 000 55 ZL0	311,00
Antracite gofrato / Embossed anthracite / Anthrazit geprägt	On/off	8013210189115	1IOW1 000 56 ZL0	311,00
3.000 Kelvin				
Argento gofrato / Embossed silver / Siber geprägt	On/off	8013210188798	1IOW1 000 44 ZL1	311,00
Bianco gofrato / Embossed white / Weiß geprägt	On/off	8013210188811	1IOW1 000 55 ZL1	311,00
Antracite gofrato / Embossed anthracite / Anthrazit	On/off	8013210189122	1IOW1 000 56 ZL1	311,00

¹ Alimentatore multipotenza con selezione della corrente in uscita (da 250 mA a 700 mA) / Multipower driver with switch to select the output (from 250 mA to 700 mA)

INOUT W2 - INDOOR

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
<p>IP65</p>	Wall Surface On-Off, Phase IP65 2.250 lumen - luminaire flux Indoor use Box measurements: L.13 D.22 P.37 Gross weight: KG.2,19	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W ¹ Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210188910	1IOW2 000 63 ZL0	311,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210189047	1IOW2 000 63 FL0	343,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210188934	1IOW2 000 63 ZL1	311,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210189030	1IOW2 000 63 FL1	343,00
DTW 2.200 - 3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229156	1IOW2 W00 63 FLO	377,00

¹ Alimentatore multipotenza con selezione della corrente in uscita (da 250 mA a 700 mA) / Multipower driver with switch to select the output (from 250 mA to 700 mA)

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | + 10% extra

Kerakoll Warm Collection

3 weeks | + 10% extra

INOUT W2 - OUTDOOR

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
<p>IP65</p>	Wall Surface On-Off IP65 2.250 lumen - luminaire flux Outdoor use Box measurements: L.13 D.22 P.37 Gross weight: KG.2,19	MID POWER LED 2.700K, 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W ¹ Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Argento gofrato / Embossed silver / Siber geprägt	On/off	8013210188866	1IOW2 000 44 ZL0	311,00
Bianco gofrato / Embossed white / Weiß geprägt	On/off	8013210188897	1IOW2 000 55 ZL0	311,00
Antracite gofrato / Embossed anthracite / Anthrazit geprägt	On/off	8013210189146	1IOW2 000 56 ZL0	311,00
3.000 Kelvin				
Argento gofrato / Embossed silver / Siber geprägt	On/off	8013210188873	1IOW2 000 44 ZL1	311,00
Bianco gofrato / Embossed white / Weiß geprägt	On/off	8013210188903	1IOW2 000 55 ZL1	311,00
Antracite gofrato / Embossed anthracite / Anthrazit	On/off	8013210189139	1IOW2 000 56 ZL1	311,00

¹ Alimentatore multipotenza con selezione della corrente in uscita (da 250 mA a 700 mA) / Multipower driver with switch to select the output (from 250 mA to 700 mA)

IPE W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase IP20 1.320 lumen - luminaire flux Indoor use Box measurements: L.16 D.16 P.24 Gross weight: KG.0,65	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 350mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210205327	1IPW1 LED 63 ZL0	241,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210202944	1IPW1 LED 63 FLO	274,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210205334	1IPW1 LED 63 ZL1	241,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210202937	1IPW1 LED 63 FL1	274,00
DTW 2.200 - 3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229125	1IPW1 W00 63 FLO	301,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | + 10% extra

Kerakoll Warm Collection

3 weeks | + 10% extra

IPE W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 2.650 lumen - luminaire flux Indoor use Box measurements: L.13 D.21 P.37 Gross weight: KG.1,35	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210202975	1IPW2 LED 63 ZL0	311,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210202968	1IPW2 LED 63 FLO	343,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205341	1IPW2 LED 63 HLO	359,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205358	1IPW2 LED 63 PLO	359,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210202982	1IPW2 LED 63 ZL1	311,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210202951	1IPW2 LED 63 FL1	343,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205365	1IPW2 LED 63 HL1	359,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205372	1IPW2 LED 63 PL1	359,00
DTW 2.200 - 3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	Phase	8013210229132	1IPW2 W00 63 FLO	377,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | + 10% extra

Kerakoll Warm Collection

3 weeks | + 10% extra

IPE W3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Push, Dali IP20 4.250 lumen - luminaire flux Indoor use Box measurements: L.16 D.16 P.66 Gross weight: KG.2,45	MID POWER LED 2.700K, 3.000K CRI 90 900mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 45W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210208434	1IPW3 LED 63 ZL0	423,00
Bianco opaco / Matt white / Weiß matt	Push	8013210208427	1IPW3 LED 63 HLO	471,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210208441	1IPW3 LED 63 PLO	471,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210208465	1IPW3 LED 63 ZL1	423,00
Bianco opaco / Matt white / Weiß matt	Push	8013210208458	1IPW3 LED 63 HL1	471,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210208472	1IPW3 LED 63 PL1	471,00

CUSTOM COLOURS ON DEMAND

Satin Collection

4 weeks | + 10% extra

Kerakoll Warm Collection

4 weeks | + 10% extra

IPE W4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Push, Dali IP20 5.380 lumen - luminaire flux Indoor use Box measurements: L.16 D.16 P.96 Gross weight: KG.3,51	MID POWER LED 2.700K, 3.000K CRI 90 1200mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 57W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210208489	1IPW4 LED 63 ZL0	498,00
Bianco opaco / Matt white / Weiß matt	Push	8013210208496	1IPW4 LED 63 HLO	546,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210208502	1IPW4 LED 63 PLO	546,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210208519	1IPW4 LED 63 ZL0	498,00
Bianco opaco / Matt white / Weiß matt	Push	8013210208526	1IPW4 LED 63 HLO	546,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210208533	1IPW4 LED 63 PLO	546,00

CUSTOM COLOURS ON DEMAND



Satin Collection

4 weeks | + 10% extra



Kerakoll Warm Collection

4 weeks | + 10% extra



LIGHTWIRE F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC	
	Floor Standing Touch dimmer IP20 4.570 lumen - luminaire flux Indoor use Box measurements: L.40 D.40 P.198 Gross weight: KG.13,00	MID POWER LED 3.000 K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 43W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric  Discover Lightwire	
STRUCTURE			EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt			8013210193280	1LLF1 LED 62 ELO	1.438,00
Nero opaco / Matt black / Schwarz matt			8013210193297	1LLF1 LED 63 ELO	1.438,00


LUXY T1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Table Standing On-Off IP20 Indoor use Box measurements: L.25 D.35 P.81 Gross weight: KG.8,39	1x E14 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Direct Light distribution: Symmetric  Discover Luxy
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Bianco lucido / Glossy white / Weiß glänzend	8013210135556	1LXT1 001 01 ERO	360,00
Nero opaco / Matt black / Schwarz matt	Bianco acidato / Etched white / Weiß matt	8013210139820	1LXT1 002 01 ERO	360,00
Nero opaco / Matt black / Schwarz matt	Rosso lucido / Glossy red / Rot glänzend	8013210146835	1LXT1 004 01 ERO	360,00
Nero opaco / Matt black / Schwarz matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210144305	1LXT1 005 01 ERO	360,00
Nero opaco / Matt black / Schwarz matt	Nero lucido / Glossy black / Schwarz glänzend	8013210162835	1LXT1 008 01 ERO	360,00
Bianco opaco / Matt white / Weiß matt	Bianco lucido / Glossy white / Weiß glänzend	8013210228289	1LXT1 001 63 ERO	360,00
Bianco opaco / Matt white / Weiß matt	Bianco acidato / Etched white / Weiß matt	8013210228296	1LXT1 002 63 ERO	360,00
Bianco opaco / Matt white / Weiß matt	Rosso lucido / Glossy red / Rot glänzend	8013210229309	1LXT1 004 63 ERO	360,00
Bianco opaco / Matt white / Weiß matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210228302	1LXT1 005 63 ERO	360,00
Bianco opaco / Matt white / Weiß matt	Nero lucido / Glossy black / Schwarz glänzend	8013210229316	1LXT1 008 63 ERO	360,00
Argento / Silver / Silber	Bianco lucido / Glossy white / Weiß glänzend	8013210135563	1LXT1 001 43 ERO	360,00
Argento / Silver / Silber	Bianco acidato / Etched white / Weiß matt	8013210136447	1LXT1 002 43 ERO	360,00
Argento / Silver / Silber	Rosso lucido / Glossy red / Rot glänzend	8013210143476	1LXT1 004 43 ERO	360,00
Argento / Silver / Silber	Giallo lucido / Glossy yellow / Gelb glänzend	8013210136881	1LXT1 005 43 ERO	360,00
Argento / Silver / Silber	Nero lucido / Glossy black / Schwarz glänzend	8013210163474	1LXT1 008 43 ERO	360,00


LUXY T2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Table Standing On-Off IP20 Indoor use Box measurements: L.25 D.35 P.81 Gross weight: KG.8,62	1x E14 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Direct Light distribution: Symmetric  Discover Luxy
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Bianco lucido / Glossy white / Weiß glänzend	8013210134825	1LXT2 001 01 ERO	438,00
Nero opaco / Matt black / Schwarz matt	Bianco acidato / Etched white / Weiß matt	8013210134832	1LXT2 002 01 ERO	438,00
Nero opaco / Matt black / Schwarz matt	Rosso lucido / Glossy red / Rot glänzend	8013210146194	1LXT2 004 01 ERO	438,00
Nero opaco / Matt black / Schwarz matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210155189	1LXT2 005 01 ERO	438,00
Nero opaco / Matt black / Schwarz matt	Nero lucido / Glossy black / Schwarz glänzend	8013210160268	1LXT2 008 01 ERO	438,00
Bianco opaco / Matt white / Weiß matt	Bianco lucido / Glossy white / Weiß glänzend	8013210228333	1LXT2 001 63 ERO	438,00
Bianco opaco / Matt white / Weiß matt	Bianco acidato / Etched white / Weiß matt	8013210228340	1LXT2 002 63 ERO	438,00
Bianco opaco / Matt white / Weiß matt	Rosso lucido / Glossy red / Rot glänzend	8013210228364	1LXT2 004 63 ERO	438,00
Bianco opaco / Matt white / Weiß matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210228371	1LXT2 005 63 ERO	438,00
Bianco opaco / Matt white / Weiß matt	Nero lucido / Glossy black / Schwarz glänzend	8013210228388	1LXT2 008 63 ERO	438,00
Argento / Silver / Silber	Bianco lucido / Glossy white / Weiß glänzend	8013210136195	1LXT2 001 43 ERO	438,00
Argento / Silver / Silber	Bianco acidato / Etched white / Weiß matt	8013210136461	1LXT2 002 43 ERO	438,00
Argento / Silver / Silber	Rosso lucido / Glossy red / Rot glänzend	8013210137673	1LXT2 004 43 ERO	438,00
Argento / Silver / Silber	Giallo lucido / Glossy yellow / Gelb glänzend	8013210141564	1LXT2 005 43 ERO	438,00
Argento / Silver / Silber	Nero lucido / Glossy black / Schwarz glänzend	8013210164044	1LXT2 008 43 ERO	438,00



LUXY F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing On-Off IP20 Indoor use Box measurements: L.27 D.36 P.153 Gross weight: KG.9,90	1x E14 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Direct Light distribution: Symmetric  Discover Luxy
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Bianco lucido / Glossy white / Weiß glänzend	8013210135396	1LXF1 001 01 ERO	438,00
Nero opaco / Matt black / Schwarz matt	Bianco acidato / Etched white / Weiß matt	8013210135419	1LXF1 002 01 ERO	438,00
Nero opaco / Matt black / Schwarz matt	Rosso lucido / Glossy red / Rot glänzend	8013210145272	1LXF1 004 01 ERO	438,00
Nero opaco / Matt black / Schwarz matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210141427	1LXF1 005 01 ERO	438,00
Nero opaco / Matt black / Schwarz matt	Nero lucido / Glossy black / Schwarz glänzend	8013210162187	1LXF1 008 01 ERO	438,00
Bianco opaco / Matt white / Weiß matt	Bianco lucido / Glossy white / Weiß glänzend	8013210228395	1LXF1 001 63 ERO	438,00
Bianco opaco / Matt white / Weiß matt	Bianco acidato / Etched white / Weiß matt	8013210228401	1LXF1 002 63 ERO	438,00
Bianco opaco / Matt white / Weiß matt	Rosso lucido / Glossy red / Rot glänzend	8013210228418	1LXF1 004 63 ERO	438,00
Bianco opaco / Matt white / Weiß matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210228425	1LXF1 005 63 ERO	438,00
Bianco opaco / Matt white / Weiß matt	Nero lucido / Glossy black / Schwarz glänzend	8013210228432	1LXF1 008 63 ERO	438,00
Argento / Silver / Silber	Bianco lucido / Glossy white / Weiß glänzend	8013210135402	1LXF1 001 43 ERO	438,00
Argento / Silver / Silber	Bianco acidato / Etched white / Weiß matt	8013210136508	1LXF1 002 43 ERO	438,00
Argento / Silver / Silber	Rosso lucido / Glossy red / Rot glänzend	8013210138946	1LXF1 004 43 ERO	438,00
Argento / Silver / Silber	Giallo lucido / Glossy yellow / Gelb glänzend	8013210136843	1LXF1 005 43 ERO	438,00
Argento / Silver / Silber	Nero lucido / Glossy black / Schwarz glänzend	8013210163870	1LXF1 008 43 ERO	438,00



LUXY H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling, Wall Surface On-Off IP20 Indoor use Box measurements: L.21 D.23 P.85 Gross weight: KG.1,70	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Bianco lucido / Glossy white / Weiß glänzend	8013210135501	1LXH1 001 01 ZR0	235,00
Nero opaco / Matt black / Schwarz matt	Bianco acidato / Etched white / Weiß matt	8013210135525	1LXH1 002 01 ZR0	235,00
Nero opaco / Matt black / Schwarz matt	Rosso lucido / Glossy red / Rot glänzend	8013210154168	1LXH1 004 01 ZR0	235,00
Nero opaco / Matt black / Schwarz matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210169438	1LXH1 005 01 ZR0	235,00
Nero opaco / Matt black / Schwarz matt	Nero lucido / Glossy black / Schwarz glänzend	8013210165973	1LXH1 008 01 ZR0	235,00
Bianco opaco / Matt white / Weiß matt	Bianco lucido / Glossy white / Weiß glänzend	8013210229408	1LXH1 001 63 ZR0	235,00
Bianco opaco / Matt white / Weiß matt	Bianco acidato / Etched white / Weiß matt	8013210229415	1LXH1 002 63 ZR0	235,00
Bianco opaco / Matt white / Weiß matt	Rosso lucido / Glossy red / Rot glänzend	8013210229422	1LXH1 004 63 ZR0	235,00
Bianco opaco / Matt white / Weiß matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210229439	1LXH1 005 63 ZR0	235,00
Bianco opaco / Matt white / Weiß matt	Nero lucido / Glossy black / Schwarz glänzend	8013210229446	1LXH1 008 63 ZR0	235,00
Argento / Silver / Silber	Bianco lucido / Glossy white / Weiß glänzend	8013210141410	1LXH1 001 43 ZR0	235,00
Argento / Silver / Silber	Bianco acidato / Etched white / Weiß matt	8013210136744	1LXH1 002 43 ZR0	235,00
Argento / Silver / Silber	Rosso lucido / Glossy red / Rot glänzend	8013210141373	1LXH1 004 43 ZR0	235,00
Argento / Silver / Silber	Giallo lucido / Glossy yellow / Gelb glänzend	8013210141403	1LXH1 005 43 ZR0	235,00
Argento / Silver / Silber	Nero lucido / Glossy black / Schwarz glänzend	8013210167694	1LXH1 008 43 ZR0	235,00



LUXY H0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling, Wall Surface On-Off IP20 Indoor use Box measurements: L.22 D.22 P.34 Gross weight: KG.1,00	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Bianco lucido / Glossy white / Weiß glänzend	8013210135464	1LXH0 001 01 ZR0	216,00
Nero opaco / Matt black / Schwarz matt	Bianco acidato / Etched white / Weiß matt	8013210135471	1LXH0 002 01 ZR0	216,00
Nero opaco / Matt black / Schwarz matt	Rosso lucido / Glossy red / Rot glänzend	8013210142554	1LXH0 004 01 ZR0	216,00
Nero opaco / Matt black / Schwarz matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210142660	1LXH0 005 01 ZR0	216,00
Nero opaco / Matt black / Schwarz matt	Nero lucido / Glossy black / Schwarz glänzend	8013210162491	1LXH0 008 01 ZR0	216,00
Bianco opaco / Matt white / Weiß matt	Bianco lucido / Glossy white / Weiß glänzend	8013210228449	1LXH0 001 63 ZR0	216,00
Bianco opaco / Matt white / Weiß matt	Bianco acidato / Etched white / Weiß matt	8013210228456	1LXH0 002 63 ZR0	216,00
Bianco opaco / Matt white / Weiß matt	Rosso lucido / Glossy red / Rot glänzend	8013210229002	1LXH0 004 63 ZR0	216,00
Bianco opaco / Matt white / Weiß matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210229019	1LXH0 005 63 ZR0	216,00
Bianco opaco / Matt white / Weiß matt	Nero lucido / Glossy black / Schwarz glänzend	8013210229026	1LXH0 008 63 ZR0	216,00
Argento / Silver / Silber	Bianco lucido / Glossy white / Weiß glänzend	8013210138762	1LXH0 001 43 ZR0	216,00
Argento / Silver / Silber	Bianco acidato / Etched white / Weiß matt	8013210136706	1LXH0 002 43 ZR0	216,00
Argento / Silver / Silber	Rosso lucido / Glossy red / Rot glänzend	8013210135495	1LXH0 004 43 ZR0	216,00
Argento / Silver / Silber	Giallo lucido / Glossy yellow / Gelb glänzend	8013210136836	1LXH0 005 43 ZR0	216,00
Argento / Silver / Silber	Nero lucido / Glossy black / Schwarz glänzend	8013210160213	1LXH0 008 43 ZR0	216,00



LUXY H5

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off IP20 Indoor use Box measurements: L.22 D.22 P.34 Gross weight: KG.1,85	1x E14 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric  Discover Luxy
TEXTILE COLOURED CABLE	DIFFUSER	EAN	CODE	EURO
Bianco / White / Weiß	Bianco lucido / Glossy white / Weiß glänzend	8013210171141	1LXH5 B01 30 ZR0	222,00
Bianco / White / Weiß	Bianco acidato / Etched white / Weiß matt	8013210171158	1LXH5 B02 30 ZR0	222,00
Bianco / White / Weiß	Rosso lucido / Glossy red / Rot glänzend	8013210171172	1LXH5 B04 30 ZR0	222,00
Bianco / White / Weiß	Giallo lucido / Glossy yellow / Gelb glänzend	8013210171189	1LXH5 B05 30 ZR0	222,00
Bianco / White / Weiß	Nero lucido / Glossy black / Schwarz glänzend	8013210171219	1LXH5 B08 30 ZR0	222,00
Nero / Black / Schwarz	Bianco lucido / Glossy white / Weiß glänzend	8013210171318	1LXH5 N01 30 ZR0	222,00
Nero / Black / Schwarz	Bianco acidato / Etched white / Weiß matt	8013210171325	1LXH5 N02 30 ZR0	222,00
Nero / Black / Schwarz	Rosso lucido / Glossy red / Rot glänzend	8013210171349	1LXH5 N04 30 ZR0	222,00
Nero / Black / Schwarz	Giallo lucido / Glossy yellow / Gelb glänzend	8013210171356	1LXH5 N05 30 ZR0	222,00
Nero / Black / Schwarz	Nero lucido / Glossy black / Schwarz glänzend	8013210171370	1LXH5 N08 30 ZR0	222,00
Rosso / Red / Rot	Bianco lucido / Glossy white / Weiß glänzend	8013210171233	1LXH5 R01 30 ZR0	222,00
Rosso / Red / Rot	Bianco acidato / Etched white / Weiß matt	8013210171240	1LXH5 R02 30 ZR0	222,00
Rosso / Red / Rot	Rosso lucido / Glossy red / Rot glänzend	8013210171264	1LXH5 R04 30 ZR0	222,00
Rosso / Red / Rot	Giallo lucido / Glossy yellow / Gelb glänzend	8013210171271	1LXH5 R05 30 ZR0	222,00
Rosso / Red / Rot	Nero lucido / Glossy black / Schwarz glänzend	8013210171295	1LXH5 R08 30 ZR0	222,00



LUXY W0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
 <p>Ø 13,5 Ø 8</p>	Wall Surface On-Off IP20 Indoor use Box measurements: L.22 D.22 P.34 Gross weight: KG.1,10	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Bianco lucido / Glossy white / Weiß glänzend	8013210134863	1LXW0 001 01 ZRO	216,00
Nero opaco / Matt black / Schwarz matt	Bianco acidato / Etched white / Weiß matt	8013210134931	1LXW0 002 01 ZRO	216,00
Nero opaco / Matt black / Schwarz matt	Rosso lucido / Glossy red / Rot glänzend	8013210135075	1LXW0 004 01 ZRO	216,00
Nero opaco / Matt black / Schwarz matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210135143	1LXW0 005 01 ZRO	216,00
Nero opaco / Matt black / Schwarz matt	Nero lucido / Glossy black / Schwarz glänzend	8013210162842	1LXW0 008 01 ZRO	216,00
Bianco opaco / Matt white / Weiß matt	Bianco lucido / Glossy white / Weiß glänzend	8013210229453	1LXW0 001 63 ZRO	216,00
Bianco opaco / Matt white / Weiß matt	Bianco acidato / Etched white / Weiß matt	8013210229460	1LXW0 002 63 ZRO	216,00
Bianco opaco / Matt white / Weiß matt	Rosso lucido / Glossy red / Rot glänzend	8013210229477	1LXW0 004 63 ZRO	216,00
Bianco opaco / Matt white / Weiß matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210229484	1LXW0 005 63 ZRO	216,00
Bianco opaco / Matt white / Weiß matt	Nero lucido / Glossy black / Schwarz glänzend	8013210229491	1LXW0 008 63 ZRO	216,00
Argento / Silver / Silber	Bianco lucido / Glossy white / Weiß glänzend	8013210134894	1LXW0 001 43 ZRO	216,00
Argento / Silver / Silber	Bianco acidato / Etched white / Weiß matt	8013210134962	1LXW0 002 43 ZRO	216,00
Argento / Silver / Silber	Rosso lucido / Glossy red / Rot glänzend	8013210135105	1LXW0 004 43 ZRO	216,00
Argento / Silver / Silber	Giallo lucido / Glossy yellow / Gelb glänzend	8013210135174	1LXW0 005 43 ZRO	216,00
Argento / Silver / Silber	Nero lucido / Glossy black / Schwarz glänzend	8013210163801	1LXW0 008 43 ZRO	216,00



LUXY W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
 <p>Ø 13,5 Ø 8</p>	Wall Surface On-Off IP20 Indoor use Box measurements: L.21 D.23 P.85 Gross weight: KG.1,70	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Bianco lucido / Glossy white / Weiß glänzend	8013210135358	1LXW1 001 01 ZRO	294,00
Nero opaco / Matt black / Schwarz matt	Bianco acidato / Etched white / Weiß matt	8013210149607	1LXW1 002 01 ZRO	294,00
Nero opaco / Matt black / Schwarz matt	Rosso lucido / Glossy red / Rot glänzend	8013210152867	1LXW1 004 01 ZRO	294,00
Nero opaco / Matt black / Schwarz matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210137970	1LXW1 005 01 ZRO	294,00
Nero opaco / Matt black / Schwarz matt	Nero lucido / Glossy black / Schwarz glänzend	8013210160244	1LXW1 008 01 ZRO	294,00
Bianco opaco / Matt white / Weiß matt	Bianco lucido / Glossy white / Weiß glänzend	8013210229507	1LXW1 001 63 ZRO	294,00
Bianco opaco / Matt white / Weiß matt	Bianco acidato / Etched white / Weiß matt	8013210229514	1LXW1 002 63 ZRO	294,00
Bianco opaco / Matt white / Weiß matt	Rosso lucido / Glossy red / Rot glänzend	8013210229521	1LXW1 004 63 ZRO	294,00
Bianco opaco / Matt white / Weiß matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210229538	1LXW1 005 63 ZRO	294,00
Bianco opaco / Matt white / Weiß matt	Nero lucido / Glossy black / Schwarz glänzend	8013210229545	1LXW1 008 63 ZRO	294,00
Argento / Silver / Silber	Bianco lucido / Glossy white / Weiß glänzend	8013210135365	1LXW1 001 43 ZRO	294,00
Argento / Silver / Silber	Bianco acidato / Etched white / Weiß matt	8013210136553	1LXW1 002 43 ZRO	294,00
Argento / Silver / Silber	Rosso lucido / Glossy red / Rot glänzend	8013210139844	1LXW1 004 43 ZRO	294,00
Argento / Silver / Silber	Giallo lucido / Glossy yellow / Gelb glänzend	8013210139769	1LXW1 005 43 ZRO	294,00
Argento / Silver / Silber	Nero lucido / Glossy black / Schwarz glänzend	8013210164709	1LXW1 008 43 ZRO	294,00



LUXY W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
 <p>Ø 13,5 Ø 8</p>	Wall Surface On-Off IP20 Indoor use Box measurements: L.21 D.23 P.85 Gross weight: KG.2,30	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Bianco lucido / Glossy white / Weiß glänzend	8013210135389	1LXW2 001 01 ZRO	378,00
Nero opaco / Matt black / Schwarz matt	Bianco acidato / Etched white / Weiß matt	8013210142530	1LXW2 002 01 ZRO	378,00
Nero opaco / Matt black / Schwarz matt	Rosso lucido / Glossy red / Rot glänzend	8013210162651	1LXW2 004 01 ZRO	378,00
Nero opaco / Matt black / Schwarz matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210159262	1LXW2 005 01 ZRO	378,00
Nero opaco / Matt black / Schwarz matt	Nero lucido / Glossy black / Schwarz glänzend	8013210160411	1LXW2 008 01 ZRO	378,00
Bianco opaco / Matt white / Weiß matt	Bianco lucido / Glossy white / Weiß glänzend	8013210229552	1LXW2 001 63 ZRO	378,00
Bianco opaco / Matt white / Weiß matt	Bianco acidato / Etched white / Weiß matt	8013210229569	1LXW2 002 63 ZRO	378,00
Bianco opaco / Matt white / Weiß matt	Rosso lucido / Glossy red / Rot glänzend	8013210229576	1LXW2 004 63 ZRO	378,00
Bianco opaco / Matt white / Weiß matt	Giallo lucido / Glossy yellow / Gelb glänzend	8013210229583	1LXW2 005 63 ZRO	378,00
Bianco opaco / Matt white / Weiß matt	Nero lucido / Glossy black / Schwarz glänzend	8013210229590	1LXW2 008 63 ZRO	378,00
Argento / Silver / Silber	Bianco lucido / Glossy white / Weiß glänzend	8013210136621	1LXW2 001 43 ZRO	378,00
Argento / Silver / Silber	Bianco acidato / Etched white / Weiß matt	8013210136638	1LXW2 002 43 ZRO	378,00
Argento / Silver / Silber	Rosso lucido / Glossy red / Rot glänzend	8013210139691	1LXW2 004 43 ZRO	378,00
Argento / Silver / Silber	Giallo lucido / Glossy yellow / Gelb glänzend	8013210139066	1LXW2 005 43 ZRO	378,00
Argento / Silver / Silber	Nero lucido / Glossy black / Schwarz glänzend	8013210164686	1LXW2 008 43 ZRO	378,00



LUXY F0 GLAM

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
 <p>Ø 13,5 126 43 117</p>	Floor, Table Standing On-Off IP20 Indoor use Box measurements: L.22 D.25 P.120 Gross weight: KG.5,50	1x E14 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Direct Light distribution: Symmetric  Discover Luxy Glam
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero metallizzato / Metallic black / Schwarz metallic	Bianco lucido / Glossy white / Weiß glänzend	8013210199015	1LXF0 001 31 ERO	291,00
Nero metallizzato / Metallic black / Schwarz metallic	Oro lucido / Glossy gold / Gold glänzend	8013210199022	1LXF0 011 31 ERO	299,00
Nero metallizzato / Metallic black / Schwarz metallic	Rame lucido / Glossy copper / Kupfer glänzend	8013210199039	1LXF0 012 31 ERO	299,00
Nero metallizzato / Metallic black / Schwarz metallic	Fumè / Smoky / Rauch	8013210199046	1LXF0 013 31 ERO	299,00



LUXY H0 GLAM

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
 <p>Ø 10 Ø 13,5</p>	Ceiling, Wall Surface On-Off IP20 Indoor use Box measurements: L.22 D.22 P.34 Gross weight: KG.1,00	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy Glam
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero metallizzato / Metallic black / Schwarz metallic	Bianco lucido / Glossy white / Weiß glänzend	8013210199091	1LXH0 001 31 ZR0	216,00
Nero metallizzato / Metallic black / Schwarz metallic	Oro lucido / Glossy gold / Gold glänzend	8013210199107	1LXH0 011 31 ZR0	222,00
Nero metallizzato / Metallic black / Schwarz metallic	Rame lucido / Glossy copper / Kupfer glänzend	8013210199114	1LXH0 012 31 ZR0	222,00
Nero metallizzato / Metallic black / Schwarz metallic	Fumè / Smoky / Rauch	8013210199121	1LXH0 013 31 ZR0	222,00

LUXY T0 GLAM

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
 <p>Ø 13,5 Ø 18 33</p>	Table Standing On-Off IP20 Indoor use Box measurements: L.20 D.22 P.56 Gross weight: KG.3,20	1x E14 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Direct Light distribution: Symmetric  Discover Luxy Glam
STRUCTURE	DIFFUSER	EAN	CODE	EURO
Nero metallizzato / Metallic black / Schwarz metallic	Bianco lucido / Glossy white / Weiß glänzend	8013210199060	1LXT0 001 31 ZR0	271,00
Nero metallizzato / Metallic black / Schwarz metallic	Oro lucido / Glossy gold / Gold glänzend	8013210199053	1LXT0 011 31 ZR0	278,00
Nero metallizzato / Metallic black / Schwarz metallic	Rame lucido / Glossy copper / Kupfer glänzend	8013210199077	1LXT0 012 31 ZR0	278,00
Nero metallizzato / Metallic black / Schwarz metallic	Fumè / Smoky / Rauch	8013210199084	1LXT0 013 31 ZR0	278,00



LUXY H5 GLAM

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
 <p>Ø 7,8 max 200 Ø 13,5</p>	Ceiling Suspended On-Off IP20 Indoor use Box measurements: L.22 D.22 P.34 Gross weight: KG.1,85	1x E14 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric  Discover Luxy Glam
CABLE	DIFFUSER	EAN	CODE	EURO
Nero / Black / Schwarz	Bianco lucido / Glossy white / Weiß glänzend	8013210199725	1LXH5 001 31 ZR0	222,00
Nero / Black / Schwarz	Oro lucido / Glossy gold / Gold glänzend	8013210199732	1LXH5 011 31 ZR0	235,00
Nero / Black / Schwarz	Rame lucido / Glossy copper / Kupfer glänzend	8013210199749	1LXH5 012 31 ZR0	235,00
Nero / Black / Schwarz	Fumè / Smoky / Rauch	8013210199756	1LXH5 013 31 ZR0	235,00

LUXY - ACCESSORIES

DIFFUSER	CODE	EURO
Bianco lucido / Glossy white / Weiß glänzend	KPA05001	90,00
Bianco acidato / Etched white / Weiß matt	KPA05002	90,00
Rosso lucido / Glossy red / Red Gelb glänzend	KPA05004	90,00
Giallo lucido / Glossy yellow / Gelb glänzend	KPA05005	90,00
Nero lucido / Glossy black / Schwarz glänzend	KPA05008	90,00
Oro lucido / Glossy gold / Gold glänzend	KPA05011	115,00
Rame lucido / Glossy copper / Kupfer glänzend	KPA05012	115,00
Fumè / Smoky / Rauch	KPA05013	115,00

MULTIPOT+

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
 <p>Ø 23,5 Ø 14 20,5</p>	Table Standing Touch IP20 280 lumen - luminaire flux Indoor use Box measurements: L.25 D.26 P.27 Gross weight: KG.2,70	MID POWER LED RGB CRI 90 5V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: G	220-240 V 50 Hz 3,6W Class 1 Driver included Schuko plug 4 USB port 3 europlugs	Lighting type: Diffused Light distribution: Symmetric  Discover Multipot+
STRUCTURE	EAN	CODE	EURO	
Bianco lucido / Glossy white / Weiß glänzend	8013210183816	1MPP0 000 02 DLO	323,00	


POMI H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	pag. 86 Ceiling Suspended On-Off IP20 Indoor use Box measurements: L.60 D.60 P.60 Gross weight: KG.7,35	1x E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric Discover Pomi
STRUCTURE	CABLE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210204122	1POH1 N00 62 ZB0	688,00
Bianco opaco / Matt white / Weiß matt	Trasparente / Transparent / Transparent	8013210204153	1POH1 000 63 ZB0	623,00

CUSTOM COLOURS ON DEMAND

Canopy: same colour as diffuser
Transparent or black cable

Satin Collection



4 weeks | + 10% extra

Kerakoll Warm Collection



4 weeks | + 10% extra

Metallic Collection



6 weeks | € 956,80

POMI H3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	pag. 86 Ceiling Suspended On-Off IP20 Indoor use Box measurements: L.32 D.34 P.41 Gross weight: KG.2,20	1x E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric Discover Pomi
STRUCTURE	CABLE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210204146	1POH3 N00 62 ZB0	374,00
Bianco opaco / Matt white / Weiß matt	Trasparente / Transparent / Transparent	8013210204177	1POH3 000 63 ZB0	331,00

CUSTOM COLOURS ON DEMAND

Canopy: same colour as diffuser
Transparent or black cable

Satin Collection



4 weeks | + 10% extra

Kerakoll Warm Collection



4 weeks | + 10% extra

Metallic Collection



6 weeks | € 520,00

POMI H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	pag. 86 Ceiling Suspended On-Off IP20 Indoor use Box measurements: L.53 D.53 P.48 Gross weight: KG.5,00	1x E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric Discover Pomi
STRUCTURE	CABLE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210204139	1POH2 N00 62 ZB0	551,00
Bianco opaco / Matt white / Weiß matt	Trasparente / Transparent / Transparent	8013210204160	1POH2 000 63 ZB0	496,00

CUSTOM COLOURS ON DEMAND


Canopy: same colour as diffuser
Transparent or black cable

Satin Collection



4 weeks | + 10% extra

Kerakoll Warm Collection



4 weeks | + 10% extra

Metallic Collection



6 weeks | € 821,60

PRINCE F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Push button dimmer IP20 5.900 lumen - luminaire flux Indoor use Box measurements: L.30 D.31 P.191 Gross weight: KG.9,10	MID POWER LED 2.700K, 3.000K CRI 90 2.400mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 55W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric

STRUCTURE	EAN	CODE	EURO
-----------	-----	------	------

2.700 Kelvin			
Bianco opaco / Matt white / Weiß matt	8013210185506	1PRF1 000 63 EL1	789,00

3.000 Kelvin			
Bianco opaco / Matt white / Weiß matt	8013210230763	1PRF1 000 63 ELO	789,00

CUSTOM COLOURS ON DEMAND

Satin Collection

5 weeks | € 867,90

QB W0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase IP20 2.300 lumen - luminaire flux Indoor use Box measurements: L.13 D.32 P.35 Gross weight: KG.1,53	MID POWER LED 2.700K CRI 90 700mA Mono Bin LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 25W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric

STRUCTURE	DIMMING	EAN	CODE	EURO
-----------	---------	-----	------	------

Bianco opaco / Matt white / Weiß matt	On/off	8013210179772	1QBW0 000 63 ZLO	336,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210180785	1QBW0 000 63 FLO	369,00

CUSTOM COLOURS ON DEMAND

Satin Collection

4 weeks | + 10% extra

Kerakoll Warm Collection

4 weeks | + 10% extra

SOL F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing 2 potentiometers IP20 6.820 lumen up + 1.980 lumen down - uminaire flux Indoor use Box measurements: L.35 D.37 P.202 Gross weight: KG.11,40	MID POWER LED 2.700K, 3.000K CRI 90 380mA & 1200mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 62W Class 2 Driver included Europe plug	Lighting type: Indirect up + Direct down Light distribution: Symmetric UGR < 16

STRUCTURE	GRID	EAN	CODE	EURO
-----------	------	-----	------	------

2.700 Kelvin				
Grafite / Graphite / Graphit	Nero opaco / Matt black / Schwarz matt	8013210219034	1SOF1 001 20 EL1	1.299,00
Grafite / Graphite / Graphit	Bianco opaco / Matt white / Weiß mat	8013210219072	1SOF1 002 20 EL1	1.299,00
Grafite / Graphite / Graphit	Cromo lucido / Glossy Chrome / Chrom glänzend	8013210219089	1SOF1 003 20 EL1	1.299,00
Grafite / Graphite / Graphit	Oro opaco / Matt gold / Gold matt	8013210219096	1SOF1 004 20 EL1	1.299,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Nero opaco / Matt black / Schwarz matt	8013210219041	1SOF1 001 48 EL1	1.299,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Bianco opaco / Matt white / Weiß matt	8013210219102	1SOF1 002 48 EL1	1.299,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Cromo lucido / Glossy Chrome / Chrom glänzend	8013210219119	1SOF1 003 48 EL1	1.299,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Oro opaco / Matt gold / Gold matt	8013210219126	1SOF1 004 48 EL1	1.299,00
Nero opaco / Matt black / Schwarz matt	Nero opaco / Matt black / Schwarz matt	8013210219058	1SOF1 001 62 EL1	1.299,00
Nero opaco / Matt black / Schwarz matt	Bianco opaco / Matt white / Weiß mat	8013210219133	1SOF1 002 62 EL1	1.299,00
Nero opaco / Matt black / Schwarz matt	Cromo lucido / Glossy Chrome / Chrom glänzend	8013210219157	1SOF1 003 62 EL1	1.299,00
Nero opaco / Matt black / Schwarz matt	Oro opaco / Matt gold / Gold matt	8013210219164	1SOF1 004 62 EL1	1.299,00
Bianco opaco / Matt white / Weiß matt	Nero opaco / Matt black / Schwarz matt	8013210219065	1SOF1 001 63 EL1	1.299,00
Bianco opaco / Matt white / Weiß matt	Bianco opaco / Matt white / Weiß mat	8013210219171	1SOF1 002 63 EL1	1.299,00
Bianco opaco / Matt white / Weiß matt	Cromo lucido / Glossy Chrome / Chrom glänzend	8013210219188	1SOF1 003 63 EL1	1.299,00
Bianco opaco / Matt white / Weiß matt	Oro opaco / Matt gold / Gold matt	8013210219195	1SOF1 004 63 EL1	1.299,00
Bronzo satinato / Satin bronze / Bronze matt	Nero opaco / Matt black / Schwarz matt	8013210219027	1SOF1 001 64 EL1	1.299,00
Bronzo satinato / Satin bronze / Bronze matt	Bianco opaco / Matt white / Weiß mat	8013210219201	1SOF1 002 64 EL1	1.299,00
Bronzo satinato / Satin bronze / Bronze matt	Cromo lucido / Glossy Chrome / Chrom glänzend	8013210219218	1SOF1 003 64 EL1	1.299,00
Bronzo satinato / Satin bronze / Bronze matt	Oro opaco / Matt gold / Gold matt	8013210219225	1SOF1 004 64 EL1	1.299,00

3.000 Kelvin				
Grafite / Graphite / Graphit	Nero opaco / Matt black / Schwarz matt	8013210219232	1SOF1 001 20 ELO	1.299,00
Grafite / Graphite / Graphit	Bianco opaco / Matt white / Weiß mat	8013210219256	1SOF1 002 20 ELO	1.299,00
Grafite / Graphite / Graphit	Cromo lucido / Glossy Chrome / Chrom glänzend	8013210219270	1SOF1 003 20 ELO	1.299,00
Grafite / Graphite / Graphit	Oro opaco / Matt gold / Gold matt	8013210219287	1SOF1 004 20 ELO	1.299,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Nero opaco / Matt black / Schwarz matt	8013210219300	1SOF1 001 48 ELO	1.299,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Bianco opaco / Matt white / Weiß mat	8013210219324	1SOF1 002 48 ELO	1.299,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Cromo lucido / Glossy Chrome / Chrom glänzend	8013210219331	1SOF1 003 48 ELO	1.299,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Oro opaco / Matt gold / Gold matt	8013210219348	1SOF1 004 48 ELO	1.299,00
Nero opaco / Matt black / Schwarz matt	Nero opaco / Matt black / Schwarz matt	8013210219355	1SOF1 001 62 ELO	1.299,00
Nero opaco / Matt black / Schwarz matt	Bianco opaco / Matt white / Weiß mat	8013210219362	1SOF1 002 62 ELO	1.299,00
Nero opaco / Matt black / Schwarz matt	Cromo lucido / Glossy Chrome / Chrom glänzend	8013210219379	1SOF1 003 62 ELO	1.299,00
Nero opaco / Matt black / Schwarz matt	Oro opaco / Matt gold / Gold matt	8013210219386	1SOF1 004 62 ELO	1.299,00
Bianco opaco / Matt white / Weiß matt	Nero opaco / Matt black / Schwarz matt	8013210219393	1SOF1 001 63 ELO	1.299,00
Bianco opaco / Matt white / Weiß matt	Bianco opaco / Matt white / Weiß mat	8013210219416	1SOF1 002 63 ELO	1.299,00
Bianco opaco / Matt white / Weiß matt	Cromo lucido / Glossy Chrome / Chrom glänzend	8013210219423	1SOF1 003 63 ELO	1.299,00
Bianco opaco / Matt white / Weiß matt	Oro opaco / Matt gold / Gold matt	8013210219430	1SOF1 004 63 ELO	1.299,00
Bronzo satinato / Satin bronze / Bronze matt	Nero opaco / Matt black / Schwarz matt	8013210219447	1SOF1 001 64 ELO	1.299,00
Bronzo satinato / Satin bronze / Bronze matt	Bianco opaco / Matt white / Weiß mat	8013210219454	1SOF1 002 64 ELO	1.299,00
Bronzo satinato / Satin bronze / Bronze matt	Cromo lucido / Glossy Chrome / Chrom glänzend	8013210219485	1SOF1 003 64 ELO	1.299,00
Bronzo satinato / Satin bronze / Bronze matt	Oro opaco / Matt gold / Gold matt	8013210219492	1SOF1 004 64 ELO	1.299,00

GRID

SOL T1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	<p>Table Standing 2 potentiometers IP20 6.820 lumen up + 1.980 lumen down luminaire flux Indoor use</p>	<p>MID POWER LED 2.700K, 3.000K CRI 90 380mA & 1.200mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E</p>	<p>220-240 V 50 Hz 62W Class 2 Driver included Europe plug</p>	<p>Lighting type: Indirect up + Direct down Light distribution: Symmetric UGR < 16</p>

STRUCTURE	GRID	EAN	CODE	EURO
2.700 Kelvin				
Grafite / Graphite / Graphit	Nero opaco / Matt black / Schwarz matt		1SOT1 001 20 GL1	1.430,00
Grafite / Graphite / Graphit	Bianco opaco / Matt white / Weiß mat		1SOT1 002 20 GL1	1.430,00
Grafite / Graphite / Graphit	Cromo lucido / Glossy Chrome / Chrom glänzend		1SOT1 003 20 GL1	1.430,00
Grafite / Graphite / Graphit	Oro opaco / Matt gold / Gold matt		1SOT1 004 20 GL1	1.430,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Nero opaco / Matt black / Schwarz matt		1SOT1 001 48 GL1	1.430,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Bianco opaco / Matt white / Weiß mat		1SOT1 002 48 GL1	1.430,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Cromo lucido / Glossy Chrome / Chrom glänzend		1SOT1 003 48 GL1	1.430,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Oro opaco / Matt gold / Gold matt		1SOT1 004 48 GL1	1.430,00
Nero opaco / Matt black / Schwarz matt	Nero opaco / Matt black / Schwarz matt		1SOT1 001 62 GL1	1.430,00
Nero opaco / Matt black / Schwarz matt	Bianco opaco / Matt white / Weiß mat		1SOT1 002 62 GL1	1.430,00
Nero opaco / Matt black / Schwarz matt	Cromo lucido / Glossy Chrome / Chrom glänzend		1SOT1 003 62 GL1	1.430,00
Nero opaco / Matt black / Schwarz matt	Oro opaco / Matt gold / Gold matt		1SOT1 004 62 GL1	1.430,00
Bianco opaco / Matt white / Weiß matt	Nero opaco / Matt black / Schwarz matt		1SOT1 001 63 GL1	1.430,00
Bianco opaco / Matt white / Weiß matt	Bianco opaco / Matt white / Weiß mat		1SOT1 002 63 GL1	1.430,00
Bianco opaco / Matt white / Weiß matt	Cromo lucido / Glossy Chrome / Chrom glänzend		1SOT1 003 63 GL1	1.430,00
Bianco opaco / Matt white / Weiß matt	Oro opaco / Matt gold / Gold matt		1SOT1 004 63 GL1	1.430,00
Bronzo satinato / Satin bronze / Bronze matt	Nero opaco / Matt black / Schwarz matt		1SOT1 001 64 GL1	1.430,00
Bronzo satinato / Satin bronze / Bronze matt	Bianco opaco / Matt white / Weiß mat		1SOT1 002 64 GL1	1.430,00
Bronzo satinato / Satin bronze / Bronze matt	Cromo lucido / Glossy Chrome / Chrom glänzend		1SOT1 003 64 GL1	1.430,00
Bronzo satinato / Satin bronze / Bronze matt	Oro opaco / Matt gold / Gold matt		1SOT1 004 64 GL1	1.430,00
3.000 Kelvin				
Grafite / Graphite / Graphit	Nero opaco / Matt black / Schwarz matt		1SOT1 001 20 GL0	1.430,00
Grafite / Graphite / Graphit	Bianco opaco / Matt white / Weiß mat		1SOT1 002 20 GL0	1.430,00
Grafite / Graphite / Graphit	Cromo lucido / Glossy Chrome / Chrom glänzend		1SOT1 003 20 GL0	1.430,00
Grafite / Graphite / Graphit	Oro opaco / Matt gold / Gold matt		1SOT1 004 20 GL0	1.430,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Nero opaco / Matt black / Schwarz matt		1SOT1 001 48 GL0	1.430,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Bianco opaco / Matt white / Weiß mat		1SOT1 002 48 GL0	1.430,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Cromo lucido / Glossy Chrome / Chrom glänzend		1SOT1 003 48 GL0	1.430,00
Bronzo scuro / Dark bronze / Bronze Dunkel	Oro opaco / Matt gold / Gold matt		1SOT1 004 48 GL0	1.430,00
Nero opaco / Matt black / Schwarz matt	Nero opaco / Matt black / Schwarz matt		1SOT1 001 62 GL0	1.430,00
Nero opaco / Matt black / Schwarz matt	Bianco opaco / Matt white / Weiß mat		1SOT1 002 62 GL0	1.430,00
Nero opaco / Matt black / Schwarz matt	Cromo lucido / Glossy Chrome / Chrom glänzend		1SOT1 003 62 GL0	1.430,00
Nero opaco / Matt black / Schwarz matt	Oro opaco / Matt gold / Gold matt		1SOT1 004 62 GL0	1.430,00
Bianco opaco / Matt white / Weiß matt	Nero opaco / Matt black / Schwarz matt		1SOT1 001 63 GL0	1.430,00
Bianco opaco / Matt white / Weiß matt	Bianco opaco / Matt white / Weiß mat		1SOT1 002 63 GL0	1.430,00
Bianco opaco / Matt white / Weiß matt	Cromo lucido / Glossy Chrome / Chrom glänzend		1SOT1 003 63 GL0	1.430,00
Bianco opaco / Matt white / Weiß matt	Oro opaco / Matt gold / Gold matt		1SOT1 004 63 GL0	1.430,00
Bronzo satinato / Satin bronze / Bronze matt	Nero opaco / Matt black / Schwarz matt		1SOT1 001 64 GL0	1.430,00
Bronzo satinato / Satin bronze / Bronze matt	Bianco opaco / Matt white / Weiß mat		1SOT1 002 64 GL0	1.430,00
Bronzo satinato / Satin bronze / Bronze matt	Cromo lucido / Glossy Chrome / Chrom glänzend		1SOT1 003 64 GL0	1.430,00
Bronzo satinato / Satin bronze / Bronze matt	Oro opaco / Matt gold / Gold matt		1SOT1 004 64 GL0	1.430,00

GRID

Nero opaco Matt black Schwarz matt	Bianco opaco Matt white Weiß matt	Cromo lucido Glossy Chrome Chrom glänzend	Oro opaco Matt gold Gold matt

SOL H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	<p>Ceiling Suspended Push, Casambi IP20 5.900 lumen up + 1.980 lumen down luminaire flux Indoor use</p>	<p>MID POWER LED 2.700K, 3.000K CRI 90 400mA & 1050mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E</p>	<p>220-240 V 50 Hz 57W Class 1 Driver included</p>	<p>Lighting type: Indirect up + Direct down Light distribution: Symmetric UGR < 16</p>

STRUCTURE	DIMMING	GRID	EAN	CODE	EURO
2.700 Kelvin					
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	On/off	001 / 002 / 003 / 004		1SOH1 ..* 63 ZL1	690,00
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	Push + Casambi	001 / 002 / 003 / 004		1SOH1 ..* 63 CL1	950,00
3.000 Kelvin					
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	On/off	001 / 002 / 003 / 004		1SOH1 ..* 63 ZL0	690,00
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	Push + Casambi	001 / 002 / 003 / 004		1SOH1 ..* 63 CL0	950,00

CUSTOM COLOURS ON DEMAND

<p>Satin Collection</p> <p>Grafite / Bronzo scuro / Nero opaco / Bronzo Graphite / Dark bronze / Matt black / Bronze Graphit / Bronze Dunkel / Schwarz matt / Bronze</p>				<p>Kerakoll Warm Collection</p> <p>Sabbia / Corda / Tortora / Caffè Sand / Rope color / Dove-gray / Coffee Sand / Schnur-Beige / Taubengrau / Kaffee-Braun</p>				<p>* GRID</p> <p>Nero opaco / Bianco opaco / Cromo lucido / Oro opaco Matt black / Weiß matt. / Glossy Chrome / Matt gold Schwarz matt / Weiß matt. / Chrom glänzend. / Gold matt</p>			
4 weeks + 10% extra				4 weeks + 10% extra							

SOL H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
<p>Ø 23</p> <p>max 200</p> <p>Ø 120</p>	Ceiling Suspended Push, Casambi IP20 5.900 lumen up + 1.980 lumen down luminaire flux Indoor use	MID POWER LED 2.700K, 3.000K CRI 90 400mA & 1050mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 57W Class 1 Driver included	Lighting type: Indirect up + Direct down Light distribution: Symmetric UGR < 16 <p>Discover Sol</p>

STRUCTURE	DIMMING	GRID	EAN	CODE	EURO
2.700 Kelvin					
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	On/off	001 / 002 / 003 / 004		1SOH2 ..* 63 ZL1	690,00
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	Push + Casambi	001 / 002 / 003 / 004		1SOH2 ..* 63 CL1	950,00
3.000 Kelvin					
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	On/off	001 / 002 / 003 / 004		1SOH2 ..* 63 ZL0	690,00
<input type="checkbox"/> Bianco opaco / Matt white / Weiß matt	Push + Casambi	001 / 002 / 003 / 004		1SOH2 ..* 63 CL0	950,00

SOUND ABSORBING PANEL	CODE	EURO
Verde muschio / Moss green / Moosgrün	100% Poliestere FR (riciclato) / 100% Polyester FR (recycled) / 100 % FR Polyester (recycelt)	KSOH2001200 860,00
Ciliegia / Cherry / Kirsche	100% Poliestere FR (riciclato) / 100% Polyester FR (recycled) / 100 % FR Polyester (recycelt)	KSOH2002200 860,00
Sabbia / Sand / Sand	100% Poliestere FR (riciclato) / 100% Polyester FR (recycled) / 100 % FR Polyester (recycelt)	KSOH2003200 860,00
Tortora / Dove-gray / Taubengrau	100% Poliestere FR (riciclato) / 100% Polyester FR (recycled) / 100 % FR Polyester (recycelt)	KSOH2004200 860,00

CUSTOM COLOURS ON DEMAND

Satin Collection




4 weeks | + 10% extra

Kerakoll Warm Collection




4 weeks | + 10% extra

* GRID



SOUVLAKI



CONFIGURATOR

Binario Ø 25mm a 48V con conduttori di alimentazione e di segnale (DALI/CASAMBI) / Track Ø 25mm 48V with power and signal (DALI/CASAMBI) conductors / Stromschiene 48V Ø 25mm mit Stromversorgung und Signalleitungen (DALI/CASAMBI)





Ø 2,5

L. 89 / 119 / 149



Dimensions and Weight
 L.89 D.2,5 P.2,5 - KG.0,90
 L.119 D.2,5 P.2,5 - KG.1,20
 L.149 D.2,5 P.2,5 - KG.1,51

STRUCTURE	LENGHT cm	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	89	8013210223598	ASVBI 001 62 Z00	165,00
Nero opaco / Matt black / Schwarz matt	119	8013210223611	ASVBI 002 62 Z00	195,00
Nero opaco / Matt black / Schwarz matt	149	8013210223628	ASVBI 003 62 Z00	265,00

Binario Ø 25mm a 48V con conduttori di alimentazione e di segnale (DALI/CASAMBI) e sorgente a luce indiretta / Track Ø 25mm 48V with power and signal (DALI/CASAMBI) conductors with indirect light source / Stromschiene 48V Ø 25mm mit Stromversorgungs- und Signalleitungen (DALI/CASAMBI) und indirekter Lichtquelle

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC		
	System Track Dali, Casambi IP20 min 1.613 max 2.877 lumen luminaire flux Indoor use Dimensions and Weight L.89 D.2,5 P.2,5 - KG.0,53 L.119 D.2,5 P.2,5 - KG.0,75 L.149 D.2,5 P.2,5 - KG.1,59	MID POWER LED 2.700K, 3000K CRI 90 Macadam step 2 LED Life L70 B50 > 54.000 h Energy Class: F	48 V min 15,1W - max 26,5W Class 3 Driver included	Lighting type: Indirect Light distribution: Symmetric  Discover Souvlaky		
STRUCTURE	POWER (W)	DRIVER	LENGHT cm	LUMEN EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	15,1	Dali / Casambi	89	1.613	8013210223604 ASVBL 001 62 PL0	305,00
Nero opaco / Matt black / Schwarz matt	20,8	Dali / Casambi	119	2.217	8013210223635 ASVBL 002 62 PL0	370,00
Nero opaco / Matt black / Schwarz matt	26,5	Dali / Casambi	149	2.819	8013210223642 ASVBL 003 62 PL0	480,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	15,1	Dali / Casambi	89	1.646	8013210223659 ASVBL 001 62 PL1	305,00
Nero opaco / Matt black / Schwarz matt	20,8	Dali / Casambi	119	2.262	8013210223666 ASVBL 002 62 PL1	370,00
Nero opaco / Matt black / Schwarz matt	26,5	Dali / Casambi	149	2.877	8013210223673 ASVBL 003 62 PL1	480,00

Tubo luminoso a luce diffusa / Diffuse tubular light module / Lichtrohr diffuses Licht

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC		
	System Track Dali, Casambi IP20 min 1.440 max 2.570 lumen luminaire flux Indoor use	MID POWER LED 2.700K, 3000K CRI 90 Macadam step 2 LED Life L70 B50 > 54.000 h Energy Class: F	48 V min 14,4W - max 25,5W Class 3 Driver included	Lighting type: Direct Light distribution: Diffused  Discover Souvlaky		
STRUCTURE	POWER (W)	DRIVER	LENGHT cm	LUMEN EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	14,4	Dali / Casambi	89	1.440	8013210223680 ASVTL 001 62 PL0	350,00
Nero opaco / Matt black / Schwarz matt	19,8	Dali / Casambi	119	1.979	8013210223697 ASVTL 002 62 PL0	460,00
Nero opaco / Matt black / Schwarz matt	25,5	Dali / Casambi	149	2.518	8013210223703 ASVTL 003 62 PL0	580,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	14,4	Dali / Casambi	89	1.470	8013210223734 ASVTL 001 62 PL1	350,00
Nero opaco / Matt black / Schwarz matt	19,8	Dali / Casambi	119	2.020	8013210223727 ASVTL 002 62 PL1	460,00
Nero opaco / Matt black / Schwarz matt	25,5	Dali / Casambi	149	2.570	8013210223741 ASVTL 003 62 PL1	580,00

Connettore terminale per sospensione con asta rigida compatibile con binari e tubo luminoso / Terminal connector for suspension with rigid rod compatible with tracks and light tubular module / Endverbinder für Aufhängung mit Stange, kompatibel mit Schienen und Lichtrohr

STRUCTURE	DESCRIPTION	EAN	CODE	EURO
	Dimensions and Weight L.12 D.10 P.6 - KG.0,12			
Black	Alimentato / Powered / Betrieben	8013210223758	ASVGT 000 62 001	145,00
Black	Non alimentato / Not powered / Nicht betrieben	8013210223772	ASVGT 000 62 002	110,00
Black	Alimentato+forchetta / Powered+fork / Betrieben+Maul-Verbinder	8013210223789	ASVGT 000 62 003	160,00

Connettore angolare per sospensione con asta rigida compatibile con binari e tubo luminoso / Angular connector for suspension with rigid rod compatible with tracks and light tubular module / Eckverbinder für Aufhängung mit Stange kompatibel mit Schienen und Lichtrohr

STRUCTURE	DESCRIPTION	EAN	CODE	EURO
	Dimensions and Weight L.12 D.10 P.6 - KG.0,16			
Black	Alimentato DX - interrotto / Powered righ - interrupted / Rechts betrieben unterbrochen	8013210223796	ASVGL 000 62 001	215,00
Black	Alimentato SX - interrotto / Powered left - interrupted / Links betrieben unterbrochen	8013210223819	ASVGL 000 62 002	235,00
Black	Non alimentato passante DX / Not powered passerby right / Nicht betrieben. Durchangstrom rechts	8013210223826	ASVGL 000 62 003	215,00
Black	Alimentato a DX + forchetta a DX - interrotto / Powered right + right fork - interrupted / Rechts betrieben+Maulverbinder rechts - unterbrochen	8013210225868	ASVGL 000 62 004	280,00
Black	Non alimentato passante + forchetta a DX / Not powered passerby + right fork / nicht gespeist durchgang +Maulverbinder rechts	8013210223833	ASVGL 000 62 005	250,00
Black	Alimentato a SX + forchetta a SX - interrotto / Powered left + left fork - interrupted / Links gespeist+ Maulverbinder links - unterbrochen	8013210223840	ASVGL 000 62 006	280,00
Black	Non alimentato passante + forchetta a SX / Not powered passerby + left fork / Nicht betrieben durchgang + Maulverbinder links	8013210223857	ASVGL 000 62 007	250,00
Black	Non alimentato passante SX / Not powered passerby left / Nicht betrieben. Durchangstrom links	8013210226490	ASVGL 000 62 008	215,00

Connettore passante per sospensione con asta rigida compatibile con binari e tubo luminoso / Passerby connector for suspension with rigid rod compatible with tracks and light tubular module / Durchstekverbinder für Aufhängung mit Stange kompatibel mit Schienen und Lichtrohr

STRUCTURE	DESCRIPTION	EAN	CODE	EURO
	Dimensions and Weight L.12 D.10 P.6 - KG.0,11			
Black	Non alimentato passante / Not powered passerby / Nicht betrieben durchgangstrom	8013210223864	ASVGP 000 62 001	175,00
Black	Alimentato interrotto / Powered interrupted / Betrieben unterbrochen	8013210223871	ASVGP 000 62 002	190,00
Black	Non alimentato passante + forchetta / Not powered passerby + fork / Nicht betrieben durchgang + Maulverbinder	8013210223888	ASVGP 000 62 003	205,00
Black	Alimentato interrotto + forchetta / Powered interrupted + fork / Betrieben unterbrochen + Maulverbinder	8013210223895	ASVGP 000 62 004	235,00

Asta rigida di sospensione Ø 2,5 cm / Rigid suspension rod Ø 2,5 cm / Stange für Aufhängung Ø 2,5 cm




Ø 2,2

Dimensions and Weight

L.20 D.2,5 P.2,5 - KG.0,07
 L.40 D.2,5 P.2,5 - KG.0,14
 L.60 D.2,5 P.2,5 - KG.0,21
 L.80 D.2,5 P.2,5 - KG.0,28
 L.100 D.2,5 P.2,5 - KG.0,35
 L.120 D.2,5 P.2,5 - KG.0,43

STRUCTURE	LENGHT cm	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	20	8013210223901	KSVTS 000 62 001	30,00
Nero opaco / Matt black / Schwarz matt	40	8013210223918	KSVTS 000 62 002	40,00
Nero opaco / Matt black / Schwarz matt	60	8013210223925	KSVTS 000 62 003	50,00
Nero opaco / Matt black / Schwarz matt	80	8013210223932	KSVTS 000 62 004	60,00
Nero opaco / Matt black / Schwarz matt	100	8013210223956	KSVTS 000 62 005	70,00
Nero opaco / Matt black / Schwarz matt	120	8013210223963	KSVTS 000 62 006	80,00

Asta rigida di sospensione Ø 2,2 cm con foro per alimentazione esterna / Rigid suspension rod Ø 2,2 cm with slot for external supply / Stange für Aufhängung Ø 2,2 cm mit Loch für externe Stromversorgung



Ø 2,2

Dimensions and Weight

L.20 D.2,5 P.2,5 - KG.0,07
 L.40 D.2,5 P.2,5 - KG.0,14
 L.60 D.2,5 P.2,5 - KG.0,21
 L.80 D.2,5 P.2,5 - KG.0,28
 L.100 D.2,5 P.2,5 - KG.0,35
 L.120 D.2,5 P.2,5 - KG.0,43

STRUCTURE	LENGHT cm	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	20	8013210223970	KSVTA 000 62 001	35,00
Nero opaco / Matt black / Schwarz matt	40	8013210223987	KSVTA 000 62 002	45,00
Nero opaco / Matt black / Schwarz matt	60	8013210223994	KSVTA 000 62 003	55,00
Nero opaco / Matt black / Schwarz matt	80	8013210225875	KSVTA 000 62 004	65,00
Nero opaco / Matt black / Schwarz matt	100	8013210224007	KSVTA 000 62 005	75,00
Nero opaco / Matt black / Schwarz matt	120	8013210224014	KSVTA 000 62 006	85,00

Elemento fissaggio a soffitto Ø 5 cm / Ceiling anchor element Ø 5 cm / Bestandteil für Montage an die Decke Ø 5 cm



Ø 5

Dimensions and Weight

L.12 D.10 P.6 - KG.0,18

STRUCTURE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	8013210224021	KSVRS 001 62 000	45,00

Elemento fissaggio a soffitto Ø 15 cm / Ceiling anchor element Ø 15 cm / Bestandteil für Montage an die Decke Ø 15 cm




Ø 15

Dimensions and Weight

L.17 D.17 P.4 - KG.0,65

STRUCTURE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	8013210224038	KSVRS 002 62 000	95,00

Rosone a plafone con alimentatore 48V / Ceiling rose with power supply 48V / Deckenrosette inkl. Driver 48V



STRUCTURE	POWER	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	150W		ASVRP A00 62 ZL0	260,00
Nero opaco / Matt black / Schwarz matt	150W + Push button device		ASVRP A00 62 HL0	385,00
Nero opaco / Matt black / Schwarz matt	250W		ASVRP 000 62 ZL0	290,00
Nero opaco / Matt black / Schwarz matt	250W + Push button device		ASVRP 000 62 HL0	415,00

Faretto orientabile da binario Ø 50 mm / Track adjustable spotlight Ø 50 mm / Verstellbarer Strahler für Schiene Ø 50 mm

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC		
	System Track On-Off, Dali IP20 min 849 max 1.062 lumen luminaire flux Indoor use Box measurements: L.17 D.9 P.10 Gross weight: KG.0,42	MID POWER LED 2.700K, 3000K CRI 90 320mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	48 V 11,6W Class 3 Driver included	Lighting type: Direct Light distribution: Symmetric 		
STRUCTURE	LENS BEAM	DIMMING	LUMEN	EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	18°	On/off	974	8013210224069	ASVS1 001 62 ZL0	325,00
Nero opaco / Matt black / Schwarz matt	24°	On/off	1.027	8013210224076	ASVS1 002 62 ZL0	325,00
Nero opaco / Matt black / Schwarz matt	36°	On/off	849	8013210224083	ASVS1 003 62 ZL0	325,00
Nero opaco / Matt black / Schwarz matt	60°	On/off	890	8013210224090	ASVS1 004 62 ZL0	325,00
Nero opaco / Matt black / Schwarz matt	18°	Dali	974	8013210224106	ASVS1 001 62 PL0	350,00
Nero opaco / Matt black / Schwarz matt	24°	Dali	1.027	8013210224113	ASVS1 002 62 PL0	350,00
Nero opaco / Matt black / Schwarz matt	36°	Dali	849	8013210224120	ASVS1 003 62 PL0	350,00
Nero opaco / Matt black / Schwarz matt	60°	Dali	890	8013210224137	ASVS1 004 62 PL0	350,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	18°	On/off	1.006	8013210224144	ASVS1 001 62 ZL1	325,00
Nero opaco / Matt black / Schwarz matt	24°	On/off	1.062	8013210224151	ASVS1 002 62 ZL1	325,00
Nero opaco / Matt black / Schwarz matt	36°	On/off	877	8013210224168	ASVS1 003 62 ZL1	325,00
Nero opaco / Matt black / Schwarz matt	60°	On/off	920	8013210224175	ASVS1 004 62 ZL1	325,00
Nero opaco / Matt black / Schwarz matt	18°	Dali	1.006	8013210224182	ASVS1 001 62 PL1	350,00
Nero opaco / Matt black / Schwarz matt	24°	Dali	1.062	8013210224199	ASVS1 002 62 PL1	350,00
Nero opaco / Matt black / Schwarz matt	36°	Dali	877	8013210224205	ASVS1 003 62 PL1	350,00
Nero opaco / Matt black / Schwarz matt	60°	Dali	920	8013210224212	ASVS1 004 62 PL1	350,00

Faretto sospeso a binario con diffusore in vetro / Suspended track spotlight with glass diffuser / Pendelstrahler mit Glasdiffusor für Schiene

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC		
	System Track On-Off, Dali IP20 min 898 max 950 lumen luminaire flux Indoor use	MID POWER LED 2.700K, 3000K CRI 90 320mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	48 V 11,6W Class 3 Driver included	Lighting type: Indirect Light distribution: Symmetric 		
STRUCTURE	GLASS	DIMMING	LUMEN	EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	Semispherical	On/off	898	8013210228524	ASVSH ...* 01 62 ZL0	535,00
Nero opaco / Matt black / Schwarz matt	Conical	On/off	915	8013210228548	ASVSH ...* 02 62 ZL0	535,00
Nero opaco / Matt black / Schwarz matt	Semispherical	Dali	898	8013210228555	ASVSH ...* 01 62 PL0	560,00
Nero opaco / Matt black / Schwarz matt	Conical	Dali	915	8013210224922	ASVSH ...* 02 62 PL0	560,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	Semispherical	On/off	929	8013210224472	ASVSH ...* 01 62 ZL1	535,00
Nero opaco / Matt black / Schwarz matt	Conical	On/off	950	8013210224489	ASVSH ...* 02 62 ZL1	535,00
Nero opaco / Matt black / Schwarz matt	Semispherical	Dali	929	8013210224496	ASVSH ...* 01 62 PL1	560,00
Nero opaco / Matt black / Schwarz matt	Conical	Dali	950	8013210224502	ASVSH ...* 02 62 PL1	560,00
CUSTOM COLOURS ON DEMAND						
						* Lunghezza cavo / Cable length / Kabellänge
						0 = 20 cm
						1 = 40 cm
						2 = 60 cm
						3 = 80 cm
						4 = 100 cm
						5 = 120 cm
6 weeks + 10% extra						

Faretto a binario con diffusore in vetro / Track spotlight with glass diffuser / Schienenstrahler mit Glasdiffusor

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC		
	System Track On-Off, Dali IP20 min 898 max 950 lumen luminaire flux Indoor use Box measurements: L.20 D.20 P.35 Gross weight: KG.1,06	MID POWER LED 2.700K, 3000K CRI 90 320mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	48 V 11,6W Class 3 Driver included	Lighting type: Direct Light distribution: Symmetric 		
STRUCTURE	GLASS	DIMMING	LUMEN	EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	Semispherical	On/off	898	8013210224229	ASVSV 001 62 ZL0	470,00
Nero opaco / Matt black / Schwarz matt	Conical	On/off	915	8013210224236	ASVSV 002 62 ZL0	470,00
Nero opaco / Matt black / Schwarz matt	Semispherical	Dali	898	8013210224243	ASVSV 001 62 PL0	495,00
Nero opaco / Matt black / Schwarz matt	Conical	Dali	915	8013210224250	ASVSV 002 62 PL0	495,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	Semispherical	On/off	929	8013210224267	ASVSV 001 62 ZL1	470,00
Nero opaco / Matt black / Schwarz matt	Conical	On/off	950	8013210224274	ASVSV 002 62 ZL1	470,00
Nero opaco / Matt black / Schwarz matt	Semispherical	Dali	929	8013210224281	ASVSV 001 62 PL1	495,00
Nero opaco / Matt black / Schwarz matt	Conical	Dali	950	8013210224298	ASVSV 002 62 PL1	495,00
CUSTOM COLOURS ON DEMAND						
						6 weeks + 10% extra

Dispositivo/Gateway per il controllo fino a 64 lampade con protocollo CASAMBI / Gateway device for the controlling up to 64 lamps with CASAMBY protocol / Gateway zur Steuerung bis max. 64 Leuchten durch Casambi

TECHNICAL DRAWINGS	GENERAL	ELECTRICAL	OPTICAL PHOTOMETRIC
	Dimensions and Weight L.12 D.10 P.6 - KG.0,15		
STRUCTURE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	8013210224519	ASVSG 000 62 C00	320,00
CUSTOM COLOURS ON DEMAND			
6 weeks € 352,00			

Altoparlante a binario / Track loudspeaker / Stromschiene Lautsprecher



STRUCTURE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	8013210224526	ASVSK 000 62 Z00	320,00


CUSTOM COLOURS ON DEMAND

Souvlaki Collection



6 weeks | € 352,00

Alimentatori e Driver / Power supplies and Drivers / Speiser und Driver



STRUCTURE	EAN	CODE	EURO
Alimentatore 250W 48V DC		20120683I	148,00
Driver On/Off 300 mA - 15 Watt		20120680I	52,00
Driver Dali 300 mA - 15 Watt		20120681I	132,00

Faretto a plafone con diffusore in vetro / Ceiling mounted spotlight with glass diffuser / Aufbaustrahler mit Glasdiffusor

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Surface On-Off IP20 min 842 max 886 lumen luminaire flux Indoor use	MID POWER LED 2.700K, 3000K CRI 90 300mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	300mA SELV60 10,8W Class 3 Driver not included: (use 300 mA - 15 Watt)	Lighting type: Indirect Light distribution: Symmetric

STRUCTURE	GLASS	DIMMING	LUMEN	EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	Semispherical	On/off	842	8013210224540	1SVH1 001 62 0L0	310,00
Nero opaco / Matt black / Schwarz matt	Conical	On/off	858	8013210224557	1SVH1 002 62 0L0	310,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	Semispherical	On/off	871	8013210224564	1SVH1 001 62 0L1	310,00
Nero opaco / Matt black / Schwarz matt	Conical	On/off	886	8013210224588	1SVH1 002 62 0L1	310,00

CUSTOM COLOURS ON DEMAND

Souvlaki Collection



6 weeks | € 341,00

Faretto a plafone con diffusore in vetro e driver integrato / Ceiling mounted spotlight with glass diffuser with integrated driver / Aufbaustrahler mit Glasdiffusor und eingebauten Driver

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Surface On-Off IP20 min 702 max 739 lumen luminaire flux Indoor use Box measurements: L.20 D.20 P.35 Gross weight: KG.1,06	MID POWER LED 2.700K, 3000K CRI 90 250mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	220 - 240 V 9,5W Class 1 Driver included (250A)	Lighting type: Indirect Light distribution: Symmetric

STRUCTURE	GLASS	DIMMING	LUMEN	EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	Semispherical	On/off	702	8013210223536	1SVH2 001 62 ZL0	345,00
Nero opaco / Matt black / Schwarz matt	Conical	On/off	715	8013210224595	1SVH2 002 62 ZL0	345,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	Semispherical	On/off	726	8013210224601	1SVH2 001 62 ZL1	345,00
Nero opaco / Matt black / Schwarz matt	Conical	On/off	739	8013210224618	1SVH2 002 62 ZL1	345,00

CUSTOM COLOURS ON DEMAND

Souvlaki Collection



6 weeks | € 379,50

Faretto sospeso con diffusore in vetro / Pendant spotlight with glass diffuser / Pendelstrahler mit Glasdiffusor

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspension On-Off IP20 min 702 max 739 lumen luminaire flux Indoor use	MID POWER LED 2.700K, 3000K CRI 90 250mA Macadam step 4 LED Life L80 B50 > 55.400 h Energy Class: F	220 - 240 V 9,5W Class 1 Driver included (250A)	Lighting type: Indirect Light distribution: Symmetric

STRUCTURE	GLASS	DIMMING	LUMEN	EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	Semispherical	On/off	702	8013210224625	1SVH3 001 62 ZL0	450,00
Nero opaco / Matt black / Schwarz matt	Conical	On/off	715	8013210224632	1SVH3 002 62 ZL0	450,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	Semispherical	On/off	726	8013210224649	1SVH3 001 62 ZL1	450,00
Nero opaco / Matt black / Schwarz matt	Conical	On/off	739	8013210224656	1SVH3 002 62 ZL1	450,00

CUSTOM COLOURS ON DEMAND

Souvlaki Collection

6 weeks | € 495,00

Faretto a plafone orientabile Ø 50mm con driver integrato / Ceiling mounted spotlight Ø 50mm with integrated driver / Aufbaustrahler orientierbar Ø 50mm mit eingebauten Driver

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Surface On-Off IP20 min 662 max 828 lumen luminaire flux Indoor use	MID POWER LED 2.700K, 3.000K CRI 90 250mA Macadam step 5 LED Life L80 B50 > 55.400 h Energy Class: F	220 - 240 V 9,5W Class 1 Driver included (250A)	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	LENS BEAM	DIMMING	LUMEN	EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	18°	On/off	760	8013210227671	1SVH4 001 62 ZL0	295,00
Nero opaco / Matt black / Schwarz matt	24°	On/off	800	8013210224670	1SVH4 002 62 ZL0	295,00
Nero opaco / Matt black / Schwarz matt	36°	On/off	662	8013210224687	1SVH4 003 62 ZL0	295,00
Nero opaco / Matt black / Schwarz matt	60°	On/off	694	8013210224694	1SVH4 004 62 ZL0	295,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	18°	On/off	784	8013210224700	1SVH4 001 62 ZL1	295,00
Nero opaco / Matt black / Schwarz matt	24°	On/off	828	8013210223079	1SVH4 002 62 ZL1	295,00
Nero opaco / Matt black / Schwarz matt	36°	On/off	684	8013210224717	1SVH4 003 62 ZL1	295,00
Nero opaco / Matt black / Schwarz matt	60°	On/off	717	8013210224724	1SVH4 004 62 ZL1	295,00

CUSTOM COLOURS ON DEMAND

Souvlaki Collection

6 weeks | € 324,50

Faretto da incasso orientabile Ø 50mm con trim / Ceiling mounted semi-recessed spotlight Ø 50mm with trim / Einbaustrahler orientierbar Ø 50mm mit trimmer

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Recessed IP20 min 795 max 962 lumen luminaire flux Indoor use	MID POWER LED 2.700K, 3.000K CRI 90 300mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	300mA SELV60 10,8W Class 3 Driver not included: (use 300 mA - 15 Watt)	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	LENS BEAM	DIMMING	LUMEN	EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	18°	On/off	913	8013210224748	1SVH5 001 62 0L0	285,00
Nero opaco / Matt black / Schwarz matt	24°	On/off	962	8013210224731	1SVH5 002 62 0L0	285,00
Nero opaco / Matt black / Schwarz matt	36°	On/off	795	8013210224755	1SVH5 003 62 0L0	285,00
Nero opaco / Matt black / Schwarz matt	60°	On/off	834	8013210224762	1SVH5 004 62 0L0	285,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	18°	On/off	942	8013210224779	1SVH5 001 62 0L1	285,00
Nero opaco / Matt black / Schwarz matt	24°	On/off	935	8013210224786	1SVH5 002 62 0L1	285,00
Nero opaco / Matt black / Schwarz matt	36°	On/off	822	8013210224809	1SVH5 003 62 0L1	285,00
Nero opaco / Matt black / Schwarz matt	60°	On/off	862	8013210224816	1SVH5 004 62 0L1	285,00

CUSTOM COLOURS ON DEMAND

Souvlaki Collection

6 weeks | € 313,50

Faretto da incasso orientabile Ø 50mm trimless / Ceiling mounted semi-recessed spotlight Ø 50mm trimless / Einbaustrahler orientierbar Ø 50mm ohne trimmlos

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Recessed IP20 min 795 max 962 lumen luminaire flux Indoor use	MID POWER LED 2.700K, 3.000K CRI 90 300mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	300mA SELV60 10,8W Class 3 Driver not included: (use 300 mA - 15 Watt)	Lighting type: Direct Light distribution: Symmetric



STRUCTURE	LENS BEAM	DIMMING	LUMEN	EAN	CODE	EURO
2.700 Kelvin						
Nero opaco / Matt black / Schwarz matt	18°	On/off	913	8013210229163	1SVH6 001 62 0L0	325,00
Nero opaco / Matt black / Schwarz matt	24°	On/off	962	8013210229170	1SVH6 002 62 0L0	325,00
Nero opaco / Matt black / Schwarz matt	36°	On/off	795	8013210229187	1SVH6 003 62 0L0	325,00
Nero opaco / Matt black / Schwarz matt	60°	On/off	834	8013210229194	1SVH6 004 62 0L0	325,00
3.000 Kelvin						
Nero opaco / Matt black / Schwarz matt	18°	On/off	942	8013210229200	1SVH6 001 62 0L1	325,00
Nero opaco / Matt black / Schwarz matt	24°	On/off	935	8013210229217	1SVH6 002 62 0L1	325,00
Nero opaco / Matt black / Schwarz matt	36°	On/off	822	8013210229224	1SVH6 003 62 0L1	325,00
Nero opaco / Matt black / Schwarz matt	60°	On/off	862	8013210229231	1SVH6 004 62 0L1	325,00

CUSTOM COLOURS ON DEMAND



Souvlaki Collection

6 weeks | € 357,50



SQUIGGLE H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 2.800 lumen - luminaire flux Indoor use Box measurements: L.9 D.75 P.75 Gross weight: KG.3,7	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 40W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Oro / Gold / Gold	On/off	8013210193389	1SQH1 000 04 ZL0	1.417,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210193402	1SQH1 000 62 ZL0	1.417,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210193396	1SQH1 000 63 ZL0	1.417,00
3.000 Kelvin				
Oro / Gold / Gold	On/off	8013210205389	1SQH1 000 04 ZL1	1.417,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210205433	1SQH1 000 62 ZL1	1.417,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210205471	1SQH1 000 63 ZL1	1.417,00
	Push		1SQH1 000 HL ...	1.527,00
	Dali		1SQH1 000 PL ...	1.527,00
	0/1 - 10 V		1SQH1 000 DL ...	1.527,00
	Casambi		1SQH1 000 CL ...	1.644,00

SQUIGGLE H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 3.900 lumen - luminaire flux Indoor use Box measurements: L.9 D.107 P.108 Gross weight: KG.7,3	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 56W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Oro / Gold / Gold	On/off	8013210193426	1SQH2 000 04 ZL0	1.899,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210193457	1SQH2 000 62 ZL0	1.899,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210193433	1SQH2 000 63 ZL0	1.899,00
3.000 Kelvin				
Oro / Gold / Gold	On/off	8013210205518	1SQH2 000 04 ZL1	1.899,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210205556	1SQH2 000 62 ZL1	1.899,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210205594	1SQH2 000 63 ZL1	1.899,00
	Push		1SQH2 000 HL ...	2.008,00
	Dali		1SQH2 000 PL ...	2.008,00
	0/1 - 10 V		1SQH2 000 DL ...	2.008,00
	Casambi		1SQH2 000 CL ...	2.126,00



SQUIGGLE H3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 4.600 lumen - luminaire flux Indoor use Box measurements: L.9 D.143 P.143 Gross weight: KG.11	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 67W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Oro / Gold / Gold	On/off	8013210193464	1SQH3 000 04 ZL0	2.620,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210193488	1SQH3 000 62 ZL0	2.620,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210193471	1SQH3 000 63 ZL0	2.620,00
3.000 Kelvin				
Oro / Gold / Gold	On/off	8013210205624	1SQH3 000 04 ZL1	2.620,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210205693	1SQH3 000 62 ZL1	2.620,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210205778	1SQH3 000 63 ZL1	2.620,00
	Push		1SQH3 000 HL ...	2.730,00
	Dali		1SQH3 000 PL ...	2.730,00
	0/1 - 10 V		1SQH3 000 DL ...	2.730,00
	Casambi		1SQH3 000 CL ...	2.847,00

SQUIGGLE H4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 4.600 lumen - luminaire flux Indoor use Box measurements: L.33 D.72 P.159 Gross weight: KG.9,4	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 67W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Oro / Gold / Gold	On/off	8013210193501	1SQH4 000 04 ZL0	3.220,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210193549	1SQH4 000 62 ZL0	3.220,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210193532	1SQH4 000 63 ZL0	3.220,00
3.000 Kelvin				
Oro / Gold / Gold	On/off	8013210205792	1SQH4 000 04 ZL1	3.220,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210205808	1SQH4 000 62 ZL1	3.220,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210205822	1SQH4 000 63 ZL1	3.220,00
	Push		1SQH4 000 HL ...	3.330,00
	Dali		1SQH4 000 PL ...	3.330,00
	0/1 - 10 V		1SQH4 000 DL ...	3.330,00
	Casambi		1SQH4 000 CL ...	3.447,00



SQUIGGLE H5

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 6.500 lumen - luminaire flux Indoor use Box measurements: L.12 D.135 P.185 Gross weight: KG.12	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 95W Class 1 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Oro / Gold / Gold	On/off	8013210193556	1SQH5 000 04 ZL0	5.023,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210193587	1SQH5 000 62 ZL0	5.023,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210193570	1SQH5 000 63 ZL0	5.023,00
3.000 Kelvin				
Oro / Gold / Gold	On/off	8013210205839	1SQH5 000 04 ZL1	5.023,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210205846	1SQH5 000 62 ZL1	5.023,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210205853	1SQH5 000 63 ZL1	5.023,00
	Push		1SQH5 000 HL ...	5.132,00
	Dali		1SQH5 000 PL ...	5.132,00
	0/1 - 10 V		1SQH5 000 DL ...	5.132,00
	Casambi		1SQH5 000 CL ...	5.250,00



SQUIGGLE H6

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off IP20 480 lumen - luminaire flux Indoor use Box measurements: L.10 D.16 P.67 Gross weight: KG.0,82	MID POWER LED + G4 36° LED 2.700K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 7,5W Class 1 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	DIMMING	EAN	CODE	EURO
Oro / Gold / Gold	On/off	8013210193624	1SQH6 000 04 ZL0	345,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210193600	1SQH6 000 62 ZL0	345,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210193594	1SQH6 000 63 ZL0	345,00



SQUIGGLE H8

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 2.500 lumen - luminaire flux Indoor use Box measurements: L.16 D.26 P.156 Gross weight: KG.5,40	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 36W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Oro / Gold / Gold	On/off	8013210200308	1SQH0 080 04 ZL0	949,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210200001	1SQH0 080 62 ZL0	949,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210200018	1SQH0 080 63 ZL0	949,00
3.000 Kelvin				
Oro / Gold / Gold	On/off	8013210205914	1SQH0 080 04 ZL1	949,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210205921	1SQH0 080 62 ZL1	949,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210202586	1SQH0 080 63 ZL1	949,00
	Push		1SQH0 080 HL ...	1.058,00
	Dali		1SQH0 080 PL ...	1.058,00
	0/1 - 10 V		1SQH0 080 DL ...	1.058,00
	Casambi		1SQH0 080 CL ...	1.176,00



SQUIGGLE H9

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 2.700 lumen - luminaire flux Indoor use Box measurements: L.16 D.26 P.191 Gross weight: KG.6,05	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 39W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Oro / Gold / Gold	On/off	8013210200315	1SQH0 090 04 ZL0	1.165,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210200025	1SQH0 090 62 ZL0	1.165,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210200032	1SQH0 090 63 ZL0	1.165,00
3.000 Kelvin				
Oro / Gold / Gold	On/off	8013210205938	1SQH0 090 04 ZL1	1.165,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210205945	1SQH0 090 62 ZL1	1.165,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210203422	1SQH0 090 63 ZL1	1.165,00
	Push		1SQH0 090 HL ...	1.275,00
	Dali		1SQH0 090 PL ...	1.275,00
	0/1 - 10 V		1SQH0 090 DL ...	1.275,00
	Casambi		1SQH0 090 CL ...	1.392,00

SQUIGGLE H10

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 5.050 lumen - luminaire flux Indoor use Box measurements: L.16 D.26 P.156 Gross weight: KG.5,20	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 72W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Oro / Gold / Gold	On/off	8013210200322	1SQH0 100 04 ZL0	1.417,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210200049	1SQH0 100 62 ZL0	1.417,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210200056	1SQH0 100 63 ZL0	1.417,00
3.000 Kelvin				
Oro / Gold / Gold	On/off	8013210205952	1SQH0 100 04 ZL1	1.417,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210205969	1SQH0 100 62 ZL1	1.417,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210205976	1SQH0 100 63 ZL1	1.417,00
	Push		1SQH0 100 HL ...	1.527,00
	Dali		1SQH0 100 PL ...	1.527,00
	0/1 - 10 V		1SQH0 100 DL ...	1.527,00
	Casambi		1SQH0 100 CL ...	1.644,00



SQUIGGLE H11

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 5.500 lumen - luminaire flux Indoor use Box measurements: L.16 D.26 P.195 Gross weight: KG.6,30	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 78W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Oro / Gold / Gold	On/off	8013210200339	1SQH0 110 04 ZL0	1.781,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210200063	1SQH0 110 62 ZL0	1.781,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210200117	1SQH0 110 63 ZL0	1.781,00
3.000 Kelvin				
Oro / Gold / Gold	On/off	8013210205983	1SQH0 110 04 ZL1	1.781,00
Nero opaco / Matt black / Schwarz matt	On/off	8013210205990	1SQH0 110 62 ZL1	1.781,00
Bianco opaco / Matt white / Weiß matt	On/off	8013210206003	1SQH0 110 63 ZL1	1.781,00
	Push		1SQH0 110 HL ...	1.887,00
	Dali		1SQH0 110 PL ...	1.887,00
	0/1 - 10 V		1SQH0 110 DL ...	1.887,00
	Casambi		1SQH0 110 CL ...	2.008,00

SQUIGGLE H12

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling Suspended Foot dimmer IP20 2.400 lumen - luminaire flux Indoor use Box measurements: L.16 D.26 P.211 Gross weight: KG.4,30	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 34W Class 2 Driver included Europe plug	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	EAN	CODE	EURO	
2.700 Kelvin				
Oro / Gold / Gold	8013210200353	1SQH0 120 04 EL0	949,00	
Nero opaco / Matt black / Schwarz matt	8013210200100	1SQH0 120 62 EL0	949,00	
Bianco opaco / Matt white / Weiß matt	8013210200155	1SQH0 120 63 EL0	949,00	
3.000 Kelvin				
Oro / Gold / Gold	8013210204788	1SQH0 120 04 EL1	949,00	
Nero opaco / Matt black / Schwarz matt	8013210206010	1SQH0 120 62 EL1	949,00	
Bianco opaco / Matt white / Weiß matt	8013210202579	1SQH0 120 63 EL1	949,00	

SQUIGGLE F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Foot dimmer IP20 3.000 lumen - luminaire flux Indoor use Box measurements: L.16 D.48 P.208 Gross weight: KG.5,05	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 43W Class 2 Driver included Europe plug	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle
STRUCTURE	EAN	CODE	EURO	
2.700 Kelvin				
Oro / Gold / Gold	8013210200360	1SQF1 000 04 EL0	1.417,00	
Nero opaco / Matt black / Schwarz matt	8013210200124	1SQF1 000 62 EL0	1.417,00	
Bianco opaco / Matt white / Weiß matt	8013210200131	1SQF1 000 63 EL0	1.417,00	
3.000 Kelvin				
Oro / Gold / Gold	8013210206027	1SQF1 000 04 EL1	1.417,00	
Nero opaco / Matt black / Schwarz matt	8013210202555	1SQF1 000 62 EL1	1.417,00	
Bianco opaco / Matt white / Weiß matt	8013210202562	1SQF1 000 63 EL1	1.417,00	

STRING T1 TW (tunable white)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Table Standing Push button dimmer Push button tunable white IP20 700 lumen max luminaire flux Indoor use Box measurements: L.11 D.25 P.75 Gross weight: KG.6,42	MID POWER LED TW 2.200 K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric
STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210228562	1SRT1 T01 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210228579	1SRT1 T01 63 ELO	389,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210228586	1SRT1 T02 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210228593	1SRT1 T02 63 ELO	389,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210228609	1SRT1 T03 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210228616	1SRT1 T03 63 ELO	389,00
Nero opaco / Matt black / Schwarz matt	Morsetto tavolo / Table clamp		KPA16001	45,00
Bianco opaco / Matt white / Weiß matt			KPA16002	45,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | € 427,90

Kerakoll Warm Collection

3 weeks | € 427,90

STRING T1 MINI TW (tunable white)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Table Standing Push button dimmer Push button tunable white IP20 700 lumen max luminaire flux Indoor use Box measurements: L.55 D.26 P.10 Gross weight: KG.4,22	MID POWER LED TW 2.200 K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric
STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210228685	1SRT1 MT1 62 ELO	362,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210228692	1SRT1 MT1 63 ELO	362,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210228708	1SRT1 MT2 62 ELO	362,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210228715	1SRT1 MT2 63 ELO	362,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210228722	1SRT1 MT3 62 ELO	362,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210228739	1SRT1 MT3 63 ELO	362,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | € 398,20

Kerakoll Warm Collection

3 weeks | € 398,20

STRING F1 TW (tunable white)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Push button dimmer Push button tunable white IP20 700 lumen max luminaire flux Indoor use Box measurements: L.11 D.25 P.104 Gross weight: KG.5,90	MID POWER LED TW 2.200 K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric
STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210228623	1SRF1 T01 62 ELO	412,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210228630	1SRF1 T01 63 ELO	412,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210228647	1SRF1 T02 62 ELO	412,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210228654	1SRF1 T02 63 ELO	412,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210228661	1SRF1 T03 62 ELO	412,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210228678	1SRF1 T03 63 ELO	412,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | € 453,20

Kerakoll Warm Collection

3 weeks | € 453,20

STRING H0 TW (tunable white)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Push button dimmer Push button tunable white IP20 700 lumen max luminaire flux Indoor use Box measurements: L.16 D.16 P.24 Gross weight: KG.0,75	MID POWER LED TW 2.200 K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric
STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt		8013210228746	1SRH0 T00 62 ZLO	272,00
Bianco opaco / Matt white / Weiß matt		8013210228753	1SRH0 T00 63 ZLO	272,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | € 299,20

Kerakoll Warm Collection

3 weeks | € 299,20

STRING W0 TW (tunable white)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Push button dimmer Push button tunable white IP20 700 lumen max luminaire flux Indoor use Box measurements: L.16 D.16 P.45 Gross weight: KG.0,90	MID POWER LED TW 2.200 K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210228760	1SRW0 T01 62 ZLO	334,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210228777	1SRW0 T01 63 ZLO	334,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210228784	1SRW0 T02 62 ZLO	334,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210228791	1SRW0 T02 63 ZLO	334,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210228814	1SRW0 T03 62 ZLO	334,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210228807	1SRW0 T03 63 ZLO	334,00

CUSTOM COLOURS ON DEMAND

Satin Collection

20	33	43	48	64	65
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Bronzo Bronze Bronze	Champagne Champagne Champagner

3 weeks | € 367,40

Kerakoll Warm Collection

W2	W4	W6	W8
Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

3 weeks | € 367,40

STRING W1 TW (tunable white)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Push button dimmer Push button tunable white IP20 700 lumen max luminaire flux Indoor use Box measurements: L.11 D.25 P.75 Gross weight: KG.1,82	MID POWER LED TW 2.200 K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210228821	1SRW1 T01 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210228838	1SRW1 T01 63 ELO	389,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210228845	1SRW1 T02 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210228852	1SRW1 T02 63 ELO	389,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210228869	1SRW1 T03 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210228876	1SRW1 T03 63 ELO	389,00

CUSTOM COLOURS ON DEMAND

Satin Collection

20	33	43	48	64	65
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Bronzo Bronze Bronze	Champagne Champagne Champagner

3 weeks | € 427,90

Kerakoll Warm Collection

W2	W4	W6	W8
Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

3 weeks | € 427,90

STRING W2 TW (tunable white)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Push button dimmer Push button tunable white IP20 700 lumen max luminaire flux Indoor use Box measurements: L.85 D.21 P.22 Gross weight: KG.1,86	MID POWER LED TW 2.200 K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210228883	1SRW2 T01 62 ZLO	389,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210228890	1SRW2 T01 63 ZLO	389,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210228906	1SRW2 T02 62 ZLO	389,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210228913	1SRW2 T02 63 ZLO	389,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210228920	1SRW2 T03 62 ZLO	389,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210228937	1SRW2 T03 63 ZLO	389,00

CUSTOM COLOURS ON DEMAND

Satin Collection

20	33	43	48	64	65
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Bronzo Bronze Bronze	Champagne Champagne Champagner

3 weeks | € 427,90

Kerakoll Warm Collection

W2	W4	W6	W8
Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

3 weeks | € 427,90

STRING W2 MINI TW (tunable white)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Push button dimmer Push button tunable white IP20 700 lumen max luminaire flux Indoor use Box measurements: L.55 D.22 P.19 Gross weight: KG.1,54	MID POWER LED TW 2.200 K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210228944	1SRW2 MT1 62 ZLO	362,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210228951	1SRW2 MT1 63 ZLO	362,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210228968	1SRW2 MT2 62 ZLO	362,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210228975	1SRW2 MT2 63 ZLO	362,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210228982	1SRW2 MT3 62 ZLO	362,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210228999	1SRW2 MT3 63 ZLO	362,00

CUSTOM COLOURS ON DEMAND

Satin Collection

20	33	43	48	64	65
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Bronzo Bronze Bronze	Champagne Champagne Champagner

3 weeks | € 398,20

Kerakoll Warm Collection

W2	W4	W6	W8
Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

3 weeks | € 398,20

STRING T1 DTW (dim to warm)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Table Standing Push button dimmer Push button dim to warm IP20 700 lumen max luminaire flux Indoor use Box measurements: L.11 D.25 P.75 Gross weight: KG.6,42	MID POWER LED DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210206041	1SRT1 W01 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210206072	1SRT1 W01 63 ELO	389,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210206034	1SRT1 W02 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210206058	1SRT1 W02 63 ELO	389,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210193716	1SRT1 W03 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210194157	1SRT1 W03 63 ELO	389,00
Nero opaco / Matt black / Schwarz matt	Morsetto tavolo / Table clamp		KPA16001	45,00
Bianco opaco / Matt white / Weiß matt			KPA16002	45,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | € 427,90

Kerakoll Warm Collection

3 weeks | € 427,90

STRING T1 MINI DTW (dim to warm)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Table Standing Push button dimmer Push button dimm to warm IP20 700 lumen max luminaire flux Indoor use Box measurements: L.55 D.26 P.10 Gross weight: KG.4,22	MID POWER LED DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210204573	1SRT1 MW1 62 ELO	362,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210204603	1SRT1 MW1 63 ELO	362,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210204566	1SRT1 MW2 62 ELO	362,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210204610	1SRT1 MW2 63 ELO	362,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210204580	1SRT1 MW3 62 ELO	362,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210204597	1SRT1 MW3 63 ELO	362,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | € 398,20

Kerakoll Warm Collection

3 weeks | € 398,20

STRING F1 DTW (dim to warm)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Push button dimmer Push button dim to warm IP20 700 lumen max luminaire flux Indoor use Box measurements: L.11 D.25 P.104 Gross weight: KG.5,90	MID POWER LED DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210206096	1SRF1 W01 62 ELO	412,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210206119	1SRF1 W01 63 ELO	412,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210206089	1SRF1 W02 62 ELO	412,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210206102	1SRF1 W02 63 ELO	412,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210193747	1SRF1 W03 62 ELO	412,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210193754	1SRF1 W03 63 ELO	412,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | € 453,20

Kerakoll Warm Collection

3 weeks | € 453,20

STRING H0 DTW (dim to warm)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface Push button dimmer Push button dimm to warm IP20 700 lumen max luminaire flux Indoor use Box measurements: L.16 D.16 P.24 Gross weight: KG.0,75	MID POWER LED DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt		8013210193914	1SRH0 W00 62 ZLO	272,00
Bianco opaco / Matt white / Weiß matt		8013210193921	1SRH0 W00 63 ZLO	272,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | € 299,20

Kerakoll Warm Collection

3 weeks | € 299,20

STRING W0 DTW (dim to warm)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Push button dimmer Push button dimm to warm IP20 700 lumen max luminaire flux Indoor use Box measurements: L.16 D.16 P.45 Gross weight: KG.0,90	MID POWER LED DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric
STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210197509	1SRW0 W01 62 ZL0	334,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210197516	1SRW0 W01 63 ZL0	334,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210197691	1SRW0 W02 62 ZL0	334,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210197523	1SRW0 W02 63 ZL0	334,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210193853	1SRW0 W03 62 ZL0	334,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210193860	1SRW0 W03 63 ZL0	334,00

CUSTOM COLOURS ON DEMAND



3 weeks | € 367,40



3 weeks | € 367,40

STRING W1 DTW (dim to warm)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Push button dimmer Push button dimm to warm IP20 700 lumen max luminaire flux Indoor use Box measurements: L.11 D.25 P.75 Gross weight: KG.1,82	MID POWER LED DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric
STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210204696	1SRW1 W01 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210206140	1SRW1 W01 63 ELO	389,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210206126	1SRW1 W02 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210206133	1SRW1 W02 63 ELO	389,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210193808	1SRW1 W03 62 ELO	389,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210194294	1SRW1 W03 63 ELO	389,00

CUSTOM COLOURS ON DEMAND



3 weeks | € 427,90



3 weeks | € 427,90

STRING W2 DTW (dim to warm)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Push button dimmer Push button dimm to warm IP20 700 lumen max luminaire flux Indoor use Box measurements: L.85 D.21 P.22 Gross weight: KG.1,86	MID POWER LED DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric
STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210206225	1SRW2 W01 62 ZL0	389,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210206201	1SRW2 W01 63 ZL0	389,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210206218	1SRW2 W02 62 ZL0	389,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210206195	1SRW2 W02 63 ZL0	389,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210206157	1SRW2 W03 62 ZL0	389,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210206188	1SRW2 W03 63 ZL0	389,00

CUSTOM COLOURS ON DEMAND



3 weeks | € 427,90



3 weeks | € 427,90

STRING W2 MINI DTW (dim to warm)

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Push button dimmer Push button dimm to warm IP20 700 lumen max luminaire flux Indoor use Box measurements: L.55 D.22 P.19 Gross weight: KG.1,54	MID POWER LED DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric
STRUCTURE	STRING COLOUR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210204672	1SRW2 MW1 62 ZL0	362,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210204641	1SRW2 MW1 63 ZL0	362,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210204665	1SRW2 MW2 62 ZL0	362,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210204634	1SRW2 MW2 63 ZL0	362,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210204689	1SRW2 MW3 62 ZL0	362,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210204658	1SRW2 MW3 63 ZL0	362,00

CUSTOM COLOURS ON DEMAND



3 weeks | € 398,20



3 weeks | € 398,20

STRING XL

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Touch dimmer IP20 3.100 lumen luminaire flux Indoor use Box measurements: L.21 D.58 P.58 KG.23,00 Box measurements: L.10 D.39 P.218 Gross weight: KG.8,00	MID POWER LED 2.700 K CRI 90 24V Mono Bin LED Life L70 B50 > 72.000 h Energy Class: E	220-240 V 50 Hz 48W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric

STRUCTURE	CABLE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Arancione / Orange / Orange	8013210184592	1SRXL 001 62 ELO	1.776,00
Bianco opaco / Matt white / Weiß matt	Arancione / Orange / Orange	8013210184585	1SRXL 001 63 ELO	1.776,00
Nero opaco / Matt black / Schwarz matt	Nero / Black / Schwarz	8013210184684	1SRXL 002 62 ELO	1.776,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210184691	1SRXL 002 63 ELO	1.776,00
Nero opaco / Matt black / Schwarz matt	Argento / Silver / Silber	8013210184714	1SRXL 003 62 ELO	1.776,00
Bianco opaco / Matt white / Weiß matt	Argento / Silver / Silber	8013210184707	1SRXL 003 63 ELO	1.776,00

CUSTOM COLOURS ON DEMAND

Satin Collection

Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Bronzo Bronze Bronze	Champagne Champagne Champagner

3 weeks | € 1.953,60

SUNSET F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Foot dimmer IP20 3.000 lumen - luminaire flux Indoor use Box measurements: L.40 D.40 P.198 Gross weight: KG.9,80	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Asymmetric

STRUCTURE	EAN	CODE	EURO
2.700 Kelvin Bianco opaco / Matt white / Weiß matt	8013210186442	1SNF1 000 63 EL1	700,00
3.000 Kelvin Bianco opaco / Matt white / Weiß matt	8013210185490	1SNF1 000 63 ELO	700,00

CUSTOM COLOURS ON DEMAND

Satin Collection						Kerakoll Warm Collection				
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze Bronze	Champagne Champagne Champagner	Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

4 weeks | € 770,00

SUNSET W0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements: L.17 D.39 P.45 Gross weight: KG.2,20	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric

STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin Bianco opaco / Matt white / Weiß matt	Phase	8013210186473	1SNW0 D00 63 ZL1	319,00
3.000 Kelvin Bianco opaco / Matt white / Weiß matt	Phase	8013210186466	1SNW0 D00 63 ZLO	319,00

CUSTOM COLOURS ON DEMAND

Satin Collection						Kerakoll Warm Collection				
Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze Bronze	Champagne Champagne Champagner	Sabbia Sand Sand	Corda Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

4 weeks | € 350,90

SUNSET W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements: L.40 D.40 P.198 Gross weight: KG.7,00	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Asymmetric

STRUCTURE	EAN	CODE	EURO
2.700 Kelvin Bianco opaco / Matt white / Weiß matt	8013210186459	1SNW1 000 63 EL1	700,00
3.000 Kelvin Bianco opaco / Matt white / Weiß matt	8013210185476	1SNW1 000 63 EL0	700,00

CUSTOM COLOURS ON DEMAND

Satin Collection	Kerakoll Warm Collection
 20 Grafite Graphite Graphit 33 Oro regale Royal gold Luxus-Gold 43 Argento Silver Silber 48 Bronzo scuro Dark bronze Bronze Dunkel 62 Nero opaco Matt black Schwarz matt 64 Bronzo Bronze Bronze 65 Champagne Champagne Champagner 4 weeks € 770,00	 W2 Sabbia Sand Sand W4 Corda Rope color Schnur-Beige W6 Tortora Dove-gray Taubengrau W8 Caffè Coffee Kaffee-Braun 4 weeks € 770,00

TICK W0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On/off IP20 1.200 lumen - luminaire flux Indoor use Box measurements: L.9 D.21 P.37 Gross weight: KG.0,73	MID POWER LED 2.700K CRI 90 350mA Mono Bin LED Life L70 B50 > 72.000 h Energy Class: F	220-240 V 50 Hz 14W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210172766	1TKW0 000 63 ZL0	237,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß)			KPA20063	36,00

CUSTOM COLOURS ON DEMAND

Satin Collection	Kerakoll Warm Collection
 20 Grafite Graphite Graphit 33 Oro regale Royal gold Luxus-Gold 43 Argento Silver Silber 48 Bronzo scuro Dark bronze Bronze Dunkel 62 Nero opaco Matt black Schwarz matt 64 Bronzo Bronze Bronze 65 Champagne Champagne Champagner 4 weeks € 260,70	 W2 Sabbia Sand Sand W4 Corda Rope color Schnur-Beige W6 Tortora Dove-gray Taubengrau W8 Caffè Coffee Kaffee-Braun 4 weeks € 260,70

TIDE W0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements: L.13 D.32 P.35 Gross weight: KG.1,87	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric

STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin Bianco opaco / Matt white / Weiß matt	Phase	8013210201404	1TDW0 D00 63 ZL1	319,00
3.000 Kelvin Bianco opaco / Matt white / Weiß matt	Phase	8013210201398	1TDW0 D00 63 ZL0	319,00

CUSTOM COLOURS ON DEMAND

Satin Collection	Kerakoll Warm Collection
 20 Grafite Graphite Graphit 33 Oro regale Royal gold Luxus-Gold 43 Argento Silver Silber 48 Bronzo scuro Dark bronze Bronze Dunkel 62 Nero opaco Matt black Schwarz matt 64 Bronzo Bronze Bronze 65 Champagne Champagne Champagner 3 weeks € 350,90	 W2 Sabbia Sand Sand W4 Corda Rope color Schnur-Beige W6 Tortora Dove-gray Taubengrau W8 Caffè Coffee Kaffee-Braun 3 weeks € 350,90

TOBU F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Floor Standing Potentiometer IP20 7.100 lumen - luminaire flux Indoor use Box measurements: L.35 D.22 P.210 KG.16,50 Box measurements: L.40 D.40 P.10 Gross weight: KG.8,90	COB LED 2.700K, 3.000K CRI 90 950mA Macadam step 3 LED Life L80 B50 > 50.000 h Energy Class: E	220-240 V 50 Hz 76W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric Beam angle C0-180 24°/ 42°/ 56°/ 85° Beam angle C90-270 24°/ 42°/ 56°/ 85°

LENS BEAM	STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin					
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210211557	1TBF1 S20 63 EL1	1.750,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210211540	1TBF1 S20 62 EL1	1.750,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210211526	1TBF1 M30 63 EL1	1.750,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210211519	1TBF1 M30 62 EL1	1.750,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210211588	1TBF1 W50 63 EL1	1.750,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210211571	1TBF1 W50 62 EL1	1.750,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210211496	1TBF1 E90 63 EL1	1.750,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210211489	1TBF1 E90 62 EL1	1.750,00
3.000 Kelvin					
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210209585	1TBF1 S20 63 EL0	1.750,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210209592	1TBF1 S20 62 EL0	1.750,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210209660	1TBF1 M30 63 EL0	1.750,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210209691	1TBF1 M30 62 EL0	1.750,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210209677	1TBF1 W50 63 EL0	1.750,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210209714	1TBF1 W50 62 EL0	1.750,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210209684	1TBF1 E90 63 EL0	1.750,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210209721	1TBF1 E90 62 EL0	1.750,00

CUSTOM COLOURS ON DEMAND

Satin Collection

Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Bronzo Bronze	Champagne Champagne Champagner

6 weeks | € 1.925,00

Kerakoll Warm Collection

Sabbia Sand Sand	Corde Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

6 weeks | € 1.925,00

TOBU W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface Potentiometer IP20 7.100 lumen - luminaire flux Indoor use Box measurements: L.33 D.33 P.50 Gross weight: KG.4,40	COB LED 2.700K, 3.000K CRI 90 950mA Macadam step 3 LED Life L80 B50 > 50.000 h Energy Class: E	220-240 V 50 Hz 76W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Beam angle C0-180 24°/ 42°/ 56°/ 85° Beam angle C90-270 24°/ 42°/ 56°/ 85°

LENS BEAM	STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin					
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210211687	1TBW1 S20 63 DL1	1.316,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210211670	1TBW1 S20 62 DL1	1.316,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210211656	1TBW1 M30 63 DL1	1.316,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210211649	1TBW1 M30 62 DL1	1.316,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210211717	1TBW1 W50 63 DL1	1.316,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210211700	1TBW1 W50 62 DL1	1.316,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210211618	1TBW1 E90 63 DL1	1.316,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210211601	1TBW1 E90 62 DL1	1.316,00
3.000 Kelvin					
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210209745	1TBW1 S20 63 DL0	1.316,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210209738	1TBW1 S20 62 DL0	1.316,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210209776	1TBW1 M30 63 DL0	1.316,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210209769	1TBW1 M30 62 DL0	1.316,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210209806	1TBW1 W50 63 DL0	1.316,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210209790	1TBW1 W50 62 DL0	1.316,00
	Bianco opaco / Matt white / Weiß matt	Potentiometer	8013210209837	1TBW1 E90 63 DL0	1.316,00
	Nero opaco / Matt black / Schwarz matt	Potentiometer	8013210209820	1TBW1 E90 62 DL0	1.316,00

TOBU - ACCESSORIES

LENS BEAM	CODE	EURO
20° Spot	20220001	45,00
30° Medium	20220002	45,00
50° Wide	20220003	45,00
90° Extra	20220004	45,00

CUSTOM COLOURS ON DEMAND

Satin Collection

Grafite Graphite Graphit	Oro regale Royal gold Luxus-Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Bronzo Bronze	Champagne Champagne Champagner

6 weeks | € 1.447,60

Kerakoll Warm Collection

Sabbia Sand Sand	Corde Rope color Schnur-Beige	Tortora Dove-gray Taubengrau	Caffè Coffee Kaffee-Braun

6 weeks | € 1.447,60

TOTEM & TABÙ W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 2.600 lumen - luminaire flux Indoor use Box measurements: L.55 D.29 P.9 Gross weight: KG.4,00	MID POWER LED 2.700K, 3.000K CRI 90 700mA Macadam Step 3 LED Life L70 B50 > 56.000 h Energy Class: E	220-240 V 50 Hz 34W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover Totem & Tabù

STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210216712	1TOW1 000 63 ZLO	420,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210216736	1TOW1 000 63 FLO	450,00
Bianco opaco / Matt white / Weiß matt	Push	8013210216743	1TOW1 000 63 HLO	465,00
	Dali	8013210216750	1TOW1 000 63 PLO	465,00
3.000 Kelvin				
Bianco opaco / Matt white / Weiß matt	On/off	8013210216781	1TOW1 000 63 ZL1	420,00
Bianco opaco / Matt white / Weiß matt	Phase	8013210216774	1TOW1 000 63 FL1	450,00
Bianco opaco / Matt white / Weiß matt	Push	8013210216798	1TOW1 000 63 HL1	465,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210216767	1TOW1 000 63 PL1	465,00

CUSTOM COLOURS ON DEMAND

Satin Collection

3 weeks | + 10% extra

Kerakoll Warm Collection

3 weeks | + 10% extra

TOTEM & TABÙ W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 2.600 lumen - luminaire flux Indoor use Box measurements: L.55 D.29 P.9 Gross weight: KG.4,00	MID POWER LED 2.700K, 3.000K CRI 90 700mA Macadam Step 3 LED Life L70 B50 > 56.000 h Energy Class: E	220-240 V 50 Hz 34W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover Totem & Tabù

STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Specchio / Mirror / Spiegel	On/off	8013210216811	1TOW1 M01 63 ZLO	440,00
Specchio / Mirror / Spiegel	Phase	8013210216859	1TOW1 M01 63 FLO	470,00
Specchio / Mirror / Spiegel	Push	8013210216873	1TOW1 M01 63 HLO	485,00
	Dali	8013210216835	1TOW1 M01 63 PLO	485,00
3.000 Kelvin				
Specchio / Mirror / Spiegel	On/off	8013210216828	1TOW1 M01 63 ZL1	440,00
Specchio / Mirror / Spiegel	Phase	8013210216866	1TOW1 M01 63 FL1	470,00
Specchio / Mirror / Spiegel	Push	8013210216880	1TOW1 M01 63 HL1	485,00
Specchio / Mirror / Spiegel	Dali	8013210216842	1TOW1 M01 63 PL1	485,00

TOTEM & TABÙ W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 2.600 lumen - luminaire flux Indoor use Box measurements: L.55 D.29 P.9 Gross weight: KG.4,00	MID POWER LED 2.700K, 3.000K CRI 90 700mA Macadam Step 3 LED Life L70 B50 > 56.000 h Energy Class: E	220-240 V 50 Hz 34W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover Totem & Tabù gessetto cancellabile incluso / erasable chalk included / inklusive kreide (streichbar)

STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Ardesia / Slate / Schiefer	On/off	8013210216897	1TOW1 L01 63 ZLO	462,00
Ardesia / Slate / Schiefer	Phase	8013210216958	1TOW1 L01 63 FLO	492,00
Ardesia / Slate / Schiefer	Push	8013210216910	1TOW1 L01 63 HLO	502,00
Ardesia / Slate / Schiefer	Dali	8013210216934	1TOW1 L01 63 PLO	502,00
3.000 Kelvin				
Ardesia / Slate / Schiefer	On/off	8013210216903	1TOW1 L01 63 ZL1	462,00
Ardesia / Slate / Schiefer	Phase	8013210216965	1TOW1 L01 63 FL1	492,00
Ardesia / Slate / Schiefer	Push	8013210216927	1TOW1 L01 63 HL1	502,00
Ardesia / Slate / Schiefer	Dali	8013210216941	1TOW1 L01 63 PL1	502,00

TOTEM & TABÙ W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 2.600 lumen - luminaire flux Indoor use Box measurements: L.55 D.29 P.9 Gross weight: KG.4,00	MID POWER LED 2.700K, 3.000K CRI 90 700mA Macadam Step 3 LED Life L70 B50 > 56.000 h Energy Class: E	220-240 V 50 Hz 34W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover Totem & Tabù

STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Noce Canaletto / Canaletto Walnut / Canaletto Nußholz	On/off	8013210216972	1TOW1 N01 63 ZLO	620,00
Rovere / Oak / Eiche	On/off	8013210217054	1TOW1 R01 63 ZLO	620,00
Noce Canaletto / Canaletto Walnut / Canaletto Nußholz	Phase	8013210216996	1TOW1 N01 63 FLO	650,00
Rovere / Oak / Eiche	Phase	8013210217078	1TOW1 R01 63 FLO	650,00
Noce Canaletto / Canaletto Walnut / Canaletto Nußholz	Push	8013210217016	1TOW1 N01 63 HLO	665,00
Rovere / Oak / Eiche	Push	8013210217092	1TOW1 R01 63 HLO	665,00
Noce Canaletto / Canaletto Walnut / Canaletto Nußholz	Dali	8013210217030	1TOW1 N01 63 PLO	665,00
Rovere / Oak / Eiche	Dali	8013210217115	1TOW1 R01 63 PLO	665,00
3.000 Kelvin				
Noce Canaletto / Canaletto Walnut / Canaletto Nußholz	On/off	8013210216989	1TOW1 N01 63 ZL1	620,00
Rovere / Oak / Eiche	On/off	8013210217061	1TOW1 R01 63 ZL1	620,00
Noce Canaletto / Canaletto Walnut / Canaletto Nußholz	Phase	8013210217009	1TOW1 N01 63 FL1	650,00
Rovere / Oak / Eiche	Phase	8013210217085	1TOW1 R01 63 FL1	650,00
Noce Canaletto / Canaletto Walnut / Canaletto Nußholz	Push	8013210217023	1TOW1 N01 63 HL1	665,00
Rovere / Oak / Eiche	Push	8013210217108	1TOW1 R01 63 HL1	665,00
Noce Canaletto / Canaletto Walnut / Canaletto Nußholz	Dali	8013210217047	1TOW1 N01 63 PL1	665,00
Rovere / Oak / Eiche	Dali	8013210217122	1TOW1 R01 63 PL1	665,00

TOTEM & TABÙ ACCESSORIES			
MASKS	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	8013210217238	KTOW1 000 63 000	100,00
Grafite / Graphite / Graphit	8013210217245	KTOW1 000 20 000	110,00
Oro regale / Royal gold / Luxus-Gold	8013210217252	KTOW1 000 33 000	110,00
Argento / Silver / Silber	8013210217269	KTOW1 000 43 000	110,00
Bronzo scuro / Dark bronze / Bronze Dunkel	8013210217276	KTOW1 000 48 000	110,00
Nero opaco / Matt black / Schwarz matt	8013210217283	KTOW1 000 62 000	110,00
Bronzo / Bronze / Bronze	8013210217290	KTOW1 000 64 000	110,00
Champagne / Champagne / Champagner	8013210217306	KTOW1 000 65 000	110,00
Satin Collection			
Sabbia / Sand / Sand	8013210217313	KTOW1 000 W2 000	110,00
Corda / Rope color / Schnur-Beige	8013210217320	KTOW1 000 W4 000	110,00
Tortora / Dove-gray / Taubengrau	8013210217337	KTOW1 000 W6 000	110,00
Caffè / Coffee / Kaffee-Braun	8013210217344	KTOW1 000 W8 000	110,00
Kerakoll Warm Collection			
Ottone anticato / Antique brass / Messing antik	8013210217351	KTOW1 000 14 000	125,00
Peltro delabrè / Pelter delabrè / Zinn delabrè	8013210217368	KTOW1 000 19 000	125,00
Rame delabrè / Copper delabrè / Kupfer delabrè	8013210217375	KTOW1 000 22 000	125,00
Oro delabrè / Gold delabrè / Gold delabrè	8013210217382	KTOW1 000 23 000	125,00
Metallic Collection			
Specchio / Mirror / Spiegel	8013210217399	KTOW1 M01 00 000	130,00
Ardesia / Slate / Schiefer	8013210217405	KTOW1 L01 00 000	150,00
Noce Canaletto / Canaletto Walnut / Canaletto Nußholz	8013210220689	KTOW1 N01 00 000	300,00
Rovere / Oak / Eiche	8013210220696	KTOW1 R01 00 000	300,00

VENERE W1


TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface On-Off, Push, Dali IP20 2.000 lumen - luminaire flux Indoor use Box measurements: L.34 D.34 P.10 Gross weight: KG.1,75	MID POWER LED 2.700K, 3.000K CRI 90 550mA Mono Bin LED Life L70 B50 > 54.000 h Energy Class: F	220-240 V 50 Hz 26W Class 1 Driver included	Lighting type: Direct and diffused Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	On/off	8013210228463	1VEW1 000 13 ZL0	411,00
Bianco / White / Weiß	Push	8013210228470	1VEW1 000 13 HL0	458,00
Bianco / White / Weiß	Dali	8013210228487	1VEW1 000 13 PL0	458,00
3.000 Kelvin				
Bianco / White / Weiß	On/off	8013210228494	1VEW1 000 13 ZL1	411,00
Bianco / White / Weiß	Push	8013210228500	1VEW1 000 13 HL1	458,00
Bianco / White / Weiß	Dali	8013210228517	1VEW1 000 13 PL1	458,00
CUSTOM COLOURS ON DEMAND				
Satin Collection Grafite, Graphite, Graphit Oro regale, Royal gold, Luxus-Gold Argento, Silver, Silber Bronzo scuro, Dark bronze, Bronze Dunkel Nero opaco, Matt black, Schwarz matt Bronzo, Bronze, Bronze Champagne, Champagne, Champagner 3 weeks + 10% extra			Kerakoll Warm Collection Sabbia, Sand, Sand Corda, Rope color, Schnur-Beige Tortora, Dove-gray, Taubengrau Caffè, Coffee, Kaffee-Braun 3 weeks + 10% extra	

VENERE W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL PHOTOMETRIC
	Ceiling/Wall Surface On-Off, Push, Dali IP20 2.900 lumen - luminaire flux Indoor use Box measurements: L.42 D.42 P.10 Gross weight: KG.2,50	MID POWER LED 2.700K, 3.000K CRI 90 650mA Mono Bin LED Life L70 B50 > 54.000 h Energy Class: F	220-240 V 50 Hz 41W Class 1 Driver included	Lighting type: Direct and diffused Light distribution: Symmetric
STRUCTURE	DIMMING	EAN	CODE	EURO
2.700 Kelvin				
Bianco / White / Weiß	On/off	8013210228258	1VEW2 000 13 ZL0	562,00
Bianco / White / Weiß	Push	8013210228265	1VEW2 000 13 HL0	608,00
Bianco / White / Weiß	Dali	8013210228272	1VEW2 000 13 PL0	608,00
3.000 Kelvin				
Bianco / White / Weiß	On/off	8013210228319	1VEW2 000 13 ZL1	562,00
Bianco / White / Weiß	Push	8013210228326	1VEW2 000 13 HL1	608,00
Bianco / White / Weiß	Dali	8013210228357	1VEW2 000 13 PL1	608,00
CUSTOM COLOURS ON DEMAND				
Satin Collection Grafite, Graphite, Graphit Oro regale, Royal gold, Luxus-Gold Argento, Silver, Silber Bronzo scuro, Dark bronze, Bronze Dunkel Nero opaco, Matt black, Schwarz matt Bronzo, Bronze, Bronze Champagne, Champagne, Champagner 3 weeks + 10% extra			Kerakoll Warm Collection Sabbia, Sand, Sand Corda, Rope color, Schnur-Beige Tortora, Dove-gray, Taubengrau Caffè, Coffee, Kaffee-Braun 3 weeks + 10% extra	


ROSONE R1 - R2 - R3 / CANOPY R1 - R2 - R3 / BALDACHIN R1 - R2 - R3

Ordina queste versioni per utilizzare il rosone con sospensioni non prodotte da Rotaliana / To order for assembling with pendants not produced by Rotaliana / Diese Modelle sind zur Verwendung mit Pendeln, die nicht von Rotaliana hergestellt wurden




STRUCTURE	EAN	CODE	EURO
R1 max 6 luci Ø 50 per lampade a tensione di rete / max 6 lights Ø 50 for mains voltage lamps / Ø 50 max 6 Pendel in Hochvolt Bianco opaco / Matt white / Weiß matt	8013210197554	AROS1 000 63 Z00	412,00
R2 max 3 luci L 90 per lampade a tensione di rete / max 3 lights L 90 for mains voltage lamps / L 90 max 3 Pendel in Hochvolt Bianco opaco / Matt white / Weiß matt	8013210197561	AROS2 000 63 Z00	530,00
R3 max 6 luci L 140 per lampade a tensione di rete / max 6 lights L 140 for mains voltage lamps / L 140 max 6 Pendel in Hochvolt Bianco opaco / Matt white / Weiß matt	8013210197578	AROS3 000 63 Z00	745,00

ACCESSORI / **ACCESSORIES**




STRUCTURE	EAN	CODE	EURO
R1 ROSONE / CANOPY / BALDACHIN Bianco opaco / Matt white / Weiß matt	8013210202623	AROS1 ROT 63 Z00	348,00



STRUCTURE	EAN	CODE	EURO
R2 ROSONE / CANOPY / BALDACHIN Bianco opaco / Matt white / Weiß matt	8013210202630	AROS2 ROT 63 Z00	466,00



Discover
Rosoni/Canopies



STRUCTURE	EAN	CODE	EURO
R3 ROSONE / CANOPY / BALDACHIN			
Bianco opaco / Matt white / Weiß matt	8013210202647	AROS3 ROT 63 Z00	658,00

DRINK H1 min. 1 lampada - max. 6 lampade / **min. 1 suspension - max. 6 suspensions** / 1 bis - max. 6 Pendelleuchten

STRUCTURE	CABLE COLOR	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Trasparente / Transparent / Transparent	8013210204795	ADRH1 000 63 RBO	239,00
Bianco opaco / Matt white / Weiß matt	Nero / Black / Schwarz	8013210204801	ADRH1 N00 62 RBO	239,00

DRY H3 min. 1 lampada - max. 6 lampade / **min. 1 suspension - max. 6 suspensions** / 1 bis - max. 6 Pendelleuchten

STRUCTURE	DIMMING	CABLE COLOR	EAN	CODE	EURO	
Bianco opaco / Matt white / Weiß matt	2.700 Kelvin	On/off	Trasp. / Transp. / Transp.	8013210204818	ADYH3 000 63 RL0	313,00
Nero opaco / Matt black / Schwarz matt	2.700 Kelvin	On/off	Nero / Black / Schwarz	8013210204825	ADYH3 N00 62 RL0	313,00
Bianco opaco / Matt white / Weiß matt	3.000 Kelvin	On/off	Trasp. / Transp. / Transp.	8013210204832	ADYH3 000 63 RL1	313,00
Nero opaco / Matt black / Schwarz matt	3.000 Kelvin	On/off	Nero / Black / Schwarz	8013210204849	ADYH3 N00 62 RL1	313,00

FLOW GLASS H1 min. 1 lampada - max. 3 lampade / **min. 1 suspension - max. 3 suspensions** / 1 bis - max. 3 Pendelleuchten

STRUCTURE	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	8013210204856	AFWH1 G01 63 RBO	436,00

FLOW GLASS H2 min. 1 lampada - max. 3 lampade / **min. 1 suspension - max. 3 suspensions** / 1 bis - max. 3 Pendelleuchten

STRUCTURE	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	8013210204863	AFWH2 G01 63 RBO	319,00

GOCCIA H1 min. 1 lampada - max. 6 lampade / **min. 1 suspension - max. 6 suspensions** / 1 bis - max. 6 Pendelleuchten

STRUCTURE	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	8013210202685	AGOH1 001 00 RBO	511,00

GOCCIA H2 min. 1 lampada - max. 6 lampade / **min. 1 suspension - max. 6 suspensions** / 1 bis - max. 6 Pendelleuchten

STRUCTURE	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	8013210202692	AGOH2 00 100 RBO	401,00

LUXY H5 min. 1 lampada - max. 6 lampade / **min. 1 suspension - max. 6 suspensions** / 1 bis - max. 6 Pendelleuchten

TEXTILE COLOURED CABLE	DIFFUSER	EAN	CODE	EURO
Bianco / White / Weiß	Bianco lucido / Glossy white / Weiß glänzend	8013210204870	ALXH5 B01 30 RRO	222,00
Bianco / White / Weiß	Bianco acidato / Etched white / Weiß matt	8013210204887	ALXH5 B02 30 RRO	222,00
Bianco / White / Weiß	Rosso lucido / Glossy red / Rot glänzend	8013210204894	ALXH5 B04 30 RRO	222,00
Bianco / White / Weiß	Giallo lucido / Glossy yellow / Gelb glänzend	8013210204900	ALXH5 B05 30 RRO	222,00
Bianco / White / Weiß	Nero lucido / Glossy black / Schwarz glänzend	8013210204924	ALXH5 B08 30 RRO	222,00
Nero / Black / Schwarz	Bianco lucido / Glossy white / Weiß glänzend	8013210204931	ALXH5 N01 30 RRO	222,00
Nero / Black / Schwarz	Bianco acidato / Etched white / Weiß matt	8013210204948	ALXH5 N02 30 RRO	222,00
Nero / Black / Schwarz	Rosso lucido / Glossy red / Rot glänzend	8013210204955	ALXH5 N04 30 RRO	222,00
Nero / Black / Schwarz	Giallo lucido / Glossy yellow / Gelb glänzend	8013210204986	ALXH5 N05 30 RRO	222,00
Nero / Black / Schwarz	Nero lucido / Glossy black / Schwarz glänzend	8013210204962	ALXH5 N08 30 RRO	222,00
Rosso / Red / Rot	Bianco lucido / Glossy white / Weiß glänzend	8013210204993	ALXH5 R01 30 RRO	222,00
Rosso / Red / Rot	Bianco acidato / Etched white / Weiß matt	8013210205006	ALXH5 R02 30 RRO	222,00
Rosso / Red / Rot	Rosso lucido / Glossy red / Rot glänzend	8013210205013	ALXH5 R04 30 RRO	222,00
Rosso / Red / Rot	Giallo lucido / Glossy yellow / Gelb glänzend	8013210205037	ALXH5 R05 30 RRO	222,00
Rosso / Red / Rot	Nero lucido / Glossy black / Schwarz glänzend	8013210205044	ALXH5 R08 30 RRO	222,00

LUXY H5 GLAM min. 1 lampada - max. 6 lampade / **min. 1 suspension - max. 6 suspensions** / 1 bis - max. 6 Pendelleuchten

TEXTILE COLOURED CABLE	DIFFUSER	EAN	CODE	EURO
Nero / Black / Schwarz	Bianco lucido / Glossy white / Weiß glänzend	8013210204757	ALXH5 001 31 RRO	222,00
Nero / Black / Schwarz	Oro lucido / Glossy gold / Gold glänzend	8013210202715	ALXH5 011 31 RRO	235,00
Nero / Black / Schwarz	Rame lucido / Glossy copper / Kupfer glänzend	8013210202722	ALXH5 012 31 RRO	235,00
Nero / Black / Schwarz	Fumè / Smoky / Rauch	8013210203385	ALXH5 013 31 RRO	235,00

POMI H1 min. 1 lampada - max. 5 lampade / **min. 1 suspension - max. 5 suspensions** / 1 bis - max. 5 Pendelleuchten

TEXTILE COLOURED CABLE	CABLE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Trasparente / Transparent / Transparent	8013210205099	APOH1 000 62 RBO	688,00
Bianco opaco / Matt white / Weiß matt	Trasparente / Transparent / Transparent	8013210205075	APOH1 000 63 RBO	623,00


POMI H2 min. 1 lampada - max. 5 lampade / **min. 1 suspension - max. 5 suspensions** / 1 bis - max. 5 Pendelleuchten

TEXTILE COLOURED CABLE	CABLE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Trasparente / Transparent / Transparent	8013210205136	APOH2 000 62 RBO	551,00
Bianco opaco / Matt white / Weiß matt	Trasparente / Transparent / Transparent	8013210205143	APOH2 000 63 RBO	496,00

POMI H3 min. 1 lampada - max. 5 lampade / **min. 1 suspension - max. 5 suspensions** / 1 bis - max. 5 Pendelleuchten

TEXTILE COLOURED CABLE	CABLE	EAN	CODE	EURO
Nero opaco / Matt black / Schwarz matt	Trasparente / Transparent / Transparent	8013210205181	APOH3 000 62 RBO	374,00
Bianco opaco / Matt white / Weiß matt	Trasparente / Transparent / Transparent	8013210205204	APOH3 000 63 RBO	331,00

R1 LED DINA H1 - R2 LED DINA H1 - R3 LED DINA H1



R1 LED per 3 sospensioni / R1 LED per 3 sospensioni / R1 LED per 3 sospensioni

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204283	AROS1 DN3 63 ZL0	401,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205211	AROS1 DN3 63 PL0	444,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205228	AROS1 DN3 63 HL0	444,00

R1 LED per 6 sospensioni / R1 LED per 6 sospensioni / R1 LED per 6 sospensioni

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204290	AROS1 DN6 63 ZL0	456,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205235	AROS1 DN6 63 PL0	530,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205242	AROS1 DN6 63 HL0	530,00

R2 LED per 3 sospensioni / R2 LED per 3 sospensioni / R2 LED per 3 sospensioni

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204276	AROS2 DN3 63 ZL0	525,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205259	AROS2 DN3 63 PL0	568,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205266	AROS2 DN3 63 HL0	568,00

R3 LED per 3 sospensioni / R3 LED per 3 sospensioni / R3 LED per 3 sospensioni

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204269	AROS3 DN3 63 ZL0	675,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205280	AROS3 DN3 63 PL0	718,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205396	AROS3 DN3 63 HL0	718,00


R3 LED per 6 sospensioni / R3 LED per 6 sospensioni / R3 LED per 3 sospensioni

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204252	AROS3 DN6 63 ZL0	707,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205402	AROS3 DN6 63 PL0	792,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205419	AROS3 DN6 63 HL0	792,00

DINA H1

STRUCTURE	EAN	CODE	EURO
Trasparente / Transparent / Transparent	8013210205426	ADNH1 001 02 RL0	238,00
Bianco / White / Weiß	8013210205440	ADNH1 002 02 RL0	238,00
Cromo / Chrome / Chrom	8013210205457	ADNH1 003 02 RL0	238,00
Nero / Black / Schwarz	8013210205464	ADNH1 004 02 RL0	238,00
Blu / Blue / Blau	8013210205488	ADNH1 005 02 RL0	238,00

R1LED SQUIGGLE H6 - R2 LED SQUIGGLE H6 - R3 LED SQUIGGLE H6



R1 LED min. 3 lampade - max. 6 lampade / min. 3 suspensions - max. 6 suspensions / 3 bis - max. 6 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204306	AROS1 SQ6 63 ZL0	466,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205495	AROS1 SQ6 63 PL0	546,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205501	AROS1 SQ6 63 HL0	546,00
Bianco opaco / Matt white / Weiß matt	0/1 - 10 V	8013210205525	AROS1 SQ6 63 DL0	546,00

R2 LED min. 1 lampada - max. 3 lampade / min. 1 suspension - max. 3 suspensions / 1 bis - max. 3 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204313	AROS2 SQ6 63 ZL0	595,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205549	AROS2 SQ6 63 PL0	675,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205563	AROS2 SQ6 63 HL0	675,00
Bianco opaco / Matt white / Weiß matt	0/1 - 10 V	8013210205570	AROS2 SQ6 63 DL0	675,00


R3 LED min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204320	AROS3 SQ6 63 ZL0	772,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205587	AROS3 SQ6 63 PL0	852,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205600	AROS3 SQ6 63 HL0	852,00
Bianco opaco / Matt white / Weiß matt	0/1 - 10 V	8013210205617	AROS3 SQ6 63 DL0	852,00

SQUIGGLE H6

STRUCTURE	EAN	CODE	EURO
Oro / Gold / Gold	8013210205631	ASQH6 000 04 RL0	345,00
Nero opaco / Matt black / Schwarz matt	8013210205648	ASQH6 000 62 RL0	345,00
Bianco opaco / Matt white / Weiß matt	8013210205655	ASQH6 000 63 RL0	345,00

R1 LED SQUIGGLE H1 - H2 - H3



R1 LED min. 1 lampada - max. 3 lampade / min. 1 suspension - max. 3 suspensions / 1 bis - max. 3 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204337	AROS1 SQH 63 ZLO	551,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205662	AROS1 SQH 63 PLO	632,00
Bianco opaco / Matt white / Weiß matt	Push	8013210205679	AROS1 SQH 63 HLO	632,00
Bianco opaco / Matt white / Weiß matt	0/1 - 10 V	8013210205686	AROS1 SQH 63 DLO	632,00

SQUIGGLE H1

STRUCTURE	EAN	CODE	EURO
Oro / Gold / Gold	8013210205709	ASQH1 000 04 RLO	1.417,00
Nero opaco / Matt black / Schwarz matt	8013210205716	ASQH1 000 62 RLO	1.417,00
Bianco opaco / Matt white / Weiß matt	8013210205723	ASQH1 000 63 RLO	1.417,00


SQUIGGLE H2

STRUCTURE	EAN	CODE	EURO
Oro / Gold / Gold	8013210205730	ASQH2 000 04 RLO	1.899,00
Nero opaco / Matt black / Schwarz matt	8013210205747	ASQH2 000 62 RLO	1.899,00
Bianco opaco / Matt white / Weiß matt	8013210205754	ASQH2 000 63 RLO	1.899,00

SQUIGGLE H3

STRUCTURE	EAN	CODE	EURO
Oro / Gold / Gold	8013210205761	ASQH3 000 04 RLO	2.620,00
Nero opaco / Matt black / Schwarz matt	8013210205815	ASQH3 000 62 RLO	2.620,00
Bianco opaco / Matt white / Weiß matt	8013210205860	ASQH3 000 63 RLO	2.620,00

R1 LED FURIN



R1 LED min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204344	AROS1 FUH 63 ZLO	401,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205877	AROS1 FUH 63 PLO	444,00


R2 LED min. 1 lampada - max. 3 lampade / min. 1 suspension - max. 3 suspensions / 1 bis - max. 3 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204368	AROS2 FUH 63 ZLO	525,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205891	AROS2 FUH 63 PLO	567,00

R3 LED min. 1 lampada - max. 12 lampade / min. 1 suspension - max. 12 suspensions / 1 bis - max. 12 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	EURO
Bianco opaco / Matt white / Weiß matt	On/off	8013210204351	AROS3 FUH 63 ZLO	830,00
Bianco opaco / Matt white / Weiß matt	Dali	8013210205907	AROS3 FUH 63 PLO	873,00

TUBES



TEXTILE COLOR	H cm	EAN	CODE	EURO
Bianco / White / Weiß	100	8013210206331	EFUH1 100 02 RLO	122,00
Bianco / White / Weiß	125	8013210206355	EFUH1 125 02 RLO	138,00
Bianco / White / Weiß	150	8013210206379	EFUH1 150 02 RLO	154,00
Bianco / White / Weiß	175	8013210206393	EFUH1 175 02 RLO	171,00
Bianco / White / Weiß	200	8013210206416	EFUH1 200 02 RLO	187,00
Bianco / White / Weiß	225	8013210206430	EFUH1 225 02 RLO	204,00
Bianco / White / Weiß	250	8013210206454	EFUH1 250 02 RLO	220,00
Bianco / White / Weiß	275	8013210206478	EFUH1 275 02 RLO	237,00
Bianco / White / Weiß	300	8013210206492	EFUH1 300 02 RLO	254,00
Rosso / Red / Rot	100	8013210206348	EFUH1 100 03 RLO	122,00
Rosso / Red / Rot	125	8013210206362	EFUH1 125 03 RLO	138,00
Rosso / Red / Rot	150	8013210206386	EFUH1 150 03 RLO	154,00
Rosso / Red / Rot	175	8013210206409	EFUH1 175 03 RLO	171,00
Rosso / Red / Rot	200	8013210206423	EFUH1 200 03 RLO	187,00
Rosso / Red / Rot	225	8013210206447	EFUH1 225 03 RLO	204,00
Rosso / Red / Rot	250	8013210206461	EFUH1 250 03 RLO	220,00
Rosso / Red / Rot	275	8013210206485	EFUH1 275 03 RLO	237,00
Rosso / Red / Rot	300	8013210206508	EFUH1 300 03 RLO	254,00

Maggiorazione taglio tubo fuori standard /
Unit tube cost for custom measurements /
Aufpreis für Kundenmaß

12,00

CERTIFICAZIONI / CERTIFICATIONS



Istituto Italiano Marchio di Qualità. Il Marchio IMQ attesta la conformità dei prodotti elettrici ai requisiti delle norme CEI e EN. IMQ è la società italiana di prove e certificazioni per la sicurezza e la qualità di prodotti ed aziende/ The IMQ mark certifies that the electrical product conforms to both the CEI and EN standards. IMQ is the Italian certification board which ensures the safety and quality of both the products and the company which produces it.



La marcatura indica che il prodotto ha superato positivamente tutte le prove previste dalle normative per la sicurezza elettrica, richieste dalla Comunità Europea. Normative EN 60598-1 corrispondenti alle norme Italiane per la sicurezza elettrica CEI 34-21/ This guarantees that the product has passed all tests necessary to ensure conformity with all EuropEan Community safety standards.



Apparecchio in classe II, con doppio isolamento e/o rinforzo in ogni parte e senza dispositivi per la messa a terra/Category II product, with double insulation and/or reinforced insulation in every part of the product and with no earth.

IP20

Grado di protezione. Protetto contro oggetti solidi più grandi di 12mm Ø. Nessuna protezione contro liquidi/ Level of Protection. Protected against solid objects greater than 12mm Ø. Not water resistant.

IP44

Protetto da corpi solidi superiori a 1,00mm e contro i getti d'acqua/ Protected against solid object greater than 1,00mm and against water jets.

IP65

Totalmente protetto contro le polveri e contro i getti d'acqua/ No ingress of dust and protected against water jets.

ROHS

Apparecchi conformi alla direttiva ROHS/ ROHS conformed.



Classe III. Apparecchio in cui la protezione contro la scossa elettrica si basa sull'alimentazione a bassissima tensione di sicurezza (SELV) ed in cui non si producono tensioni superiori alla stessa./ Class III: A luminaire in which protection against electric shock relies on supply at safety extra-low voltage (SELV) and in which voltages higher than those of SELV are not generated

ATTENZIONE L'apparecchio non deve essere smaltito come rifiuto urbano. Deve essere soggetto a raccolta separata per evitare danni all'ambiente. Nel rispetto della Direttiva 2002/96 e delle Leggi nazionali di recepimento per lo smaltimento del prodotto a fine vita, il mancato rispetto di quanto sopra è sanzionato dalla Legge. Si prega di informarsi in merito al sistema locale di raccolta differenziata per i prodotti elettrici ed elettronici/ ATTENTION The product cannot be disposed as unsorted municipal waste. It must be collected separately to prevent negative environmental impacts. In accordance with the procedures of Directive 2002/96 and relevant national laws and regulations adopted pursuant to this Directive on the disposal of waste at the end of the life cycle of the product, any violation is sanctioned by law. Please inform yourself about the local separate collection system for electrical and electronic products.



TERMINI E CONDIZIONI DI VENDITA

1. GENERALITÀ

1.1. Le nostre condizioni generali di vendita hanno validità esclusiva. Eventuali deroghe alle stesse e/o clausole invocate a sua volta dall'Acquirente saranno efficaci soltanto se da noi sottoscritte. L'eventuale nullità di singole disposizioni del presente contratto non intacca la validità delle rimanenti disposizioni. Le seguenti condizioni di vendita disciplinano qualsiasi contratto di vendita (presente e futuro) concluso tra le parti. 1.2 L'ordine sottoposto dall'Acquirente sia direttamente che tramite agenti, procuratori d'affari, rappresentanti o funzionari, ha carattere vincolante ed è irrevocabile per 30 giorni dall'effettuazione dello stesso. Tutti gli ordini pervenuti a Rotaliana S.r.l. sono sempre soggetti a conferma scritta di quest'ultima. 1.3 I prezzi indicati nel listino di vendita potranno subire variazioni, che verranno formalmente comunicate con opportuna tempestività. 1.4 I prodotti potranno essere soggetti, a ns. insindacabile giudizio, alle modifiche di carattere migliorativo ritenute necessarie. Non si garantisce pertanto che il materiale fornito corrisponda esattamente alle foto del catalogo. Nel caso di ordini di completamento non viene garantita la fornitura dell'esatta quantità del materiale consegnato in precedenza. Il presente listino prezzi sostituisce e annulla tutte le precedenti edizioni.

2. TERMINI DI CONSEGNA

2.1 Il termine di consegna decorre dalla data della conferma d'ordine. Esso si intende adeguatamente prorogato: se i pagamenti non vengono effettuati puntualmente, se l'Acquirente manca di fornire in tempo utile quanto stabilito in contratto o se comunque insorgono cause indipendenti da Rotaliana S.r.l., come, ad esempio, ritardi dei subfornitori, impossibilità di approvvigionamento in Italia od all'estero, nonché casi di forza maggiore, scioperi, interruzione di linee e servizi, mancanza di mezzi di trasporto.2.2 Salvo il caso di dolo o colpa grave di Rotaliana s.r.l. è escluso qualsiasi risarcimento del danno per mancata o ritardata consegna dei prodotti 2.3 L'annullamento dell'ordine potrà avvenire solo per accordo tra le parti. È facoltà della Rotaliana S.r.l. di evadere gli ordini in diverse riprese.

3. LUOGO DELLA CONSEGNA

3.1 Qualsiasi riferimento a termini commerciali (come EXW, CIP ecc.) è da intendersi come richiamo agli Incoterms della Camera di Commercio Internazionale, nel testo in vigore alla data di stipulazione del contratto di vendita. Salvo patto contrario, la consegna si intende Franco Fabbrica (EXW Incoterms 2020) presso la sede di Rotaliana s.r.l. 3.2 Anche se il prezzo comprende il trasporto e/o si conviene un termine di resa diverso, il rischio passa all'Acquirente con la consegna al primo vettore presso la sede di Rotaliana s.r.l.. 3.3 Spetta al destinatario la cura e la responsabilità di verificare il numero e la condizione dei colli e di fare eventuali reclami al vettore. L'Acquirente si obbliga in ogni caso a ritirare la merce dal Vettore anche quando credesse di poter sollevare proteste od eccezioni.

4. GARANZIA

Rotaliana S.r.l. garantisce la buona qualità e la buona costruzione dei propri prodotti obbligandosi, durante il periodo di garanzia appresso specificato, a sostituire gratuitamente nel più breve tempo possibile quelle parti che per cattiva qualità del materiale o per difetto di lavorazione si dimostrassero difettose, sempre che ciò non dipenda da naturale logoramento, da guasti causati da imperizia o negligenza dell'Acquirente, dall'installazione effettuata da personale non qualificato, da casi fortuiti o di forza maggiore. L'acquirente è tenuto ad esaminare la merce immediatamente dopo l'arrivo. Non si accettano reclami se non per iscritto entro tre giorni dall'arrivo della merce presso il compratore. La lettera di reclamo dovrà contenere specifica descrizione dei vizi. Per vizi occulti si dà garanzia per un periodo massimo di 12 mesi dalla consegna, se reclamati per iscritto entro tre giorni dalla loro scoperta. Non si considerano occulti eventuali vizi rilevabili da un diligente esame della merce cui il compratore è tenuto al momento della consegna di ogni fornitura. Le eventuali restituzioni devono essere precedute da idonea motivazione scritta, comunque non saranno accettate se non autorizzate per iscritto da Rotaliana S.r.l. In caso di consegna di merci non rispondenti alla qualità pattuita, la Venditrice può a sua insindacabile scelta, o sostituire le merci o annullare il contratto purché l'Acquirente abbia provveduto alla tempestiva contestazione della fornitura. L'Acquirente non potrà richiedere risarcimento di danni per questo titolo fermo restando che allo stesso saranno rimborsate eventuali spese di trasporto. La garanzia di cui al presente articolo è assorbente e sostitutiva delle garanzie legali per vizi e conformità ed esclude ogni altra possibile responsabilità del Venditore, salvo il caso di dolo e colpa grave, comunque originata dai prodotti forniti; in particolare, l'Acquirente non potrà avanzare altre richieste di risarcimento del danno, di riduzione del prezzo o di risoluzione del contratto. Decorso la durata della garanzia nessuna pretesa potrà esser fatta valere nei confronti del Venditore È espressamente escluso qualsiasi diritto di regresso dell'Acquirente nei confronti del Venditore ai sensi dell'art. 134 d.lg. 6-9-205, n. 2006 (Codice del consumo), o di analogo norma di altro Stato membro basata sulla direttiva EU 2019/771 su determinati aspetti relativi alla vendita di beni., da parte dell'Acquirente che abbia posto rimedio ad un difetto di conformità nei confronti del consumatore (o che abbia subito il regresso del venditore finale par tale ragione). Inoltre, l'Acquirente si impegna a tenere il venditore indenne da qualsiasi azione di regresso che quest'ultimo possa subire da eventuali acquirenti dell'Acquirente.

5. PAGAMENTO

5.1 È facoltà di Rotaliana S.r.l. di non evadere ordini o di sospendere l'esecuzione qualora l'Acquirente non sia in regola con i pagamenti, o per qualsiasi altra sua inadempienza o per la sua mutata situazione economica e/o giuridica. I nostri termini di pagamento decorrono dalla data della fattura. Diverse modalità di pagamento saranno valide solo se da noi confermate per iscritto. In caso di ritardo di pagamento sono dovuti gli interessi moratori ai sensi del D.lgs 231/2001, oltre alle spese e risarcimento dei danni. I pagamenti delle merci vanno eseguiti presso la sede di Rotaliana S.r.l. in Mezzolombardo mediante bonifico bancario, salvo diverse modalità concordate e confermate per iscritto. La visita di incaricati delle riscossioni, che dovranno comunque essere sempre muniti di delega scritta, e la emissione eventuale di tratte o ricevute bancarie nonché la accettazione di cambiali o assegni, non faranno mai venire meno l'obbligo del pagamento presso la sede della Venditrice in Mezzolombardo. 5.2 La compensazione tra crediti è ammessa solo in presenza di titoli esecutivi.

6. RISERVATO DOMINIO

Rotaliana S.r.l. si riserva la proprietà sulla merce fornita fino a quando non sia pervenuto il pagamento integrale.

7. RIVENDITA DEI PRODOTTI

L'Acquirente si impegna a presentare i prodotti in modo da salvaguardare l'immagine di marca di Rotaliana s.r.l. in conformità alle indicazioni fornite da Rotaliana s.r.l., essendo inteso che il materiale promozionale che contenga i marchi e/o segni distintivi di Rotaliana s.r.l., salvo che sia stato fornito e/o previamente autorizzato da quest'ultima, dovrà essere sottoposto previamente a Rotaliana s.r.l. affinché la stessa possa verificarne la conformità alla sua immagine e valori d'azienda. Rotaliana s.r.l. fornirà all'Acquirente un listino prezzi raccomandati a cui l'Acquirente potrà fare riferimento per capire il posizionamento dei prodotti sul mercato. L'Acquirente è comunque libero di fissare i propri prezzi tenendo conto dell'immagine e del valore del marchio e dei prodotti Rotaliana.s.r.l

8. FORO LEGALE COMPETENTE

Per qualsiasi controversia relativa alle presenti condizioni generali e ai contratti di vendita è esclusivamente competente il foro di Trento, Italia.

9. DIRITTO APPLICABILE

Ove l'Acquirente abbia la propria sede d'affari fuori dall'Italia, per quanto non contemplato nelle presenti condizioni di vendita si applica quanto stabilito dalla Convenzione delle Nazioni Unite del 1980 sulla vendita di cose mobili e, in mancanza di sua previsione, dal diritto italiano.

Ai sensi e per gli effetti di cui all'art. 1341 c.c. l'Acquirente accetta espressamente le seguenti clausole 1.2 (Ordine irrevocabile); 2.2 (responsabilità per omessa o ritardo nella consegna); 3.2 (passaggio del rischio); 4 (Garanzia); 5.2 (limite alle compensazioni); 7 (rivendita dei prodotti); 8 (foro competente).

GENERAL TERMS OF SALE

1. GENERAL

1.1 Our general terms of sale have exclusive validity. Any possible exceptions to them and/or clauses invoked by the Buyer on his part shall be effective only if we undersign them. The invalidity of any single condition of contract does not limit the validity of the other terms. The following conditions of sale shall govern any contract of sale (present and future) entered into between the parties. 1.3 Any order submitted by the Buyer either directly or through agents, dealers, representatives or company officers, is binding and cannot be revoked for 30 days after placing such order. All orders received by Rotaliana S.r.l. are always subject to written confirmation by the latter. 1.3 The prices shown in the pricelist may be subject to modification which will be formally communicated without delay. 1.4 Products may be subject, at our sole discretion, to any improving modifications which we consider necessary. Therefore, we do not guarantee that the items supplied correspond exactly to the photographs in the catalogue. In the case of completion orders the exact colour of the items supplied is not guaranteed to be the same as that of the previous supply. This pricelist replaces and cancels all preceding versions.

2. DELIVERY TERMS

2.1 The delivery schedule runs from the date of the order confirmation. This may in certain circumstances be extended: if payments are not made on time; if the Buyer does not meet in good time any obligations under the contract; or if any cause arises, independently of Rotaliana S.r.l., such as delays by sub-contractors, impossibility of supply in Italy or abroad, causes of force majeure, strikes, interruptions of lines and services, lack of means of transport.2.2 Except in the case of fraud or gross negligence on the part of Rotaliana s.r.l., any compensation for damages for non-delivery or delayed delivery of the products is excluded. 2.3 The order can be cancelled only by an agreement between the parties. Rotaliana S.r.l. can fulfil orders with partial shipments.

3. PLACE OF DELIVERY

3.1 Any reference to trade terms (such as EXW, CIP, etc.) shall be construed as a reference to the Incoterms of the International Chamber of Commerce, in the text in force on the date of conclusion of the contract of sale. Unless otherwise agreed, delivery is understood to be Ex Works (EXW Incoterms 2020) at the premises of Rotaliana S.r.l. 3. Even if the price includes the cost of transport and/or a different delivery term is agreed, the risk passes to the Buyer with delivery to the first carrier at the premises of Rotaliana s.r.l. 3.3 It is the care and responsibility of the Buyer to verify the number of packages and the condition of the goods and to make any eventual claims on the carrier. The Buyer binds himself to accept the goods from the carrier even if he considers grounds exist for raising objections or claiming breaches.

4. GUARANTEE

Rotaliana S.r.l. guarantees the good quality and construction of its products and commits itself during the guarantee period hereunder specified to the replacement free of charge and as soon as possible of those parts that due to inadequate quality of the material or to faulty manufacturing are shown to be defective, always providing that this does not arise from normal wear and tear, from faults caused by incapacity or negligence of the Buyer, from installation by unqualified personnel, or from unforeseeable or force majeure circumstances. The Buyer undertakes to examine the goods immediately on arrival. Claims will not be accepted unless in writing and made within three days of the arrival of the goods by the Buyer. The claim notice must contain a specific description of the defects. For hidden defects the guarantee covers a maximum period of twelve (12) months from the delivery, provided that the Buyer gives notice of the defect in writing within three days of their discovery. Defects are not considered to be hidden if they could be revealed by the diligent inspection of the goods that the Buyer must make on delivery of each supply. Any goods returned must be preceded by a suitable written motivation, and in any case will not be accepted unless authorized in writing by Rotaliana S.r.l. In the case of delivery of goods that do not conform to the agreed quality, the Seller can at his exclusive discretion either replace the goods or cancel the contract if the Buyer has made a claim within the deadlines indicated herein. The Buyer cannot file any claims for damages under this clause, although eventual shipping costs will be reimbursed. The guarantee under this clause overrides and replaces all other legal guarantees for defects and conformity and excludes any other possible responsibility of the Seller however caused by the products supplied, except in the case of fraud and gross negligence; in particular, the Buyer cannot make any other claims for damages, price reductions or seek resolution of contract. On expiry of the guarantee period no claim can be made against the Seller. Any Buyer's right of redress against the Seller is expressly excluded with reference to Consumer Code, Article 134 d.lg. 6-9-205, n. 2006, or under similar norms of other Member States as to the Directive 2019/771 EC concerning specific aspects of the sale of goods. Furthermore, the Buyer undertakes to hold the Seller harmless from any regress action that the latter may suffer from any parties purchasing from the Buyer.

5. PAYMENT

5.1 Rotaliana S.r.l. can decide not to satisfy orders or to suspend execution of the order if the Buyer has not made payments to schedule, or for any other default, or due to his changed economic and/or juridical situation. Our terms of payment start from the date of the invoice: alternative forms of payment will be valid only if confirmed by us in writing. In the event of late payment, interest for late payment shall be due pursuant to Legislative Decree 231/2001, in addition to costs and damages. Payments for goods must be made to the premises of Rotaliana S.r.l. in Mezzolombardo by bank transfer, save any other form of payment agreed and confirmed in writing. The visit of persons charged with collecting amounts due, who will in all cases be provided with written authority, and any emission of drafts or bank receipts or the acceptance of bills of exchange and cheques do not modify the obligation to effect payment at the head office of the Seller in Mezzolombardo. 5.2 The offsetting of credits is allowed only if on the basis of enforcement titles.

6. RESERVED PROPERTY

Rotaliana S.r.l. retains ownership of the goods supplied until full payment is received.

7. RE SALE OF PRODUCT

The Buyer undertakes to present the products in such a way as to safeguard the brand image of Rotaliana s.r.l. in accordance with the indications provided by Rotaliana s.r.l., it being understood that promotional material containing the trademarks and/or distinctive signs of Rotaliana s.r.l., unless provided and/or authorized in advance by Rotaliana s.r.l., must be submitted in advance to Rotaliana s.r.l. so that the latter may verify its conformity with its corporate image and values. Rotaliana s.r.l. will provide the Buyer with a recommended price list to which the Buyer may refer in order to understand the positioning of the products on the market. The Buyer is however free to set its own prices taking into account the image and value of the brand and products of Rotaliana s.r.l.

8. PLACE OF JURISDICTION

Any disputes relating to these general terms and conditions and contracts of sale shall be settled exclusively by the Court of Trento, Italy.

9. APPLICABLE LAW

If the Buyer's registered office is outside Italy, the provisions of the 1980 United Nations Convention on the Sale of (Movable) Goods and, in the absence thereof, of Italian law shall apply to all matters not covered by these terms and conditions of sale.

Rotaliana srl
via Trento 115 - 117
38017 Mezzolombardo
Trento, Italia

T. +39 0461 60 23 76
info@rotaliana.it
www.rotaliana.it



